

BASIN

BASS

DATE

March 30, 1973

330110

WELL NAME

BASS-3

ELEVATION

+ 31 feet

AGE	PALYNOLOGIC ZONES	HIGHEST DATA				LOWEST DATA					
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
OLIG-MIO.	<i>P. tuberculatus</i>	4022	1				4022	1			
	<i>U. N. asperus</i>	4516	2				4539	2			
EOCENE	<i>M. N. asperus</i>	4731	1				5465	1			
	<i>L. N. asperus</i>	5540	2	5811	1		5907	1			
	<i>P. asperopolus</i>	6021	2	6155	1		6155	1			
	<i>U. M. diversus</i>										
	<i>M. M. diversus</i>	6421	1				6437	1			
	<i>L. M. diversus</i>										
	<i>U. L. balmei</i>	6600	1				6600	1			
PALEOCENE	<i>L. L. balmei</i>	6710	1				7203	2	7150	1	
	<i>T. longus</i>	7311	1				7710	2	7439	1	
	<i>T. lilliei</i>										
LATE CRETACEOUS	<i>N. senectus</i>										
	<i>C. trip./T.pach.</i>										
	<i>C. distocarin.</i>										
	<i>T. pannosus</i>										
EARLY CRETACEOUS											
PRE-CRETACEOUS											

COMMENTS:

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
- 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
- 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
- 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spore and pollen or microplankton, or both.
- 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATA RECORDED BY: L.E. Stover & A.D. Partridge DATE June, 1971

DATA REVISED BY: A.D. Partridge DATE March, 1973