

4.

Palynological dating of the sediments above the red horizon, and also examination of the red horizon itself for possible suitable palynological material, will be necessary for confirmation and greater refinement of its postulated Mid-Mesozoic/basal Tertiary age limits.

References.

- BOCK, P.E., and GLENIE, R.C.; 1965. Late Cretaceous and Tertiary Depositional Cycles in South-western Victoria. Proc. Roy. Soc. Vict. 79, pp. 153 - 163.
- COOKSON, J.C.; 1967. Some early Tertiary microplankton and pollen grains from a deposit near Strahan, Western Tasmania. Proc. Roy. Soc. Vict. 80, pp. 131 - 140.
- ESSO EXPLORATION INC., 1966. Esso Bass - 1. Well Completion Report. Sydney.
- GEE, R.D.; 1968. A Revised Stratigraphy for the Precambrian in North-western Tasmania. Proc. Roy. Soc. Tasm. 102, pp. 7 - 10.
- JENNINGS, D.J., and SUTHERLAND, F.L.; 1969. The Geology of the Cape Portland Area, N.E. Tasmania, with Special Reference to the Mesozoic (?) Appinitic Rocks. Tech. Rep. Dep. Min. Tasm. 13., in press.
- LONGMAN, M.J., and MATTHEWS, W.L.; 1962. Geology of the Bluff Point and Trowutta Quadrangles. Tech. Rep. Dep. Min. Tasm. 6, pp. 48 - 54.