

Schlumberger ISF



COUNTY	AUSTRALIA	COMPANY	HEMATITE PETROLEUM PTY. LTD.
FIELD or LOCATION	WILDCAT AROO No.1.	WELL	AROO No.1.
WELL	WILDCAT	COUNTRY	AUSTRALIA
STATE	TASMANIA	LOCATION	310 47' 30.62" S 145 26' 31.08" E
Other Services	CAL	Permanent Datum	MSL
Drilling Measured from	MSL	Elev. Above Perm. Datum	32' 31"
Permanent Datum	MSL	Drilling Measured from	MSL

Date	7-3-74	Run No.	ONE
Depth-Driller	3034'	Depth-Logger	3034'
Btm. Log Interval	3030'	Top Log Interval	704
Casing-Driller	20" @ 704	Casing-Logger	704
Bit Size	16.5"	Type Fluid in Hole	GEL + WATER
Dens.	Visc.	pH	Fluid Loss
8.5	1.9	8.5	1.9
ml	ml	ml	ml
Source of Sample	FLOWLINE		
R _{mf} @ Meas. Temp.	0.067 @ 78 °F	R _{mf} @ Meas. Temp.	0.130 @ 72 °F
R _{mc} @ Meas. Temp.	0.900 @ 60 °F	R _{mc} @ Meas. Temp.	0.900 @ 60 °F
Source Rec. Press.	PRESS PRESS	Time Since Circ.	3 HRS
Max. Rec. Temp.		Equip. Location	2080 SAL
Recorded By	NICHOLLS		
Witnessed By	NICHOLLS		

Changes in Mud Type or Additional Samples	Type Log	Depth	Scale Up Hole	Scale Down Hole
Date	Sample No.			
Depth-Driller				
Type Fluid in Hole				
Dens.	Visc.	pH	Fluid Loss	
Source of Sample				
R _{mf} @ Meas. Temp.				
R _{mc} @ Meas. Temp.				
Source Rec. Press.				
Time Since Circ.				
Max. Rec. Temp.				
Equip. Location				
Recorded By				
Witnessed By				

Run No.	ONE	REMARKS	TTI RECORDED 35 FT 8 INS DEEP, BIT LESS THAN 100 FT.
Ind. Panel No.	V135	Service Order No.	
Mem. Panel No.	A136	API Serial No.	
Ind. Cart. No.	M123	Check one, filling in blanks where applicable:	
Ind. Sonde No.	S124	<input type="checkbox"/>	Surface determined sande errors used for 6FF40.
Sonic Panel No.	P634	<input type="checkbox"/>	6FF40 sonde error corrected for borehole signal at 8m
Sonic Cart. No.	D632	<input type="checkbox"/>	6FF40 zero set in hole at depth of feet.
Sonic Sonde No.	K633		
G.R. Cart. No.	J275		
G.R. Panel No.	P634		
Caliper No.			
TTR No.			
S.E. Angle	6.4		
SBR	1		
Cent. Device	FNS		
Stand off-inches	1.5"		
Time Const.-Sec.	2		
Speed-F.P.M.	30		

CALIBRATION:	BACKGND.	SOURCE	GALV. INCR.	SENS. TAP DIVISIONS	SENS. TAP RECORD	TIME CONST.
GAMMA RAY:	16	490	100	CAL	0-100	2



SPONTANEOUS-POTENTIAL millivolts	DEPTH FEET	RESISTIVITY ohms-m ² /m	CONDUCTIVITY millimhos/m = 1000 ohms-m ² /m
10mV	2"	0	0
		10	4000
		0	0
		10	4000

COMPANY	HEMATITE PETROLEUM PTY. LTD.	SCHL. FR	3030'
WELL	AROO No.1.	SCHL. TD	3037'
FIELD	WILDCAT	DRLR TD	3034'
COUNTY	AUSTRALIA	STATE	TASMANIA
		Elev.	32'
		KB	31'
		DF	250'
		GI	250'

