

- 4090-4110 As above, 15% lithics.
- 4110-4120 As above.
- 4120-4140 As above, 40-50% lithics, mostly siliceous (cherts and chalcedony), angular, coarse to very coarse, unconsolidated grains, strong traces of quartzite.
- 4140-4150 As above, approximately 10% of lithics are quartzite, light brown, hard, medium-very coarse.
- 4150-4170 As above, increase in pebble size grains to about 10%.
- 4170-4190 As above, lithics approximately 60% as above.
- 4190-4230 As above, up to 40% pebble size grains.
- 4230-4250 As above.
- 4250-4284 Core No.3; see description.
- 4290-4320 100% Siltstone; dark grey, medium hard, predominantly silt particles, with some very fine grain, sand well sorted, slightly calcareous, carbonaceous, pyrite, mica, slightly fossiliferous, sample quality poor, very muddy.
- 4320-4330 As for 4290-4320 with occasional fine sand grains (sand approximately 10%).
- 4330-4350 As above with fine to medium grain quartz, and lithic sand grains approximately 20%.
- 4350-4370 As above.
- 4370-4380 As above.
- 4380-4390 As above, with 20% sandstone; light grey, very fine to fine grained, non porous, calcareous, (approximately 20% cement), fair sorting, composed of clear quartz grains and approximately 10% black silicates and occasional chert, with glauconite, abundant pyrite, (lignite placed in mud system).
- 4390-4400 As above, with 50% sandstone; as above. Occasional fossiliferous fragments in tray.
- 4400-4410 As above.
- 4410-4420 50% siltstone; as above.
50% sandstone; as above, with abundant black silicate grains (unidentified) in some sandstone grains).
- 4420-4430 20% siltstone; as above. 80% sandstone; light grey, very fine to fine grained, non porous, calcareous, with pyrite and traces of glauconite as above.
- 4430-4440 100% sandstone; as above, abundant pyrite, frequent glauconite, some mica, very few lithics.
- 4440-4540 As above.
- 4540-4550 As above, with about 10% medium hard, brownish grey siltstone.
- 4550-4570 As above, about 30%-40% medium hard siltstone; light grey, brown-grey.
- 4570-4580 Approximately 50% - 60% siltstone; as above.
- 4581-4597 See Core No.4.