

BASIN BASS DATE 8th November 1972WELL NAME TAROOK-1 ELEVATION + 32 Feet

AGE	PALYNOLOGIC ZONES	HIGHEST DATE					LOWEST DATE				
		Preferred Depth	Rtg	Alternate Depth	Rtg	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
OLIGO-MIOC.	<u>T. bellus</u>										
	<u>P. tuberculatus</u>										
Eocene	<u>U. N. asperus</u>	5200	1				5630	2			
	<u>L. N. asperus</u>	5792	0				6919	1			
	<u>P. asperopolus</u>	7028	2	7130	1		7725	1			
	<u>U. M. diversus</u>	7834	1				8575	1			
	<u>L. M. diversus</u>	8680	1				9097	1			
ALEO-ENE	<u>L. balmei</u>										
	<u>T. longus</u>										
LATE CRETACEOUS	<u>T. lilliei</u>										
	<u>N. senectus</u>										
	<u>C. trip./T.pach.</u>										
	<u>C. distocarin.</u>										
	<u>T. pannosus</u>										
	<u>C. paradoxa</u>										
EARLY CRETACEOUS	<u>C. striatus</u>										
	<u>U. C. hughesii</u>										
	<u>L. C. hughesii</u>										
	<u>C. stylosus</u>										
Pre-Cretaceous											

COMMENTS: Lower N. asperus B subdivision Top 5792 (0) Bottom 6323 (1)Lower N. asperus A subdivision Top 6436 (2) Bottom 6919 (1)

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
- 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
- 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
- 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spores and pollen or microplankton, or both.
- 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATE RECORDED BY: A. D. Partridge DATE 8th November 1972

DATA REVISED BY: _____ DATE _____