

BASIN

BASS

DATE

MARCH 30, 1973

WELL NAME

TAROOK-1

ELEVATION

+32 feet

357012

AGE	PALYNOLOGIC ZONES	HIGHEST DATA				LOWEST DATA					
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
EOLIGOCENE	<i>P. tuberculatus</i>										
	<i>U. N. asperus</i>	5200	1				5630	2	5400	1	
	<i>M. N. asperus</i>	5792	0				6323	1			
	<i>L. N. asperus</i>	6436	2	6650	1		7028	2	6834	1	
	<i>P. asperopolus</i>	7130	2	7440	1		7725	1			
	<i>U. M. diversus</i>	7834	1				8575	1			
	<i>M. M. diversus</i>	8680	1				9097	2	8875	1	
	<i>L. M. diversus</i>										
PALEOCENE	<i>U. L. balmei</i>										
	<i>L. L. balmei</i>										
	<i>T. longus</i>										
LATE CRETACEOUS	<i>T. lilliei</i>										
	<i>N. senectus</i>										
	<i>C. trip./T. pach.</i>										
	<i>C. distocarin.</i>										
	<i>T. pannosus</i>										
EARLY CRETACEOUS											
PRE-CRETACEOUS											

COMMENTS:

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
- 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
- 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
- 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spore and pollen or microplankton, or both.
- 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATA RECORDED BY: A.D. PARTRIDGE

DATE: NOVEMBER, 1972

DATA REVISED BY: A.D. PARTRIDGE

DATE: MARCH, 1973