

MASIN BASS

DATE

NOVEMBER 1973

WELL NAME YURONGI-1

ELEVATION

376010

AGE	PALYNOLOGIC ZONES	HIGHEST DATA				LOWEST DATA					
		Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time	Preferred Depth	Rtg.	Alternate Depth	Rtg.	2 way time
OLIG-MIO.	<u>P. tuberculatus</u>										
	<u>U. N. asperus</u>	4145	0				4145	0			
EOCENE	<u>M. N. asperus</u>	4400	0				4600	1			
	<u>L. N. asperus</u>	5037	1				5195	1			
	<u>P. asperopolus</u>	5415	1				5610	1			
	<u>U. M. diversus</u>										
	<u>M. M. diversus</u>	5825	1				6075	1			
	<u>L. M. diversus</u>	6130	1				6400	1			
	<u>U. L. balmei</u>	6620	1				7000	1	7096	2	
PALEOCENE	<u>L. L. balmei</u>	7420	1				7935	1			
	<u>T. longus</u>										
LATE CRETACEOUS	<u>T. lilliei</u>										
	<u>N. senectus</u>										
	<u>C. trip./T. pach.</u>										
	<u>C. distocarin.</u>										
	<u>T. pannosus</u>										
EARLY CRETACEOUS											
PRE-CRETACEOUS											

INTERPRETATIVE

COMMENTS:

- RATINGS: 0; SWC or CORE, EXCELLENT CONFIDENCE, assemblage with zone species of spores, pollen and microplankton.
- 1; SWC or CORE, GOOD CONFIDENCE, assemblage with zone species of spores and pollen or microplankton.
- 2; SWC or CORE, POOR CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.
- 3; CUTTINGS, FAIR CONFIDENCE, assemblage with zone species of either spore and pollen or microplankton, or both.
- 4; CUTTINGS, NO CONFIDENCE, assemblage with non-diagnostic spores, pollen and/or microplankton.

NOTE: If a sample cannot be assigned to one particular zone, then no entry should be made. Also, if an entry is given a 3 or 4 confidence rating, an alternate depth with a better confidence rating should be entered, if possible.

DATA RECORDED BY: L. E. STOVER DATE NOVEMBER 1973

DATA REVISED BY: _____ DATE _____