

YURONGI - 1

ROTARY CUTTING SAMPLES ONLY - ALL FAUNA LISTED

I = over 20 specimens

. = 1 - 20 specimens

Sheet 1

of 3 sheets

| Depth | 3000 | 3100 | 3200 | 3300 | 3400 | 3500 | 3600 | 3700 | 3800 | 3900 | 3980 | 4100 | 4200 | 4350 |
|------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| Rotary cutting samples | T | T | T | T | T | T | T | T | T | T | T | T | T | T T T |
| PLANKTONICS | | | | | | | | | | | | | | |
| 1. Globigerina apertura | I | . | . | | I | | | | | | | | | |
| 2. G. woodi woodi | I | . | . | . | I | . | | . | . | | | | | |
| 3. Globigerinoides trilobus | I | . | . | . | . | . | | | | ? | | | | |
| 4. G. bishericus | . | . | | . | | | | | | | | | | |
| 5. Orbulina universa | | . | | | | | | | | | | | | |
| 6. Globoquadrina dehiscens | | . | . | | | | | | | | | | | |
| 7. Globigerina bulloides | | | . | | | | | | | | | | | |
| 9. G. woodi connecta | | | | | | . | I | . | . | | | | | |
| 10. G. praebulloides | | | | | | I | I | I | | | | | | |
| 11. G. euapertura | | | | | | ? | I | . | . | I | | | I | . |
| 12. G. angioporoides | | | | | | | | | | I | | | I | I |
| CALC. BENTHONICS I | | | | | | | | | | | | | | |
| 13. Anomalinoides procolligera | . | . | | | . | | | | | | | | | |
| 14. A. macroglabra | . | | I | | | . | | | | . | | | | |
| 15. Cibicides pseudoungerianus | I | I | I | I | I | I | I | I | I | I | | | | I |
| 16. C. lobatulus (convex) | I | | | | | | | | | | | | | |
| 17. C. perforatus | | I | I | I | I | I | I | I | I | I | I | I | I | I I I |
| 18. C. thiara | | . | I | . | . | . | . | . | . | | | | | |
| 19. Siphonina australis | | | . | | . | . | . | . | . | | | | | |
| 20. Cibicides refulgens | | | | . | . | | | | | | | | | |
| 21. Anomalina aotea | | | | | . | | | | | | | | | |
| 22. Gyroidinoides zelandica | | | | | | | | | | . | | | | |
| CALC. BENTHONICS II | | | | | | | | | | | | | | |
| 23. Notorotalia miocenica | I | | | | | | | | | | | | | |
| 24. N. crassimurra | | | | | I | I | | I | | | | | | |
| CALC. BENTHONICS III - not present | | | | | | | | | | | | | | |
| CALC. BENTHONICS IV | | | | | | | | | | | | | | |
| 25. Sphaeroidina bulloides | . | | | | I | I | . | . | | | | | | . |
| 26. Cassidulinoides sp? | | | . | | | | | | | | | | | |
| 27. Cassidulina subglobosa | | | | | . | | | | I | | | | | |
| 28. Pullenia bulloides | | | | | | . | | | | | | | | |
| 29. Cassidulina sp? | | | | | | | | | . | | | | | |
| CALC. BENTHONICS V | | | | | | | | | | | | | | |
| 30. Tifarina bradyi | | | | | . | | | . | | | | | | |
| Rotary cutting sample | T | T | T | T | T | T | T | T | T | T | T | T | T | T T T |
| ZONE | ?F | | H | H | | I | I | | | J | | | J | |
| Depth | 3000 | | 3200 | 3300 | | 3500 | 3600 | | | 3900 | | | 4200 | |

INTERPRETATIVE