

395001

COMPANY	HEMATITE PETROLEUM
COUNTRY	AUSTRALIA
FIELD	WILDCAT
WELL	PELICAN 4
RUN	ONE
DATE	14-FEB-79
REFERENCE	104,250.

OR_354D

FOUR ARM
HIGH RESOLUTION
Schlumberger
CONTINUOUS DIPMETER
(Computed results)

COUNTRY AUSTRALIA FIELD or LOCATION WILDCAT WELL PELICAN 4 COMPANY HEMATITE PETROLEUM	COMPANY <u>HEMATITE PETROLEUM CO</u>			
	WELL <u>PELICAN 4</u>			
	FIELD <u>WILDCAT</u>			
	COUNTRY <u>AUSTRALIA</u> STATE _____			
REFERENCE <u>104,250.00</u> Correlation interval <u>12 FT</u> Step distance <u>3 FT</u> CLUSTER Search angle <u>35 DEGR X 1</u>		TYPE OF PLOT POOLED Arrow <input checked="" type="checkbox"/> Fast <input type="checkbox"/> Soda <input type="checkbox"/> Stick <input type="checkbox"/> Polar <input type="checkbox"/> Stereo <input type="checkbox"/> Dip Removal <input type="checkbox"/>		
Permanent Datum : <u>MSL</u> Elev. <u>0</u> Log Measured From <u>KB</u> <u>82</u> Ft. Above Perm. Datum Drilling Measured From <u>KB</u>				
Date	<u>FEB. 14, '79</u>			
Run No	<u>One</u>	<u>Two</u>	<u>Three</u>	<u>Four</u>
Depth - Driller	<u>10,009</u>			
Depth - Logger	<u>10,017</u>			
Btm. Log Interval	<u>9996</u>			
Top Log Interval	<u>5000</u>			
Casing - Driller	<u>13³/₈ @ 2789</u>	<u>@</u>	<u>@</u>	<u>@</u>
Casing - Logger	<u>2792</u>			
Bit Size	<u>12¹/₄</u>			
Type Fluid in Hole	<u>SEAWATER/GEL</u>			
Dens.	Visc.	<u>11.6</u>	<u>40</u>	
pH	Fluid Loss	<u>11.4</u>	<u>7.0</u> ml	ml ml ml ml
Source of Sample	<u>FLOWLINE</u>			
Rm @ Meas. Temp.	<u>0.232</u>	<u>75</u> °F	<u>@</u> °F	<u>@</u> °F <u>@</u> °F <u>@</u> °F
Max. Rec. Temp.	<u>210</u>	°F	°F	°F
Equip.	Location	<u>3501</u>	<u>SEA</u>	
Recorded By	<u>P L FRANKLIN</u>			
Witnessed By	<u>B ATKINS</u>			
Correlated By	<u>PDP11/45</u>			
Computed By	<u>PDP11/45</u>			
Plotted By	<u>CALCOMP763</u>			
Magnetic Declination	<u>14° EAST</u>			
Reference	<u>104,250</u>			

*

* SCHLUMBERGER *

HIGH RESOLUTION

DIPMETER

CLUSTER LISTING

HEMATITE PETROLEUM
COUNTRY AUSTRALIA
FIELD WILDCAT
WELL PELICAN 4
RUN ONE
DATE 14 FEBRUARY 1979
12 FT X 3 FT - 35 DEGR X 1
CLUSTER POOLED 3 LEVELS
REFERENCE 104250.00

395003

Schlumberger

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE		1-FILE		1
*****		*****		*****		*****		*****		*****
* FORMATION *		* BOREHOLE *						* QUAL. *		*
* ----- * * * * *		* ----- * * * * *						* INDEX *		*
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST	=A		

* 5007	0.4	41	0.4	163	13.5	13.5	B			*
* 5010	4.1	184	0.4	191	13.4	13.3	B			*
* 5016	2.1	293	0.4	252	12.7	12.6	B			*
* 5019	5.7	96	0.4	284	12.8	12.6	B			*
* 5023	3.3	293	0.4	321	13.4	12.8	A			*
* 5028	0.9	338	0.4	348	13.8	13.0	B			*
* 5034	0.5	195	0.4	39	14.1	13.0	A			*
* 5043	1.1	175	0.3	149	13.8	13.0	A			*
* 5050	3.5	277	0.4	213	13.5	13.6	A			*
* 5056	7.5	199	0.4	227	13.1	13.7	A			*
* 5061	5.1	203	0.4	200	12.8	13.4	B			*
* 5064	1.3	151	0.3	178	12.7	12.9	B			*
* 5068	3.0	252	0.3	156	12.6	12.8	A			*
* 5076	5.4	207	0.4	178	12.6	12.7	A			*
* 5082	1.9	193	0.4	209	12.7	12.6	B			*
* 5085	5.4	157	0.4	203	12.6	12.6	B			*
* 5089	4.1	267	0.4	158	12.6	12.5	A			*
* 5094	7.8	245	0.5	104	12.6	12.5	B			*
* 5097	4.3	191	0.5	84	12.8	12.7	B			*
* 5101	1.8	31	0.6	95	12.8	12.8	A			*
* 5106	3.5	223	0.6	122	12.7	12.8	A			*
* 5112	3.2	231	0.6	188	12.7	12.7	A			*
* 5121	1.5	343	0.5	310	12.6	12.6	A			*
* 5130	1.3	197	0.4	71	12.6	12.6	A			*
* 5139	0.8	245	0.5	157	12.5	12.6	A			*
* 5148	0.4	130	0.4	213	12.6	12.6	A			*
* 5157	1.0	93	0.3	158	12.6	12.6	A			*
* 5164	3.5	97	0.5	146	12.6	12.6	A			*
* 5172	1.8	169	0.5	195	12.7	12.6	A			*
* 5179	5.5	208	0.5	225	13.3	12.5	A			*
* 5187	4.4	190	0.4	181	13.6	12.6	A			*
* 5193	4.5	236	0.4	137	13.6	12.6	B			*
* 5196	5.9	83	0.4	137	13.6	12.6	B			*
* 5199	1.4	95	0.4	144	13.6	12.5	B			*
* 5205	1.0	250	0.4	151	13.6	12.5	A			*
* 5212	8.8	266	0.4	130	13.4	12.6	A			*
* 5220	3.1	220	0.6	115	13.3	12.7	A			*
* 5226	2.4	354	0.7	132	13.2	13.0	B			*
* 5232	3.5	190	0.7	156	13.2	13.0	A			*
* 5241	4.7	184	0.4	166	13.5	12.4	A			*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE	2-FILE		1
*****		*****		*****		*****	*****		*****
* FORMATION *		* BOREHOLE *		* QUAL. *		* INDEX *		* BEST *	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	* =A *		

* 5247	0.5	43	0.4	140	14.0	12.4	B		*
* 5253	0.8	252	0.6	112	13.6	12.6	A		*
* 5262	4.1	229	0.5	102	13.0	12.6	A		*
* 5268	8.6	228	0.3	55	13.2	12.4	B		*
* 5272	4.7	241	0.3	19	13.4	12.6	A		*
* 5280	4.5	233	0.4	41	13.1	12.6	A		*
* 5289	2.0	233	0.6	101	12.5	12.4	A		*
* 5298	1.2	251	0.6	152	12.5	12.3	A		*
* 5307	0.5	181	0.4	242	12.7	12.2	A		*
* 5316	1.2	145	0.4	328	12.6	12.3	A		*
* 5325	1.8	24	0.5	181	12.5	12.5	A		*
* 5334	1.0	160	0.3	122	12.7	12.5	A		*
* 5343	2.4	176	0.3	77	12.4	12.3	A		*
* 5352	0.1	190	0.6	96	12.4	12.3	A		*
* 5361	0.4	12	0.8	145	12.4	12.4	A		*
* 5388	16.6	266	0.4	102	12.3	14.1	D		*
* 5391	4.0	100	0.4	109	12.3	14.3	D		*
* 5397	21.1	212	0.4	107	12.4	14.4	D		*
* 5400	5.5	288	0.5	103	12.5	14.3	D		*
* 5406	4.7	299	0.6	106	12.4	14.2	C		*
* 5415	3.5	266	0.7	120	12.3	14.1	A		*
* 5424	4.0	268	0.7	132	12.4	14.5	A		*
* 5431	13.8	325	0.5	134	12.2	14.9	A		*
* 5437	9.9	331	0.6	126	12.0	15.3	A		*
* 5442	1.6	38	0.7	118	12.0	15.4	B		*
* 5446	6.2	236	0.7	115	12.0	15.5	C		*
* 5454	4.9	227	0.7	111	12.1	15.8	C		*
* 5460	4.2	166	0.7	112	12.1	15.9	D		*
* 5463	8.9	220	0.7	113	11.9	15.8	D		*
* 5475	18.5	312	0.7	122	11.5	15.9	D		*
* 5481	17.5	300	0.7	128	11.5	16.0	C		*
* 5496	37.3	265	0.8	127	11.4	16.3	D		*
* 5499	40.7	263	0.8	126	11.5	16.4	D		*
* 5506	37.7	259	0.8	125	11.7	16.5	C		*
* 5511	35.7	251	0.7	123	11.6	16.3	D		*
* 5514	26.6	335	0.7	121	11.5	16.1	D		*
* 5520	26.4	336	0.7	120	11.5	16.1	C		*
* 5529	2.0	347	0.8	122	11.4	16.5	C		*
* 5536	7.1	332	0.8	122	11.4	16.4	C		*
* 5542	8.2	294	0.8	120	11.4	16.3	A		*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 4-FILE 1		
FORMATION			BOREHOLE					QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	INDEX BEST =A	
5800	3.6	3	1.1	96	12.2	12.1	C	
5805	2.4	195	1.0	104	12.2	12.1	D	
5808	4.8	9	0.9	110	12.2	12.2	D	
5811	0.7	259	0.9	111	12.1	12.2	B	
5817	1.8	198	0.9	99	12.1	12.2	A	
5826	0.7	304	1.3	83	12.1	12.2	A	
5835	1.1	299	1.3	95	12.1	12.6	A	
5844	0.6	344	0.9	114	12.1	12.3	A	
5853	0.3	358	0.6	108	12.2	12.1	A	
5862	1.9	283	0.9	103	12.2	12.2	A	
5869	0.5	27	0.9	123	12.1	12.1	A	
5877	0.5	79	0.9	107	12.1	12.1	A	
5886	1.1	338	1.2	84	12.1	12.1	A	
5895	0.9	42	1.0	118	12.1	12.2	A	
5904	3.8	127	0.6	131	12.1	12.0	A	
5910	0.9	19	0.7	86	12.1	12.0	B	
5916	2.0	307	1.0	70	12.1	12.0	B	
5922	3.2	60	1.1	84	12.2	12.0	B	
5928	3.0	17	0.8	96	12.2	12.1	A	
5937	1.6	312	0.7	69	12.3	12.3	A	
5944	3.1	74	0.9	57	12.5	12.3	A	
5952	8.1	76	0.7	82	12.2	12.1	A	
5958	14.3	88	0.5	69	12.1	12.1	B	
5961	18.2	87	0.5	46	12.2	12.1	B	
5965	2.1	188	0.8	22	12.1	12.1	A	
5973	1.0	107	1.2	37	12.1	12.2	A	
5982	1.2	26	1.1	73	12.1	12.1	A	
5991	0.7	3	0.6	88	12.1	12.1	A	
6000	0.9	273	0.6	49	12.1	12.2	A	
6009	1.3	48	0.8	73	12.2	12.2	A	
6016	2.7	180	0.6	100	12.2	12.2	A	
6024	3.3	206	0.7	89	12.4	12.3	A	
6033	1.6	319	0.9	102	12.4	12.4	A	
6042	2.3	14	0.7	137	12.4	12.4	A	
6051	3.3	103	0.4	115	12.5	12.4	A	
6060	1.9	142	0.9	89	12.3	12.4	A	
6069	2.0	66	1.1	106	12.3	12.6	A	
6076	1.3	342	1.1	104	12.3	12.4	A	
6084	1.8	344	0.9	106	12.4	12.4	A	
6093	1.8	359	0.5	122	12.5	12.5	A	

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE	5-FILE	1
*****		*****		*****		*****		*****
* FORMATION	* * *	* BUREHOLE	* * *	* QUAL.	* * *	* INDEX	* * *	* * *
* DEPTH	* DIP	DIP	* DEV.	DEV.	DIAM	DIAM	* BEST	* * *
* * *	* AZI.	* AZI.	* * *	AZI.	1-3	2-4	* =A	* * *

* 6102	1.9	5	0.4	93	12.3	12.3	A	* * *
* 6111	2.2	38	0.5	60	12.6	12.5	A	* * *
* 6117	7.7	13	0.6	69	12.7	12.5	B	* * *
* 6123	5.1	29	0.6	91	12.5	12.3	A	* * *
* 6130	2.3	339	0.7	117	12.2	12.1	A	* * *
* 6138	11.2	4	0.8	127	12.1	12.0	A	* * *
* 6144	7.3	326	0.8	126	12.1	12.0	B	* * *
* 6159	3.7	325	1.1	109	12.1	12.1	A	* * *
* 6168	3.1	229	1.0	97	12.1	12.1	A	* * *
* 6174	8.2	235	0.8	93	12.1	12.1	B	* * *
* 6180	5.9	226	0.6	103	12.2	12.2	A	* * *
* 6187	1.4	233	0.5	88	12.2	12.2	A	* * *
* 6195	0.7	235	0.6	95	12.2	12.2	A	* * *
* 6204	0.4	209	0.7	130	12.2	12.2	A	* * *
* 6213	1.2	165	0.7	141	12.2	12.2	A	* * *
* 6222	0.9	139	0.5	106	12.1	12.1	A	* * *
* 6231	6.5	5	0.6	62	12.2	12.2	A	* * *
* 6237	1.9	109	0.7	54	12.4	12.5	B	* * *
* 6243	1.8	72	0.8	76	12.4	12.4	A	* * *
* 6250	5.3	311	0.8	120	12.2	12.2	A	* * *
* 6258	8.7	312	0.7	136	12.1	12.0	A	* * *
* 6264	7.3	299	0.6	141	12.1	12.0	B	* * *
* 6267	2.4	267	0.6	143	12.1	12.1	B	* * *
* 6273	3.2	331	0.5	149	12.2	12.2	A	* * *
* 6280	5.4	294	0.3	118	12.1	12.2	A	* * *
* 6285	2.8	226	0.3	86	12.0	12.1	B	* * *
* 6288	5.9	266	0.4	80	12.0	12.0	B	* * *
* 6291	1.6	229	0.4	88	12.0	12.0	B	* * *
* 6295	5.1	103	0.6	107	12.1	12.1	A	* * *
* 6303	2.8	53	0.7	134	12.1	12.1	A	* * *
* 6310	2.1	106	0.6	149	12.1	12.1	A	* * *
* 6316	7.6	62	0.5	147	12.1	12.0	A	* * *
* 6321	8.8	282	0.6	128	12.1	12.0	B	* * *
* 6325	9.0	240	0.7	105	12.1	12.1	A	* * *
* 6330	0.3	208	0.8	91	12.1	12.1	B	* * *
* 6333	5.5	136	0.8	91	12.1	12.2	B	* * *
* 6339	5.5	122	0.8	100	12.1	12.1	A	* * *
* 6346	2.0	226	0.6	125	12.3	12.4	A	* * *
* 6354	2.2	193	0.3	142	12.2	12.3	A	* * *
* 6363	5.1	189	0.3	100	12.0	12.0	A	* * *

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 6-FILE		1	
*****		*****		*****		*****		*****	
* FORMATION *	-----							* BOREHOLE *	* QUAL. *
* DEPTH *	* DIP *	* DIP AZI. *	* DEV. *	* DEV. AZI. *	* DIAM 1-3 *	* DIAM 2-4 *	* INDEX BEST =A *	* * *	

* 6369	17.4	215	0.5	86	12.1	12.0	B	*	
* 6375	16.5	210	0.6	91	12.1	12.0	A	*	
* 6384	4.7	203	0.5	73	12.2	12.1	A	*	
* 6393	5.2	168	0.6	33	12.2	12.1	A	*	
* 6402	3.2	185	0.6	36	12.1	12.0	A	*	
* 6411	3.4	274	0.6	64	12.1	12.0	A	*	
* 6418	18.7	218	0.7	99	12.1	12.0	A	*	
* 6424	11.5	234	0.7	110	12.1	12.0	A	*	
* 6429	6.6	261	0.5	116	12.1	12.0	B	*	
* 6438	3.6	145	0.4	168	12.1	12.1	A	*	
* 6444	8.3	28	0.4	188	12.1	12.0	B	*	
* 6450	9.3	34	0.4	166	12.2	12.1	A	*	
* 6457	7.7	69	0.5	126	12.1	12.1	A	*	
* 6462	7.7	135	0.6	113	12.0	12.0	B	*	
* 6468	6.4	131	0.8	120	12.1	12.1	A	*	
* 6475	3.2	77	1.0	121	12.1	12.1	A	*	
* 6481	6.7	112	1.0	111	12.1	12.0	A	*	
* 6489	3.6	234	0.7	109	12.0	12.0	B	*	
* 6492	4.8	185	0.6	106	12.0	12.0	B	*	
* 6498	4.1	156	0.5	82	12.0	11.9	A	*	
* 6507	1.2	261	0.6	47	12.1	11.9	A	*	
* 6513	4.1	66	0.5	50	12.1	11.9	B	*	
* 6519	5.2	74	0.4	75	12.1	11.9	A	*	
* 6526	20.6	90	0.4	107	12.1	11.9	C	*	
* 6531	16.8	101	0.4	121	12.1	12.0	D	*	
* 6535	2.1	348	0.4	136	12.1	12.1	A	*	
* 6541	5.2	341	0.6	153	12.2	12.2	A	*	
* 6549	6.4	322	0.8	153	12.2	12.2	A	*	
* 6567	15.3	19	0.4	9	11.9	11.9	D	*	
* 6570	12.1	232	0.4	301	12.0	12.0	D	*	
* 6576	14.0	198	0.4	188	12.1	12.1	C	*	
* 6582	8.6	76	0.5	142	12.2	12.3	B	*	
* 6588	7.1	71	0.6	136	12.3	12.5	A	*	
* 6594	1.6	151	0.8	121	12.3	12.5	B	*	
* 6600	1.4	138	1.0	109	12.3	12.5	A	*	
* 6607	11.0	236	1.2	109	12.2	12.4	A	*	
* 6615	8.0	235	1.2	126	12.0	12.2	A	*	
* 6624	6.1	188	0.8	124	12.1	12.1	A	*	
* 6633	7.0	169	0.6	84	12.1	12.1	A	*	
* 6639	5.4	209	0.9	68	12.1	12.1	B	*	

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 7-FILE 1	
*****		*****		*****		*****	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	QUAL. INDEX BEST =A
*****		*****		*****		*****	
6642	7.1	249	1.1	73	12.1	12.2	B
6648	7.0	235	1.1	89	12.3	12.3	A
6654	5.3	58	1.0	105	12.3	12.4	B
6658	1.2	160	0.9	116	12.2	12.4	A
6666	3.0	136	0.6	129	12.1	12.2	A
6672	11.9	111	0.6	120	12.1	12.1	B
6678	12.5	95	0.6	94	12.2	12.2	A
6685	0.8	235	0.6	76	12.2	12.2	A
6693	5.1	75	0.6	106	12.1	12.1	A
6699	6.0	9	0.8	140	12.1	12.1	B
6702	6.9	292	0.9	154	12.1	12.1	B
6706	4.3	339	1.0	170	12.1	12.2	A
6712	2.5	217	0.9	183	12.2	12.2	A
6720	2.9	169	0.7	163	12.3	12.4	A
6726	5.0	251	0.7	118	12.4	12.5	B
6732	1.5	227	0.8	88	12.3	12.3	A
6741	1.6	190	1.0	72	12.2	12.2	A
6750	1.3	168	0.9	71	12.3	12.3	A
6759	0.6	208	0.8	90	12.4	12.3	A
6768	2.8	238	0.8	125	12.3	12.3	A
6777	2.7	235	0.6	150	12.2	12.0	A
6786	2.5	209	0.4	159	12.2	12.0	A
6795	2.2	171	0.4	156	12.1	12.0	A
6802	8.4	83	0.4	163	12.1	12.0	A
6808	5.9	163	0.4	160	12.1	12.0	A
6816	3.6	153	0.4	113	12.1	12.0	A
6822	3.9	356	0.5	78	12.1	12.0	B
6828	1.2	293	0.6	79	12.2	12.0	A
6837	1.3	303	0.8	103	12.2	12.0	A
6846	0.6	297	0.7	131	12.1	12.0	A
6855	1.1	110	0.6	156	12.1	12.1	A
6864	1.6	172	0.6	187	12.2	12.2	A
6873	2.0	160	0.4	178	12.1	12.1	A
6882	1.3	181	0.5	97	12.1	12.1	A
6891	1.3	227	0.8	94	12.1	12.0	A
6900	1.8	225	1.0	134	12.1	12.1	A
6909	1.7	256	1.0	168	12.1	12.1	A
6918	3.2	200	0.8	192	12.2	12.3	A
6927	8.7	308	0.4	198	12.3	12.3	B
6933	7.5	297	0.4	178	12.2	12.2	A

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE	8-FILE		1
*****		*****		*****		*****	*****		*****
* FORMATION *		* BOREHOLE *					* QUAL. *		*
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	* INDEX *		*
		AZI.		AZI.	1-3	2-4	* BEST *		*
							* =A *		*

* 6942	7.3	299	0.9	129	12.2	12.3	A		*
* 6951	7.6	298	1.0	107	12.2	12.2	A		*
* 6960	7.9	299	0.6	86	12.2	12.2	A		*
* 6969	6.9	299	0.3	133	12.2	12.2	A		*
* 6978	2.6	229	0.4	247	12.3	12.4	A		*
* 6987	2.4	314	0.5	353	12.2	12.2	A		*
* 6996	2.8	303	0.8	69	12.1	12.1	A		*
* 7005	0.9	300	0.6	110	12.1	12.0	A		*
* 7014	3.7	107	0.3	37	12.1	12.0	A		*
* 7021	3.6	313	0.4	5	12.1	12.1	A		*
* 7029	2.0	292	0.5	57	12.2	12.2	A		*
* 7038	1.8	307	0.7	109	12.2	12.2	A		*
* 7047	1.9	305	0.6	140	12.3	12.3	A		*
* 7056	1.7	320	0.4	152	12.2	12.3	A		*
* 7065	3.5	279	0.4	83	12.1	12.2	A		*
* 7074	5.1	259	0.5	58	12.1	12.1	A		*
* 7083	3.7	274	0.7	103	12.1	12.0	A		*
* 7092	1.8	261	1.0	151	12.1	12.0	A		*
* 7101	1.1	41	0.8	163	12.5	12.2	A		*
* 7110	0.1	178	0.6	133	12.5	12.3	A		*
* 7119	4.6	102	0.7	94	12.4	12.4	A		*
* 7125	2.5	133	0.9	80	12.3	12.3	B		*
* 7131	2.8	176	1.0	74	12.2	12.2	A		*
* 7140	2.4	185	1.0	62	12.2	12.3	A		*
* 7146	20.8	268	0.8	59	12.4	12.4	D		*
* 7152	14.6	259	0.7	72	12.4	12.3	C		*
* 7159	5.0	176	0.6	86	12.2	12.2	A		*
* 7167	3.1	158	0.4	71	12.2	12.1	A		*
* 7176	1.9	120	0.4	40	12.2	12.1	A		*
* 7185	4.6	137	0.4	25	12.1	12.2	A		*
* 7192	1.3	235	0.5	23	12.1	12.3	A		*
* 7200	1.1	27	0.7	39	12.2	12.1	A		*
* 7209	1.5	272	0.9	56	12.2	12.1	A		*
* 7218	2.0	272	0.8	56	12.1	12.2	A		*
* 7227	1.6	212	0.8	46	12.2	12.2	A		*
* 7236	2.3	189	1.0	36	12.4	12.4	A		*
* 7245	0.6	195	1.0	33	12.2	12.2	A		*
* 7254	2.3	187	0.7	38	12.3	12.3	A		*
* 7263	2.4	167	0.4	51	12.3	12.4	A		*
* 7269	3.8	216	0.6	59	12.2	12.2	B		*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE		9-FILE		1
*****		*****		*****		*****		*****		*****
* FORMATION *	* BOREHOLE *		* QUAL. *		* INDEX *		* BEST *		* =A *	
* DEPTH *	* DIP *	* DIP AZI. *	* DEV. *	* DEV. AZI. *	* DIAM 1-3 *	* DIAM 2-4 *	* =A *		* =A *	

* 7275	3.7	229	0.8	63	12.1	12.1	A		*	
* 7281	7.0	267	1.0	63	12.0	12.0	B		*	
* 7285	1.9	144	1.1	64	11.9	12.1	A		*	
* 7293	3.1	89	1.2	71	11.9	12.1	A		*	
* 7302	3.1	171	1.0	80	12.1	12.1	A		*	
* 7311	4.3	196	0.8	74	12.0	12.1	A		*	
* 7318	0.8	307	0.6	61	12.0	12.1	C		*	
* 7324	10.7	41	0.5	53	12.0	12.1	C		*	
* 7332	13.6	45	0.5	60	12.0	12.1	A		*	
* 7338	17.2	46	0.7	69	12.1	12.1	B		*	
* 7342	6.2	248	0.9	63	12.4	12.3	A		*	
* 7348	3.3	219	0.9	48	12.5	12.4	A		*	
* 7356	3.3	199	0.9	25	12.4	12.4	A		*	
* 7365	2.3	172	0.6	24	12.4	12.4	A		*	
* 7374	2.7	136	0.7	53	12.4	12.4	A		*	
* 7383	2.5	122	0.7	65	12.2	12.2	A		*	
* 7392	3.0	114	0.4	17	12.2	12.2	A		*	
* 7401	2.1	102	0.4	341	12.1	12.1	A		*	
* 7407	3.0	235	0.6	11	12.1	12.1	B		*	
* 7410	7.4	227	0.8	31	12.1	12.1	B		*	
* 7416	6.0	257	1.0	60	12.1	12.1	A		*	
* 7425	2.5	326	0.9	78	12.2	12.1	A		*	
* 7434	1.4	8	0.6	75	12.4	12.4	A		*	
* 7440	2.8	291	0.5	53	12.6	12.4	B		*	
* 7444	9.2	34	0.4	55	12.6	12.4	A		*	
* 7452	8.4	14	0.3	118	12.3	12.3	A		*	
* 7461	6.3	12	0.4	143	12.1	12.2	A		*	
* 7470	6.7	339	0.4	100	12.1	12.2	A		*	
* 7479	7.0	346	0.5	81	12.1	12.2	A		*	
* 7486	11.7	24	0.5	80	12.1	12.2	A		*	
* 7491	11.7	43	0.5	83	12.1	12.2	B		*	
* 7495	15.3	35	0.5	94	12.1	12.2	A		*	
* 7503	11.7	76	0.4	117	12.1	12.2	A		*	
* 7509	11.0	49	0.4	114	12.1	12.2	B		*	
* 7512	8.2	256	0.4	101	12.2	12.3	B		*	
* 7518	7.6	248	0.5	78	12.5	12.3	A		*	
* 7527	14.4	244	0.6	68	12.4	12.3	A		*	
* 7536	12.8	245	0.7	70	12.2	12.3	A		*	
* 7543	8.3	238	0.9	68	12.2	12.2	A		*	
* 7551	0.0	224	1.0	73	12.2	12.2	A		*	

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 10-FILE		1
*****		*****		*****		*****		*****
* FORMATION *	* BOREHOLE *		* QUAL. *		* INDEX *		* BEST *	
* DEPTH *	* DIP *	* DIP AZI. *	* DEV. *	* DEV. AZI. *	* DIAM 1-3 *	* DIAM 2-4 *	* =A *	* =A *

* 7557	9.7	246	1.0	81	12.2	12.1	B	*
* 7563	12.7	238	1.0	74	12.2	12.2	A	*
* 7569	8.8	284	1.2	59	12.3	12.3	B	*
* 7575	7.9	287	1.2	60	12.6	12.4	A	*
* 7582	5.2	256	0.9	76	13.4	12.3	A	*
* 7593	3.7	225	0.8	61	13.6	12.3	A	*
* 7602	3.6	180	1.1	20	13.0	12.5	A	*
* 7611	3.7	160	1.1	17	12.7	12.4	A	*
* 7617	7.5	178	1.0	20	12.8	12.3	B	*
* 7623	10.3	166	0.9	12	12.7	12.4	A	*
* 7632	7.6	85	1.0	351	12.5	12.5	B	*
* 7635	7.3	165	1.1	351	12.5	12.5	B	*
* 7641	6.0	186	1.3	2	12.5	12.6	A	*
* 7650	5.5	209	1.4	22	12.2	12.3	A	*
* 7659	3.8	195	1.1	32	12.3	12.3	A	*
* 7668	3.2	187	0.8	36	12.4	12.4	A	*
* 7677	4.5	207	0.8	26	12.3	12.6	A	*
* 7686	5.0	209	1.1	33	12.3	13.3	A	*
* 7695	2.8	225	1.4	38	12.3	13.7	A	*
* 7704	1.0	175	1.3	30	12.3	13.9	A	*
* 7713	2.1	183	1.4	18	12.5	13.2	A	*
* 7722	3.1	207	1.3	14	12.7	12.7	A	*
* 7731	2.8	196	1.2	26	12.5	12.6	A	*
* 7740	3.2	184	1.1	29	12.4	13.2	A	*
* 7749	3.2	184	1.0	25	12.5	13.6	A	*
* 7758	3.2	169	1.2	14	12.5	13.4	A	*
* 7767	2.4	167	1.4	10	12.6	12.9	A	*
* 7776	2.5	143	1.2	9	12.5	12.9	A	*
* 7785	3.9	86	1.1	6	12.4	13.0	A	*
* 7791	1.9	121	1.2	5	12.5	13.3	B	*
* 7795	7.2	91	1.4	7	12.4	13.6	A	*
* 7801	5.3	201	1.7	13	12.4	13.7	A	*
* 7809	4.6	206	1.8	14	12.6	13.6	A	*
* 7818	3.8	178	1.7	5	12.7	13.2	A	*
* 7825	7.7	166	1.4	360	12.6	13.0	A	*
* 7833	9.5	159	1.2	360	12.6	13.0	A	*
* 7842	13.8	161	1.3	2	12.7	13.0	A	*
* 7848	11.2	162	1.6	0	12.7	12.8	B	*
* 7851	17.7	161	1.8	359	12.6	12.7	B	*
* 7857	12.7	163	2.0	360	12.6	12.6	A	*


HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 11-FILE		1
*****		*****		*****		*****		*****
* FORMATION *	* BOREHOLE *							* QUAL. *
* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* INDEX *	* BEST *
* * *	* * *	* AZI. *	* * *	* AZI. *	* 1-3 *	* 2-4 *	* * *	* =A *

* 7866	10.1	163	2.0	3	12.4	12.4	A	*
* 7875	5.8	167	1.8	3	12.5	12.4	A	*
* 7881	4.4	305	1.6	4	12.7	12.6	B	*
* 7884	2.2	77	1.4	4	12.8	12.7	B	*
* 7890	1.4	214	1.4	3	12.7	12.7	A	*
* 7899	1.7	209	1.6	359	12.5	12.4	A	*
* 7905	3.1	359	1.6	354	12.4	12.3	B	*
* 7909	2.0	105	1.5	353	12.4	12.3	B	*
* 7914	4.9	121	1.4	351	12.4	12.3	B	*
* 7917	4.6	176	1.4	351	12.4	12.3	B	*
* 7920	2.6	233	1.5	352	12.4	12.3	B	*
* 7926	4.0	211	1.6	354	12.4	12.3	A	*
* 7935	4.6	180	1.5	353	12.4	12.4	A	*
* 7944	7.3	120	1.3	352	12.3	12.3	A	*
* 7951	4.2	154	1.2	354	12.4	12.3	A	*
* 7959	3.7	134	1.3	349	12.4	12.4	A	*
* 7968	3.1	42	1.2	325	12.4	12.4	A	*
* 7977	1.4	91	1.2	323	12.4	12.5	A	*
* 7986	3.2	166	1.4	339	12.4	12.4	A	*
* 7993	6.4	243	1.2	346	12.4	12.3	A	*
* 7998	1.5	143	1.1	349	12.5	12.4	B	*
* 8001	4.3	226	1.1	351	12.5	12.4	B	*
* 8004	2.2	128	1.0	351	12.5	12.4	B	*
* 8007	5.6	189	1.1	350	12.4	12.4	B	*
* 8013	8.4	196	1.2	347	12.4	12.4	B	*
* 8019	3.7	215	1.4	349	12.5	12.5	B	*
* 8025	3.0	231	1.4	359	12.5	12.5	B	*
* 8031	8.7	212	1.4	4	12.5	12.5	B	*
* 8037	8.3	205	1.4	11	12.5	12.5	B	*
* 8046	6.1	212	1.5	24	12.5	12.4	A	*
* 8055	5.9	213	1.5	24	12.6	12.3	A	*
* 8064	6.1	208	1.3	19	12.9	12.2	A	*
* 8073	7.5	207	1.2	18	13.5	12.3	A	*
* 8082	7.1	206	1.2	18	13.6	12.3	A	*
* 8091	7.0	202	1.0	7	12.9	12.4	A	*
* 8111	4.1	182	1.1	357	12.4	12.4	A	*
* 8120	6.8	168	1.3	360	12.4	12.4	A	*
* 8129	6.7	121	1.2	345	12.4	12.2	A	*
* 8138	4.1	111	1.2	337	12.3	12.2	A	*
* 8145	8.2	92	1.2	348	12.2	12.2	A	*

```

*****
*          * FORMATION *          * BOREHOLE *          * QUAL. *
*          *-----*          *-----*          * INDEX *
* DEPTH   *  DIP   DIP   *  DEV.  DEV.  DIAM  DIAM  * BEST  *
*         *     AZI. *     AZI.  1-3  2-4  * =A   *
*****
*
* 8150    13.4    81      1.1    1     12.2   12.2   D
* 8153    1.4    330     1.0    10    12.1   12.2   B
* 8159    3.5    236     1.0    18    12.1   12.2   A
* 8166    10.1   185     1.1    18    12.1   12.3   A
* 8174    11.0   173     1.2    14    12.1   12.2   A
* 8183    10.2   161     1.2     4    12.1   12.2   A
* 8190    11.4   131     1.3   334    12.2   12.2   A
* 8198    13.3   126     1.4   318    12.3   12.5   A
* 8207    11.1   107     1.4   313    12.5   13.0   A
* 8214    5.5    102     1.2   314    12.4   13.2   A
* 8222    5.3     88     1.2   321    12.3   13.1   A
* 8231    2.7    112     1.2   329    12.4   13.3   A
* 8238    4.3    215     1.1   332    12.4   13.3   A
* 8246    5.6    217     1.0   332    12.2   13.0   A
* 8252    0.7    182     0.9   327    12.1   12.4   B
* 8256    5.0     42     0.9   320    12.1   12.2   A
* 8264    7.4     44     1.0   312    12.1   12.3   A
* 8270    3.1     60     0.9   320    12.3   12.7   B
* 8274    3.9    271     0.8   339    12.4   12.8   A
* 8282    6.0    309     0.7     6    12.4   12.6   A
* 8291    5.0    309     0.6   359    12.4   12.7   A
* 8300    5.7    312     0.7   335    12.4   12.6   A
* 8309    9.7    328     0.7   335    12.5   13.0   A
* 8315    9.8    302     0.7   346    12.4   13.3   B
* 8319    6.9    318     0.6     6    12.4   13.0   A
* 8327    10.6   320     0.6    34    12.3   12.4   A
* 8336    9.9    309     0.7    12    12.4   12.3   A
* 8345    7.7    287     0.7   340    13.2   12.3   A
* 8354    6.3    299     0.6   335    13.6   12.3   A
* 8363    5.6    305     0.4   318    12.7   12.4   A
* 8372    6.0    296     0.3   284    12.5   12.5   A
* 8378    3.8    350     0.2   246    12.5   12.5   B
* 8382    9.7    306     0.3   233    12.5   12.5   A
* 8390    8.9    306     0.4   248    12.5   12.5   A
* 8399    8.8    314     0.4   287    12.3   12.3   A
* 8408    9.1    324     0.2   315    12.2   12.2   A
* 8417    7.1    341     0.0   280    12.2   12.2   A
* 8426    5.6    308     0.1   224    12.2   12.2   A
* 8435    4.2    336     0.2   186    12.2   12.2   A
* 8442    4.8     46     0.2   165    12.2   12.2   A
*****

```



HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 13-FILE		1
*****			*****			*****		
* FORMATION *	*****							* QUAL. *
* BOREHOLE *	*****							* INDEX *
* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* BEST *	* =A *
		AZI.		AZI.	1-3	2-4		

* 8450	6.9	334	0.4	156	12.2	12.2	A	*
* 8459	7.1	311	0.4	136	12.3	12.2	A	*
* 8468	6.5	295	0.5	111	12.4	12.4	A	*
* 8477	6.2	276	0.6	85	12.5	12.7	A	*
* 8486	5.1	259	0.5	78	12.5	12.6	A	*
* 8495	4.3	268	0.4	75	12.4	12.4	A	*
* 8504	4.5	255	0.4	68	12.2	12.3	A	*
* 8513	6.1	267	0.5	71	12.3	12.2	A	*
* 8522	6.5	273	0.7	79	12.3	12.4	A	*
* 8529	5.6	312	0.8	94	12.5	12.4	A	*
* 8537	3.1	299	0.9	118	12.5	12.5	A	*
* 8544	5.5	301	1.0	139	12.4	12.6	A	*
* 8552	5.4	315	0.9	153	12.4	12.6	A	*
* 8561	4.5	314	0.7	150	12.5	12.5	A	*
* 8570	5.6	273	0.6	103	12.3	12.4	A	*
* 8579	8.6	250	0.9	78	12.2	12.2	A	*
* 8588	7.3	243	1.0	80	12.1	12.1	A	*
* 8597	7.1	264	1.0	84	12.2	12.2	A	*
* 8606	6.4	290	1.1	86	12.4	12.4	A	*
* 8615	4.7	293	1.2	87	12.4	12.6	A	*
* 8624	3.6	298	1.1	101	12.4	12.5	A	*
* 8633	3.5	312	1.1	103	12.5	12.5	A	*
* 8642	4.2	303	0.9	92	12.7	12.5	A	*
* 8651	19.6	52	0.8	97	12.7	12.5	D	*
* 8660	6.4	290	0.9	101	12.7	12.4	A	*
* 8669	7.7	295	1.0	99	12.3	12.3	A	*
* 8678	7.9	304	1.1	103	12.3	12.2	A	*
* 8688	9.9	294	1.1	104	12.1	12.2	A	*
* 8696	8.1	309	1.1	105	12.1	12.2	A	*
* 8705	6.8	294	1.2	116	12.3	12.5	A	*
* 8711	4.5	319	1.2	124	12.4	12.5	B	*
* 8717	5.2	308	1.3	133	12.5	12.4	B	*
* 8723	4.0	357	1.4	127	12.5	12.4	B	*
* 8726	6.0	59	1.3	115	12.5	12.4	B	*
* 8730	7.1	316	1.3	95	12.4	12.4	A	*
* 8738	10.6	283	1.3	79	12.4	12.3	A	*
* 8745	8.1	267	1.4	85	12.4	12.3	A	*
* 8753	6.1	251	1.4	91	12.2	12.2	A	*
* 8762	3.7	275	1.3	96	12.3	12.3	A	*
* 8768	6.1	254	1.2	99	12.3	12.2	B	*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 14-FILE		1
*****		*****		*****		*****		*****
* FORMATION *				BOREHOLE		* QUAL. *		
* DEPTH *	* DIP *	DIP	* DEV. *	DEV.	DIAM	DIAM	* INDEX *	
		AZI.		AZI.	1-3	2-4	BEST	
							=A	

* 8774	7.6	276	1.3	105	12.2	12.1	A	*
* 8783	4.6	307	1.3	114	12.3	12.3	A	*
* 8792	5.8	299	1.2	118	12.5	12.4	A	*
* 8801	5.7	293	1.3	107	12.5	12.4	A	*
* 8810	2.4	232	1.2	97	12.5	12.3	A	*
* 8819	3.3	266	1.2	92	12.1	12.0	A	*
* 8828	5.1	210	1.2	94	12.1	12.0	A	*
* 8834	3.1	262	1.2	101	12.1	12.1	B	*
* 8838	6.5	318	1.3	107	12.3	12.2	A	*
* 8844	9.4	302	1.5	114	12.3	12.3	A	*
* 8852	6.4	301	1.6	99	12.2	12.1	A	*
* 8861	5.0	281	1.4	86	12.1	12.0	A	*
* 8870	5.2	288	1.4	86	12.1	11.9	A	*
* 8879	5.3	298	1.3	81	12.1	11.9	A	*
* 8888	4.4	303	1.2	81	12.2	12.0	A	*
* 8897	3.3	259	1.2	88	12.3	12.1	A	*
* 8906	2.4	253	1.3	98	12.4	12.4	A	*
* 8915	1.5	270	1.3	108	12.3	12.4	A	*
* 8924	4.0	311	1.3	125	12.3	12.4	A	*
* 8933	3.0	289	1.2	127	12.5	12.5	A	*
* 8942	1.3	317	1.2	122	12.6	12.5	A	*
* 8951	1.3	293	1.3	107	12.5	12.4	A	*
* 8960	2.7	293	1.4	88	12.4	12.3	A	*
* 8969	4.5	274	1.2	83	12.3	12.2	A	*
* 8978	2.3	274	1.2	81	12.2	12.2	A	*
* 8984	5.0	175	1.2	80	12.1	12.2	B	*
* 8990	9.3	255	1.2	83	12.2	12.3	A	*
* 8997	2.8	263	1.2	93	12.4	12.4	A	*
* 9005	1.2	285	1.1	108	12.5	12.4	A	*
* 9014	0.9	82	0.8	119	12.4	12.4	A	*
* 9023	3.8	200	1.0	125	12.4	12.4	A	*
* 9032	3.7	344	1.3	145	12.5	12.5	A	*
* 9041	3.4	324	1.4	154	12.4	12.4	A	*
* 9050	1.7	318	1.3	147	12.4	12.3	A	*
* 9056	5.5	342	1.3	143	12.5	12.5	B	*
* 9062	2.5	332	1.5	138	12.5	12.5	B	*
* 9068	2.2	77	1.6	120	12.5	12.5	B	*
* 9074	2.5	352	1.5	102	12.4	12.3	A	*
* 9083	3.4	307	1.3	94	12.5	12.4	A	*
* 9089	2.0	206	1.2	93	12.5	12.5	B	*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 15-FILE		1
FORMATION			BOREHOLE					QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	INDEX BEST =A	
9095	3.1	266	1.2	97	12.6	12.4	A	*
9104	2.9	259	1.2	111	12.5	12.5	A	*
9110	10.8	347	1.2	118	12.5	12.5	B	*
9116	3.9	318	1.2	109	12.5	12.4	A	*
9125	4.8	313	1.2	93	12.5	12.5	A	*
9134	4.4	325	1.3	110	12.5	12.5	A	*
9143	2.4	358	1.3	131	12.5	12.6	A	*
9152	1.4	277	1.2	131	12.4	12.4	A	*
9159	6.3	256	1.2	117	12.4	12.2	A	*
9167	6.6	216	1.1	115	12.3	12.2	A	*
9176	2.7	64	0.9	123	12.2	12.2	A	*
9185	17.5	347	0.8	102	12.2	12.2	D	*
9189	12.4	336	0.8	90	12.2	12.2	C	*
9195	5.7	315	0.9	90	12.2	12.1	A	*
9203	5.3	314	1.1	110	12.4	12.3	A	*
9210	3.0	143	1.2	127	12.6	12.5	A	*
9218	3.0	118	1.3	131	12.7	12.5	A	*
9224	9.1	85	1.3	136	12.6	12.5	B	*
9230	8.2	81	1.2	146	12.3	12.3	A	*
9239	7.6	93	1.1	159	12.2	12.3	A	*
9246	13.7	82	0.9	174	12.3	12.4	A	*
9251	23.6	85	0.9	181	12.3	12.3	B	*
9254	19.9	81	1.0	182	12.2	12.3	B	*
9257	22.6	91	1.0	179	12.2	12.2	B	*
9260	12.4	110	1.0	173	12.1	12.1	B	*
9266	14.4	130	1.0	161	12.3	12.3	A	*
9272	18.0	118	0.9	151	12.5	12.5	D	*
9275	19.1	106	0.8	154	12.6	12.6	D	*
9281	19.0	150	0.7	165	12.7	12.6	D	*
9302	6.9	226	0.7	139	12.5	12.5	A	*
9311	5.6	217	0.8	136	12.8	12.6	A	*
9320	9.1	205	0.8	142	12.7	12.7	A	*
9329	12.0	202	0.5	152	12.6	12.5	A	*
9335	14.3	185	0.4	154	12.5	12.4	B	*
9339	13.0	161	0.4	157	12.5	12.4	B	*
9344	7.0	160	0.4	163	12.6	12.6	B	*
9348	4.3	185	0.4	156	12.8	12.7	A	*
9353	8.3	183	0.4	130	12.7	12.7	B	*
9359	8.7	185	0.4	95	12.7	12.7	A	*
9368	11.9	200	0.3	64	12.4	12.5	A	*

HEMATITE PETROLEUM WELL PELICAN 4 PAGE 17-FILE 1

FORMATION			BOREHOLE				QUAL.
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A
*****			*****				*****
							INDEX
* 9689	7.9	246	2.1	35	12.5	12.5	D
* 9693	11.6	236	2.3	34	12.5	12.4	A
* 9701	10.9	226	2.7	31	12.5	12.4	A
* 9710	11.5	215	2.8	15	12.5	12.4	A
* 9716	16.4	207	2.8	1	12.3	12.2	B
* 9719	12.1	199	2.8	354	12.3	12.2	B
* 9723	17.3	188	2.8	346	12.3	12.3	A
* 9731	15.6	189	2.9	342	12.2	12.3	A
* 9740	14.7	183	3.0	343	12.3	12.3	A
* 9749	14.4	172	3.0	343	12.2	12.3	A
* 9758	16.2	179	3.1	340	12.2	12.3	A
* 9767	16.8	178	3.1	343	12.3	12.5	A
* 9776	15.1	175	2.8	347	12.3	12.4	A
* 9785	11.7	174	2.8	344	12.5	12.5	A
* 9794	12.9	168	2.9	344	12.5	12.5	A
* 9800	12.9	178	3.1	345	12.5	12.5	B
* 9806	12.8	179	3.2	350	12.5	12.5	A
* 9813	18.0	200	3.4	355	12.4	12.5	A
* 9818	11.2	191	3.4	357	12.5	12.4	B
* 9824	11.5	185	3.4	360	12.5	12.4	A
* 9831	14.1	207	3.4	4	12.5	12.5	A
* 9839	12.3	210	3.5	13	12.6	12.5	A
* 9848	9.7	215	3.4	16	12.7	12.5	A
* 9857	6.6	216	3.2	18	12.6	12.5	A
* 9863	9.7	234	3.1	21	12.5	12.5	B
* 9866	13.3	242	3.1	22	12.6	12.5	B
* 9870	12.5	265	3.1	23	12.6	12.5	A
* 9878	9.7	277	3.0	24	12.6	12.5	A
* 9887	19.4	335	2.9	23	12.5	12.5	C
* 9905	18.1	334	2.8	2	12.6	12.5	D
* 9908	27.7	322	2.8	4	12.5	12.5	D
* 9911	15.0	324	2.8	4	12.5	12.5	D
* 9914	12.0	312	2.8	5	12.3	12.4	D
* 9917	31.5	293	2.8	5	12.3	12.4	D
* 9921	9.1	273	2.8	5	12.3	12.4	A
* 9929	5.9	266	2.8	8	12.5	12.5	A
* 9935	29.3	289	2.8	11	12.6	12.5	D
* 9939	6.1	293	2.8	17	12.6	12.5	A
* 9947	4.4	256	2.7	24	12.6	12.5	A
* 9956	6.5	250	2.6	30	12.5	12.4	C

```

HEMATITE PETROLEUM          WELL      PELICAN 4          PAGE 18-FILE 1
*****
*          * FORMATION      *          * BOREHOLE      * QUAL. *
*          * -----      *          * -----      * INDEX *
*  DEPTH  *  DIP    DIP    *  DEV.   DEV.   DIAM   DIAM  * BEST  *
*          *  *      AZI.  *          *          * 1-3   2-4  *  =A   *
*****
*          *          *          *          *          *          *
*  9963   *  7.1   320   *  2.6   33    12.4  12.4  *  C    *
*  9968   *  4.0   279   *  2.6   37    12.4  12.4  *  D    *
*  9974   *  6.5   317   *  2.6   40    12.4  12.4  *  D    *
*****

```

```
HEMATITE PETROLEUM      WELL      PELICAN 4      SUMMARY
*****
*  DEPTH  *  DIP    DIP    *  DEV    DEV    DIAM    DIAM  *  QUAL  *
*          *          AZM    *          AZM    1-3    2-4  *
*****
*  TOP
* 5007.0   0.4     41.     0.4    163.    13.5    13.5    B
*
*  BOTTOM
* 9974.0   6.5     317.    2.6    40.     12.4    12.4    D
*
*****
```

*

* SCHLUMBERGER *

HIGH RESOLUTION
DIPMETER

CLUSTER LISTING

HEMATITE PETROLEUM
COUNTRY AUSTRALIA
FIELD WILDCAT
WELL PELICAN 4
RUN ONE
DATE 14 FEBRUARY 1979
12 FT X 3 FT - 35 DEGR X 1
CLUSTER POOLED 2 LEVELS
REFERENCE 104250.01

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE		1-FILE 1	
*****		*****		*****		*****		*****	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	QUAL.	INDEX	BEST
*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
5007	0.4	41	0.4	163	13.5	13.5	B		
5010	4.1	184	0.4	191	13.4	13.3	B		
5016	2.1	293	0.4	252	12.7	12.6	B		
5019	5.7	96	0.4	284	12.8	12.6	B		
5023	3.3	293	0.4	321	13.4	12.8	B		
5028	0.9	338	0.4	348	13.8	13.0	B		
5032	0.4	243	0.4	22	14.2	13.1	A		
5038	2.1	170	0.4	94	14.1	12.9	A		
5044	0.1	226	0.3	166	13.7	12.9	A		
5050	3.5	277	0.4	213	13.5	13.6	A		
5056	7.5	199	0.4	227	13.1	13.7	A		
5061	5.1	203	0.4	200	12.8	13.4	B		
5064	1.3	151	0.3	178	12.7	12.9	B		
5068	3.0	252	0.3	156	12.6	12.8	B		
5073	5.1	225	0.4	160	12.5	12.6	B		
5077	5.7	200	0.4	186	12.7	12.8	B		
5082	1.9	193	0.4	209	12.7	12.6	B		
5085	5.4	157	0.4	203	12.6	12.6	B		
5089	4.1	267	0.4	158	12.6	12.5	B		
5094	7.8	245	0.5	104	12.6	12.5	B		
5097	4.3	191	0.5	84	12.8	12.7	B		
5101	1.8	31	0.6	95	12.8	12.8	B		
5107	3.8	233	0.6	138	12.7	12.8	A		
5116	1.4	205	0.6	245	12.6	12.6	A		
5122	1.9	337	0.5	332	12.6	12.6	A		
5128	1.3	198	0.4	55	12.6	12.7	A		
5134	1.2	185	0.5	117	12.5	12.6	A		
5140	1.1	272	0.5	171	12.5	12.6	A		
5146	0.4	190	0.5	215	12.6	12.6	A		
5152	1.4	102	0.3	197	12.6	12.6	A		
5158	0.6	64	0.3	145	12.6	12.6	A		
5164	3.5	97	0.5	146	12.6	12.6	A		
5170	1.9	152	0.5	186	12.7	12.6	A		
5176	3.5	204	0.5	219	13.1	12.5	A		
5182	5.9	205	0.4	217	13.4	12.6	A		
5188	3.4	180	0.4	168	13.6	12.7	A		
5193	4.5	236	0.4	137	13.6	12.6	B		
5196	5.9	83	0.4	137	13.6	12.6	B		
5200	0.5	87	0.4	148	13.6	12.5	A		
5206	1.5	241	0.4	151	13.6	12.6	A		

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 2-FILE 1	
*****		*****		*****		*****	
* FORMATION *		* BOREHOLE *		* QUAL. *		* INDEX *	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A
*****		*****		*****		*****	
* 5212	8.8	266	0.4	130	13.4	12.6	A
* 5217	2.3	185	0.5	112	13.3	12.6	B
* 5221	3.5	228	0.7	115	13.3	12.7	A
* 5226	2.4	354	0.7	132	13.2	13.0	B
* 5229	4.7	223	0.7	145	13.2	13.1	B
* 5232	2.0	167	0.7	156	13.2	13.0	B
* 5236	4.4	186	0.6	166	13.3	12.8	A
* 5242	4.7	182	0.4	164	13.7	12.3	A
* 5247	0.5	43	0.4	140	14.0	12.4	B
* 5251	0.2	39	0.6	115	13.8	12.6	A
* 5257	2.7	238	0.7	107	13.2	12.6	A
* 5263	4.7	229	0.5	98	13.1	12.6	A
* 5268	8.6	228	0.3	55	13.2	12.4	A
* 5272	4.7	241	0.3	19	13.4	12.6	B
* 5278	4.8	237	0.4	30	13.3	12.6	A
* 5284	3.5	238	0.5	74	12.7	12.4	A
* 5290	1.8	213	0.7	109	12.4	12.4	A
* 5296	1.2	258	0.7	141	12.5	12.4	A
* 5302	1.3	239	0.5	188	12.7	12.3	A
* 5308	0.6	132	0.4	261	12.7	12.2	A
* 5314	1.1	142	0.4	339	12.7	12.3	A
* 5320	1.2	80	0.5	276	12.5	12.4	A
* 5326	1.6	13	0.5	148	12.6	12.5	A
* 5332	0.5	118	0.4	126	12.7	12.6	A
* 5338	2.3	177	0.3	102	12.6	12.4	A
* 5344	2.5	175	0.4	71	12.4	12.3	A
* 5350	0.3	121	0.6	86	12.4	12.3	A
* 5356	0.5	312	0.7	121	12.4	12.4	A
* 5362	0.3	36	0.7	154	12.4	12.4	A
* 5388	16.6	266	0.4	102	12.3	14.1	D
* 5391	4.0	100	0.4	109	12.3	14.3	D
* 5397	21.1	212	0.4	107	12.4	14.4	D
* 5401	4.9	282	0.5	103	12.5	14.3	C
* 5407	5.3	309	0.7	108	12.4	14.2	C
* 5412	4.6	241	0.7	114	12.3	14.2	D
* 5415	2.7	305	0.7	120	12.3	14.1	B
* 5419	4.1	272	0.7	126	12.4	14.2	A
* 5425	4.1	261	0.7	134	12.4	14.6	A
* 5431	13.8	325	0.5	134	12.2	14.9	A
* 5437	9.9	331	0.6	126	12.0	15.3	A
*****		*****		*****		*****	

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE	3-FILE		1
*****		*****		*****		*****	*****		*****
* FORMATION *		* BOREHOLE *					* QUAL. *		
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	* INDEX *		
		AZI.		AZI.	1-3	2-4	* BEST *		
							* =A *		

* 5442	1.6	38	0.7	118	12.0	15.4	B		*
* 5445	6.5	236	0.7	116	12.0	15.5	D		*
* 5449	5.1	227	0.7	112	12.1	15.6	C		*
* 5455	4.9	230	0.7	111	12.1	15.9	C		*
* 5460	4.2	166	0.7	112	12.1	15.9	D		*
* 5463	8.9	220	0.7	113	11.9	15.8	D		*
* 5476	18.4	305	0.7	125	11.5	15.9	C		*
* 5482	17.3	300	0.7	129	11.6	16.0	C		*
* 5496	37.3	265	0.8	127	11.4	16.3	D		*
* 5499	40.7	263	0.8	126	11.5	16.4	D		*
* 5506	37.7	259	0.8	125	11.7	16.5	C		*
* 5511	35.7	251	0.7	123	11.6	16.3	C		*
* 5515	26.9	336	0.7	121	11.5	16.1	C		*
* 5521	25.7	335	0.7	120	11.5	16.2	C		*
* 5526	1.3	277	0.8	120	11.4	16.4	C		*
* 5530	2.3	352	0.8	123	11.4	16.5	C		*
* 5536	7.1	332	0.8	122	11.4	16.4	C		*
* 5542	8.2	294	0.8	120	11.4	16.3	A		*
* 5548	4.2	310	0.8	119	11.4	16.2	A		*
* 5556	1.2	298	0.9	121	11.5	16.2	D		*
* 5562	1.3	307	0.9	124	11.6	16.5	D		*
* 5565	6.4	265	0.9	123	11.5	16.6	D		*
* 5568	1.7	25	0.9	123	11.5	16.7	D		*
* 5572	9.9	255	1.0	124	11.6	16.9	C		*
* 5602	8.7	333	1.3	126	11.9	16.4	A		*
* 5608	8.0	5	1.3	127	11.8	16.6	A		*
* 5613	8.3	337	1.3	126	11.8	16.6	B		*
* 5616	2.1	312	1.3	126	11.8	16.6	B		*
* 5620	6.5	262	1.3	126	11.9	16.5	A		*
* 5626	4.4	277	1.2	125	11.9	16.4	A		*
* 5631	3.6	76	1.2	123	11.9	16.1	D		*
* 5635	1.4	39	1.2	122	11.9	15.8	C		*
* 5640	13.5	265	1.2	120	12.0	15.5	D		*
* 5643	3.9	360	1.1	119	12.1	15.3	D		*
* 5646	24.2	354	1.1	117	12.1	15.0	D		*
* 5649	2.2	356	1.0	116	12.2	14.8	D		*
* 5653	1.8	297	1.1	112	12.4	14.3	C		*
* 5659	4.9	262	1.2	104	12.6	13.8	C		*
* 5665	3.4	316	1.3	101	12.7	13.6	C		*
* 5670	6.1	119	1.4	103	12.7	13.4	D		*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 4-FILE 1		
FORMATION			BOREHOLE					QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	INDEX BEST =A	
5680	4.3	22	1.4	123	12.8	13.1	C	
5685	0.3	358	1.4	127	12.9	13.2	D	
5689	3.9	310	1.4	130	12.9	13.2	A	
5694	15.1	302	1.4	131	12.9	13.2	B	
5698	5.3	298	1.4	134	12.8	13.3	A	
5704	4.5	279	1.4	140	12.8	13.4	A	
5709	8.2	289	1.3	146	12.9	13.1	B	
5721	8.8	51	1.2	145	13.3	12.7	D	
5724	5.9	213	1.2	139	13.3	12.6	D	
5727	18.1	131	1.2	132	13.3	12.6	D	
5731	7.6	130	1.2	120	13.2	12.7	C	
5737	0.2	93	1.4	104	12.9	12.6	C	
5743	2.1	59	1.3	89	12.6	12.4	C	
5749	4.8	52	1.2	81	12.4	12.3	A	
5755	8.4	50	1.1	90	12.2	12.2	A	
5760	4.4	45	0.9	102	12.2	12.2	B	
5763	0.5	348	0.9	102	12.2	12.3	B	
5767	1.3	154	1.1	89	12.2	12.3	A	
5772	4.6	106	1.3	72	12.2	12.3	B	
5775	1.3	171	1.4	68	12.1	12.2	B	
5779	2.5	180	1.5	72	12.1	12.2	A	
5785	3.7	221	1.4	80	12.1	12.2	C	
5791	2.1	222	1.2	86	12.2	12.2	C	
5796	5.5	180	1.2	90	12.2	12.1	D	
5800	3.6	3	1.1	96	12.2	12.1	C	
5805	2.4	195	1.0	104	12.2	12.1	D	
5808	4.8	9	0.9	110	12.2	12.2	D	
5811	0.7	259	0.9	111	12.1	12.2	B	
5815	2.2	199	0.9	103	12.1	12.2	A	
5821	0.6	196	1.1	86	12.1	12.2	A	
5827	1.1	313	1.3	84	12.1	12.3	A	
5833	1.3	295	1.3	92	12.2	12.6	A	
5839	0.7	322	1.2	103	12.1	12.6	A	
5845	0.5	351	0.8	117	12.1	12.3	A	
5851	0.5	73	0.6	112	12.2	12.1	A	
5857	1.2	303	0.7	99	12.2	12.2	A	
5863	2.3	277	0.9	105	12.2	12.3	A	
5869	0.5	27	0.9	123	12.1	12.1	A	
5875	0.7	94	0.9	115	12.1	12.2	A	
5881	0.4	327	1.1	86	12.1	12.1	A	

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE	5-FILE		1
*****		*****		*****		*****	*****		*****
* FORMATION *	* BOREHOLE *		* QUAL. *		* INDEX *		* BEST *		* =A *
* DEPTH *	* DIP *	* DIP AZI. *	* DEV. *	* DEV. AZI. *	* DIAM 1-3 *	* DIAM 2-4 *	* =A *		* *

* 5887	1.5	341	1.2	85	12.1	12.2	A		*
* 5893	1.5	16	1.1	109	12.1	12.2	A		*
* 5899	1.6	145	0.8	139	12.1	12.1	A		*
* 5905	4.8	122	0.5	125	12.1	12.0	A		*
* 5911	1.2	343	0.8	78	12.1	12.0	A		*
* 5917	2.1	299	1.1	71	12.1	12.0	A		*
* 5923	3.0	48	1.1	88	12.2	12.0	A		*
* 5929	3.2	9	0.7	97	12.2	12.1	A		*
* 5935	1.9	329	0.7	76	12.2	12.3	A		*
* 5941	0.2	233	0.9	54	12.5	12.4	A		*
* 5947	5.4	69	0.9	69	12.4	12.3	A		*
* 5953	9.0	78	0.7	86	12.1	12.1	A		*
* 5958	14.3	88	0.5	69	12.1	12.1	B		*
* 5961	18.2	87	0.5	46	12.2	12.1	B		*
* 5964	2.8	218	0.7	26	12.1	12.1	B		*
* 5968	1.7	141	1.0	21	12.1	12.2	A		*
* 5974	0.9	101	1.2	43	12.1	12.2	A		*
* 5980	1.2	36	1.2	66	12.1	12.1	A		*
* 5986	1.4	18	0.8	92	12.1	12.1	A		*
* 5992	0.6	337	0.6	84	12.1	12.1	A		*
* 5998	1.0	268	0.6	52	12.1	12.2	A		*
* 6004	0.5	299	0.7	51	12.2	12.2	A		*
* 6010	1.9	51	0.7	81	12.2	12.2	A		*
* 6016	2.7	180	0.6	100	12.2	12.2	A		*
* 6022	3.8	197	0.7	91	12.4	12.3	A		*
* 6028	2.0	250	0.9	88	12.5	12.4	A		*
* 6034	1.9	337	0.9	107	12.3	12.4	A		*
* 6040	2.4	8	0.7	135	12.4	12.4	A		*
* 6046	2.0	50	0.5	137	12.6	12.5	A		*
* 6052	4.0	111	0.5	106	12.4	12.4	A		*
* 6058	2.1	145	0.8	87	12.3	12.4	A		*
* 6064	1.3	126	1.1	98	12.3	12.6	A		*
* 6070	2.7	56	1.1	108	12.3	12.6	A		*
* 6076	1.3	342	1.1	104	12.3	12.4	A		*
* 6082	1.5	324	0.9	103	12.4	12.4	A		*
* 6088	2.1	359	0.7	115	12.5	12.5	A		*
* 6094	1.9	3	0.5	124	12.4	12.4	A		*
* 6100	2.0	2	0.4	101	12.3	12.3	A		*
* 6106	1.6	15	0.5	68	12.4	12.4	A		*
* 6112	2.4	39	0.6	59	12.6	12.6	A		*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 6-FILE 1	
*****		*****		*****		*****	
* FORMATION *		* BOREHOLE *		* QUAL. *		* INDEX *	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A
*****		*****		*****		*****	
* 6118	6.5	18	0.6	74	12.7	12.4	A
* 6124	4.9	31	0.6	97	12.4	12.3	A
* 6130	2.3	339	0.7	117	12.2	12.1	A
* 6135	10.8	7	0.8	124	12.1	12.1	B
* 6139	11.5	3	0.8	128	12.1	12.0	B
* 6144	7.3	326	0.8	126	12.1	12.0	B
* 6157	4.0	331	1.1	109	12.1	12.1	A
* 6163	2.9	287	1.1	104	12.1	12.1	A
* 6169	3.6	214	0.9	95	12.1	12.1	A
* 6175	7.3	232	0.7	98	12.2	12.1	A
* 6181	5.6	225	0.6	103	12.2	12.2	A
* 6187	1.4	233	0.5	88	12.2	12.2	A
* 6193	1.1	241	0.6	89	12.2	12.2	A
* 6199	0.2	141	0.7	114	12.3	12.3	A
* 6205	0.5	219	0.7	135	12.2	12.2	A
* 6211	1.2	183	0.7	142	12.3	12.2	A
* 6217	1.6	140	0.6	131	12.2	12.2	A
* 6223	0.6	135	0.5	96	12.1	12.1	A
* 6228	6.7	10	0.5	69	12.1	12.1	B
* 6232	6.3	2	0.7	59	12.3	12.3	B
* 6237	1.9	109	0.7	54	12.4	12.5	B
* 6241	3.1	84	0.7	67	12.4	12.4	A
* 6247	2.2	314	0.8	104	12.3	12.3	A
* 6253	6.9	312	0.8	130	12.1	12.1	A
* 6259	9.5	312	0.7	138	12.1	12.0	A
* 6264	7.3	299	0.6	141	12.1	12.0	B
* 6268	2.1	293	0.6	146	12.1	12.1	A
* 6274	3.7	335	0.5	149	12.2	12.2	A
* 6280	5.4	294	0.3	118	12.1	12.2	A
* 6285	2.8	226	0.3	86	12.0	12.1	B
* 6288	5.9	266	0.4	80	12.0	12.0	B
* 6291	1.6	229	0.4	88	12.0	12.0	B
* 6294	6.5	105	0.5	100	12.1	12.0	B
* 6298	3.6	96	0.7	119	12.1	12.1	A
* 6304	2.7	39	0.7	138	12.2	12.1	A
* 6310	2.1	106	0.6	149	12.1	12.1	A
* 6316	7.6	62	0.5	147	12.1	12.0	A
* 6321	8.8	282	0.6	128	12.1	12.0	B
* 6325	9.0	240	0.7	105	12.1	12.1	A
* 6330	0.3	208	0.8	91	12.1	12.1	B

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE		7-FILE		1
*****		*****		*****		*****		*****		*****
* FORMATION *		* BOREHOLE *						* QUAL. *		*
* ----- * * * * *		* ----- * * * * *						* INDEX *		*
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A			*


6334	5.4	133	0.8	93	12.1	12.2	A			*
6340	5.7	118	0.7	102	12.2	12.2	A			*
6346	2.0	226	0.6	125	12.3	12.4	A			*
6352	2.0	198	0.4	145	12.3	12.4	A			*
6358	3.0	184	0.3	124	12.1	12.1	A			*
6364	6.0	190	0.4	93	12.0	12.0	A			*
6370	17.1	214	0.6	87	12.1	12.0	A			*
6376	16.4	209	0.6	92	12.1	12.0	A			*
6382	4.5	209	0.5	81	12.2	12.1	A			*
6388	5.2	184	0.5	49	12.2	12.1	A			*
6394	5.2	164	0.6	29	12.2	12.1	A			*
6400	3.8	170	0.6	32	12.1	12.0	A			*
6406	3.4	234	0.6	46	12.1	12.0	A			*
6412	3.7	289	0.7	72	12.1	12.0	A			*
6418	18.7	218	0.7	99	12.1	12.0	A			*
6424	11.5	234	0.7	110	12.1	12.0	A			*
6429	6.6	261	0.5	116	12.1	12.0	B			*
6435	1.1	110	0.4	149	12.1	12.1	B			*
6441	4.3	147	0.3	185	12.1	12.1	B			*
6445	9.0	27	0.4	184	12.1	12.0	A			*
6451	9.3	39	0.4	159	12.2	12.1	A			*
6457	7.7	69	0.5	126	12.1	12.1	A			*
6463	7.7	137	0.7	114	12.1	12.0	A			*
6469	5.7	125	0.9	122	12.1	12.1	A			*
6475	3.2	77	1.0	121	12.1	12.1	A			*
6481	6.7	112	1.0	111	12.1	12.0	A			*
6489	3.6	234	0.7	109	12.0	12.0	B			*
6492	4.8	185	0.6	106	12.0	12.0	B			*
6496	4.2	154	0.5	90	12.0	11.9	A			*
6502	2.6	168	0.6	60	12.1	11.9	A			*
6508	2.3	299	0.6	45	12.1	11.9	A			*
6514	4.3	70	0.5	56	12.1	11.9	A			*
6520	5.6	75	0.4	82	12.1	11.9	A			*
6526	20.6	90	0.4	107	12.1	11.9	C			*
6531	16.8	101	0.4	121	12.1	12.0	D			*
6534	2.5	329	0.4	130	12.1	12.0	B			*
6538	3.3	356	0.5	144	12.1	12.2	A			*
6544	5.6	332	0.7	158	12.2	12.2	A			*
6550	6.9	320	0.8	150	12.3	12.3	A			*
6567	15.3	19	0.4	9	11.9	11.9	D			*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE	8-FILE		1
*****		*****		*****		*****	*****		*****
* FORMATION *		* BOREHOLE *					* QUAL. *		*
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	* INDEX *		*
							* BEST *		*
							* =A *		*

* 6570	12.1	232	0.4	301	12.0	12.0	D		*
* 6573	14.0	201	0.4	230	12.0	12.0	D		*
* 6577	14.0	194	0.4	169	12.1	12.1	C		*
* 6583	7.9	75	0.5	142	12.3	12.4	A		*
* 6589	7.0	69	0.7	134	12.4	12.5	A		*
* 6595	1.6	138	0.9	118	12.3	12.5	A		*
* 6601	1.3	146	1.1	107	12.3	12.4	A		*
* 6606	11.2	239	1.1	106	12.2	12.4	A		*
* 6610	10.1	239	1.2	116	12.1	12.3	A		*
* 6616	7.4	228	1.2	129	12.0	12.2	A		*
* 6622	5.8	193	0.9	128	12.1	12.1	A		*
* 6628	7.0	176	0.6	108	12.1	12.0	A		*
* 6634	6.8	166	0.6	77	12.1	12.1	A		*
* 6639	5.4	209	0.9	68	12.1	12.1	B		*
* 6643	7.4	245	1.1	77	12.2	12.2	A		*
* 6649	6.7	231	1.1	93	12.4	12.4	A		*
* 6654	5.3	58	1.0	105	12.3	12.4	B		*
* 6657	0.5	156	0.9	112	12.2	12.4	B		*
* 6661	1.9	151	0.7	123	12.2	12.3	A		*
* 6667	3.5	134	0.6	130	12.1	12.2	A		*
* 6673	12.3	104	0.6	114	12.1	12.1	A		*
* 6679	12.5	93	0.6	86	12.2	12.2	A		*
* 6685	0.8	235	0.6	76	12.2	12.2	A		*
* 6690	4.0	54	0.6	88	12.1	12.2	B		*
* 6694	5.8	82	0.7	114	12.1	12.1	A		*
* 6699	6.0	9	0.8	140	12.1	12.1	B		*
* 6702	6.9	292	0.9	154	12.1	12.1	B		*
* 6706	4.3	339	1.0	170	12.1	12.2	A		*
* 6711	1.6	253	0.9	182	12.1	12.2	A		*
* 6715	2.8	203	0.9	182	12.2	12.3	A		*
* 6721	3.2	156	0.7	153	12.4	12.4	A		*
* 6726	5.0	251	0.7	118	12.4	12.5	B		*
* 6730	1.9	228	0.7	93	12.3	12.4	A		*
* 6736	1.0	204	0.9	78	12.2	12.2	A		*
* 6742	1.7	189	1.0	71	12.2	12.2	A		*
* 6748	1.6	180	0.9	69	12.3	12.3	A		*
* 6754	1.0	128	0.9	77	12.4	12.3	A		*
* 6760	0.7	222	0.8	95	12.4	12.3	A		*
* 6766	2.4	244	0.8	119	12.4	12.4	A		*
* 6772	3.2	232	0.7	141	12.3	12.2	A		*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE	9-FILE		1
*****		*****		*****		*****	*****		*****
* FORMATION *		* BOREHOLE *					* QUAL. *		
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	* INDEX *		
*****		*****		*****		*****	*****		*****
							* BEST =A *		
6778	2.6	235	0.6	153	12.2	12.0	A		*
6784	2.4	218	0.4	158	12.2	12.0	A		*
6790	2.7	185	0.4	158	12.2	12.0	A		*
6796	2.0	166	0.4	156	12.2	12.0	A		*
6802	8.4	83	0.4	163	12.1	12.0	A		*
6807	6.7	168	0.4	164	12.1	12.0	B		*
6811	5.0	164	0.4	145	12.1	12.0	A		*
6817	3.1	138	0.4	102	12.1	12.0	A		*
6823	2.3	350	0.5	77	12.2	12.0	A		*
6829	1.4	285	0.7	81	12.2	12.0	A		*
6835	1.4	300	0.7	98	12.2	12.0	A		*
6841	1.1	305	0.8	117	12.2	12.0	A		*
6847	0.4	293	0.7	136	12.1	12.0	A		*
6853	0.9	100	0.7	151	12.1	12.1	A		*
6859	1.4	142	0.6	172	12.2	12.2	A		*
6865	1.6	177	0.6	192	12.2	12.2	A		*
6871	2.1	157	0.5	190	12.1	12.2	A		*
6877	1.7	173	0.4	136	12.1	12.1	A		*
6883	1.1	183	0.5	84	12.1	12.1	A		*
6889	0.9	222	0.7	88	12.1	12.1	A		*
6895	2.4	236	0.9	113	12.1	12.0	A		*
6901	1.5	213	1.0	140	12.1	12.1	A		*
6907	1.5	266	1.0	162	12.1	12.1	A		*
6913	2.3	230	0.9	181	12.1	12.2	A		*
6919	3.6	194	0.7	194	12.3	12.3	A		*
6928	8.2	301	0.4	195	12.3	12.3	A		*
6934	7.3	298	0.5	169	12.2	12.2	A		*
6940	7.4	299	0.8	134	12.2	12.3	A		*
6946	7.3	297	1.0	117	12.2	12.3	A		*
6952	7.8	298	0.9	103	12.2	12.2	A		*
6958	8.1	298	0.7	87	12.2	12.2	A		*
6964	7.4	299	0.5	94	12.2	12.2	A		*
6970	6.7	299	0.3	148	12.2	12.3	A		*
6975	1.9	249	0.3	207	12.3	12.3	B		*
6979	3.1	223	0.4	266	12.3	12.4	A		*
6985	2.6	306	0.5	338	12.3	12.3	A		*
6991	2.2	313	0.7	33	12.1	12.1	A		*
6997	2.9	307	0.8	80	12.1	12.1	A		*
7003	2.2	314	0.7	113	12.1	12.1	A		*
7009	2.9	129	0.5	86	12.1	12.0	A		*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 10-FILE		1
FORMATION			BOREHOLE					QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	INDEX BEST	=A
7015	3.6	99	0.3	21	12.1	12.0	A	
7021	3.6	313	0.4	5	12.1	12.1	A	
7027	2.5	293	0.5	46	12.2	12.2	A	
7033	1.2	296	0.7	89	12.1	12.2	A	
7039	2.0	309	0.7	114	12.2	12.2	A	
7045	2.2	297	0.7	132	12.3	12.3	A	
7051	1.4	334	0.5	159	12.2	12.3	A	
7057	1.9	315	0.4	145	12.2	12.3	A	
7063	3.2	283	0.4	93	12.1	12.2	A	
7069	4.7	269	0.4	61	12.1	12.1	A	
7075	5.1	256	0.5	59	12.1	12.1	A	
7081	3.7	266	0.7	92	12.1	12.1	A	
7087	3.1	274	0.9	132	12.1	12.0	A	
7093	1.4	266	1.0	156	12.2	12.1	A	
7099	1.0	58	0.9	166	12.4	12.2	A	
7105	1.0	9	0.7	152	12.6	12.3	A	
7111	0.5	177	0.6	125	12.5	12.4	A	
7116	4.8	119	0.6	103	12.5	12.4	B	
7120	4.7	93	0.7	89	12.4	12.4	B	
7125	2.5	133	0.9	80	12.3	12.3	B	
7129	2.8	171	1.0	76	12.3	12.3	A	
7135	2.9	187	1.0	69	12.2	12.3	A	
7141	2.3	182	0.9	61	12.3	12.4	A	
7146	20.8	268	0.8	59	12.4	12.4	D	
7149	15.6	263	0.8	64	12.4	12.4	D	
7153	14.3	257	0.7	77	12.4	12.3	C	
7158	5.1	176	0.6	86	12.2	12.2	B	
7162	4.5	170	0.5	84	12.2	12.1	A	
7168	2.6	153	0.4	66	12.2	12.2	A	
7174	1.1	106	0.4	44	12.2	12.1	A	
7180	4.0	132	0.4	31	12.2	12.2	A	
7186	4.6	138	0.4	23	12.1	12.3	A	
7192	1.3	235	0.5	23	12.1	12.3	A	
7198	1.5	19	0.7	36	12.2	12.2	A	
7204	0.5	39	0.9	49	12.2	12.1	A	
7210	2.3	265	0.9	58	12.2	12.1	A	
7216	2.1	273	0.9	57	12.1	12.2	A	
7222	1.6	253	0.8	53	12.2	12.1	A	
7228	1.8	203	0.9	44	12.3	12.3	A	
7234	2.2	186	0.9	36	12.4	12.4	A	



HEMATITE PETROLEUM WELL PELICAN 4 PAGE 12-FILE 1

FORMATION		BOREHOLE					QUAL.	INDEX
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	
* 7462	6.3	10	0.4	137	12.1	12.2	A	*
* 7468	7.2	339	0.4	105	12.1	12.2	A	*
* 7474	5.6	338	0.5	85	12.1	12.2	A	*
* 7480	7.8	349	0.5	81	12.1	12.2	A	*
* 7486	11.7	24	0.5	80	12.1	12.2	A	*
* 7491	11.7	43	0.5	83	12.1	12.2	B	*
* 7495	15.3	35	0.5	94	12.1	12.2	B	*
* 7500	11.8	67	0.4	109	12.1	12.2	B	*
* 7504	11.7	80	0.4	121	12.1	12.2	B	*
* 7509	11.0	49	0.4	114	12.1	12.2	B	*
* 7513	7.5	256	0.5	95	12.3	12.3	A	*
* 7519	8.0	246	0.6	73	12.6	12.3	A	*
* 7524	14.7	251	0.6	68	12.5	12.3	B	*
* 7528	14.4	241	0.6	69	12.4	12.3	A	*
* 7534	13.2	248	0.7	71	12.2	12.3	A	*
* 7540	10.6	240	0.7	69	12.2	12.2	A	*
* 7546	7.2	231	0.9	69	12.2	12.2	A	*
* 7552	5.5	223	1.0	75	12.2	12.2	A	*
* 7558	10.9	247	1.0	81	12.2	12.1	A	*
* 7564	13.2	233	1.1	70	12.2	12.3	A	*
* 7570	8.5	283	1.2	58	12.4	12.3	A	*
* 7576	7.8	289	1.2	61	12.7	12.4	A	*
* 7582	5.2	256	0.9	76	13.4	12.3	A	*
* 7590	3.0	244	0.8	77	13.8	12.3	B	*
* 7594	3.9	222	0.9	53	13.5	12.4	A	*
* 7600	3.7	188	1.1	23	13.1	12.4	A	*
* 7606	3.7	163	1.2	14	12.7	12.4	A	*
* 7612	3.7	159	1.1	18	12.7	12.4	A	*
* 7618	8.0	175	0.9	20	12.8	12.4	A	*
* 7624	11.3	164	0.9	8	12.6	12.4	A	*
* 7632	7.6	85	1.0	351	12.5	12.5	B	*
* 7636	6.9	170	1.2	354	12.5	12.6	A	*
* 7642	5.9	193	1.4	5	12.4	12.6	A	*
* 7648	5.6	209	1.4	20	12.3	12.3	A	*
* 7654	4.9	206	1.2	28	12.2	12.2	A	*
* 7660	3.5	189	1.1	34	12.4	12.4	A	*
* 7666	3.2	185	0.9	38	12.4	12.4	A	*
* 7672	4.0	199	0.8	31	12.4	12.4	A	*
* 7678	4.4	209	0.9	25	12.3	12.7	A	*
* 7684	5.1	210	1.1	32	12.3	13.3	A	*

FORMATION		BOREHOLE		QUAL.			
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	INDEX
	AZI.	AZI.	1-3	2-4	BEST	=A	
7690	4.2	209	1.2	38	12.4	13.6	A
7696	2.4	232	1.4	37	12.3	13.8	A
7702	1.0	200	1.4	32	12.3	13.9	A
7708	1.8	139	1.3	24	12.4	13.7	A
7714	2.6	204	1.4	16	12.6	13.0	A
7720	3.0	208	1.4	12	12.8	12.7	A
7726	2.9	198	1.2	19	12.7	12.7	A
7732	2.9	198	1.2	28	12.4	12.6	A
7738	3.3	188	1.1	30	12.4	13.1	A
7744	3.2	181	1.0	26	12.4	13.6	A
7750	3.2	183	1.0	24	12.5	13.6	A
7756	3.2	168	1.2	16	12.5	13.4	A
7762	3.4	175	1.4	10	12.5	13.1	A
7768	1.9	156	1.4	10	12.6	12.9	A
7774	2.6	153	1.3	10	12.6	12.9	A
7780	2.6	121	1.1	9	12.4	12.9	A
7786	4.8	78	1.1	5	12.4	13.0	A
7791	1.9	121	1.2	5	12.5	13.3	B
7795	7.2	91	1.4	7	12.4	13.6	A
7801	5.3	201	1.7	13	12.4	13.7	A
7807	5.1	208	1.8	15	12.6	13.7	A
7813	3.6	194	1.8	10	12.7	13.4	A
7819	3.9	173	1.7	4	12.7	13.2	A
7825	7.7	166	1.4	360	12.6	13.0	A
7831	7.8	157	1.2	360	12.6	13.0	A
7837	12.3	161	1.2	2	12.7	13.1	A
7843	14.0	161	1.4	2	12.7	12.9	A
7848	11.2	162	1.6	0	12.7	12.8	B
7851	17.7	161	1.8	359	12.6	12.7	B
7854	12.5	161	1.9	358	12.6	12.7	B
7858	12.8	163	2.0	360	12.6	12.6	A
7864	11.1	165	2.0	3	12.4	12.4	A
7870	7.4	163	2.0	3	12.4	12.4	A
7876	5.4	166	1.8	3	12.5	12.4	A
7881	4.4	305	1.6	4	12.7	12.6	B
7884	2.2	77	1.4	4	12.8	12.7	B
7888	0.9	220	1.4	3	12.7	12.7	A
7894	1.8	206	1.5	360	12.6	12.6	A
7900	2.0	211	1.6	358	12.5	12.4	A
7905	3.1	359	1.6	354	12.4	12.3	B

HEMATITE PETROLEUM WELL PELICAN 4 PAGE 14-FILE 1

DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	QUAL. INDEX BEST =A
7909	2.0	105	1.5	353	12.4	12.3	A
7914	4.9	121	1.4	351	12.4	12.3	B
7917	4.6	176	1.4	351	12.4	12.3	B
7920	2.6	233	1.5	352	12.4	12.3	B
7924	4.5	207	1.6	354	12.4	12.3	B
7930	3.8	204	1.6	354	12.4	12.4	A
7936	4.7	175	1.5	353	12.4	12.4	A
7941	8.1	121	1.4	351	12.4	12.3	B
7945	6.9	120	1.3	351	12.3	12.3	B
7951	4.2	154	1.2	354	12.4	12.3	A
7957	4.3	142	1.3	351	12.4	12.4	A
7963	2.8	98	1.2	338	12.4	12.4	A
7969	3.8	27	1.2	320	12.4	12.4	A
7975	1.8	59	1.2	319	12.4	12.4	A
7981	2.7	161	1.3	332	12.4	12.5	A
7987	3.1	164	1.4	341	12.4	12.4	A
7993	6.4	243	1.2	346	12.4	12.3	A
7998	1.5	143	1.1	349	12.5	12.4	B
8001	4.3	226	1.1	351	12.5	12.4	B
8004	2.2	128	1.0	351	12.5	12.4	B
8008	6.7	188	1.1	349	12.4	12.4	A
8014	8.5	197	1.2	347	12.4	12.4	A
8020	3.3	223	1.4	352	12.5	12.5	A
8026	3.0	229	1.4	360	12.5	12.5	A
8032	8.5	209	1.4	5	12.5	12.5	A
8038	8.2	205	1.4	14	12.5	12.5	A
8044	6.3	213	1.5	23	12.5	12.4	A
8050	5.6	212	1.5	26	12.6	12.4	A
8056	6.1	213	1.5	23	12.7	12.3	A
8062	6.1	211	1.4	20	12.8	12.3	A
8068	7.7	206	1.2	19	13.2	12.3	A
8074	6.6	205	1.2	18	13.6	12.3	A
8080	6.7	204	1.2	17	13.7	12.3	A
8086	8.0	206	1.2	17	13.4	12.4	A
8092	5.6	202	0.9	2	12.8	12.4	A
8109	4.0	175	1.1	356	12.4	12.4	A
8115	5.4	187	1.2	360	12.4	12.4	A
8121	7.2	161	1.3	359	12.4	12.4	A
8127	6.9	127	1.2	348	12.4	12.3	A
8133	6.0	112	1.2	338	12.3	12.2	A

FORMATION			BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	INDEX BEST =A
8139	3.6	107	1.2	337	12.3	12.2	A
8145	8.2	92	1.2	348	12.2	12.2	A
8150	13.4	81	1.1	1	12.2	12.2	D
8154	1.4	260	1.0	13	12.1	12.2	A
8160	4.0	238	1.0	20	12.1	12.3	A
8166	10.1	185	1.1	18	12.1	12.3	A
8172	10.8	177	1.2	14	12.1	12.2	A
8178	11.3	163	1.2	14	12.1	12.2	A
8184	10.2	161	1.2	360	12.2	12.2	A
8190	11.4	131	1.3	334	12.2	12.2	A
8196	13.4	128	1.4	320	12.3	12.4	A
8202	12.7	117	1.4	314	12.4	12.8	A
8208	10.5	104	1.4	313	12.5	13.1	A
8213	5.9	100	1.3	313	12.4	13.1	B
8217	5.4	93	1.2	316	12.4	13.2	A
8223	5.0	89	1.2	322	12.3	13.1	A
8229	3.4	99	1.2	328	12.4	13.3	A
8235	2.7	193	1.1	331	12.4	13.3	A
8241	5.1	214	1.0	333	12.3	13.3	A
8247	5.6	219	0.9	332	12.2	12.9	A
8252	0.7	182	0.9	327	12.1	12.4	B
8256	5.0	42	0.9	320	12.1	12.2	A
8261	9.3	49	1.0	311	12.1	12.2	B
8265	6.6	41	0.9	312	12.2	12.4	B
8270	3.1	60	0.9	320	12.3	12.7	B
8274	3.9	271	0.8	339	12.4	12.8	A
8280	6.0	305	0.7	2	12.4	12.7	A
8286	5.8	315	0.7	10	12.4	12.6	A
8292	4.7	305	0.6	354	12.4	12.7	A
8298	4.8	305	0.7	337	12.4	12.6	A
8304	8.7	325	0.7	331	12.5	12.7	A
8310	9.6	327	0.7	336	12.5	13.1	A
8315	9.8	302	0.7	346	12.4	13.3	B
8319	6.9	318	0.6	6	12.4	13.0	A
8325	10.2	318	0.6	33	12.3	12.5	A
8331	10.8	321	0.6	33	12.3	12.3	A
8337	9.8	305	0.7	4	12.4	12.3	A
8343	7.7	286	0.7	341	13.0	12.3	A
8349	7.3	291	0.7	338	13.6	12.3	A
8355	6.0	301	0.6	333	13.6	12.3	A

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 16-FILE		1
FORMATION			BOREHOLE					QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST	INDEX
								=A
8361	5.5	306	0.5	321	12.9	12.4	A	
8367	5.9	301	0.4	307	12.5	12.4	A	
8373	6.0	295	0.2	275	12.5	12.5	A	
8378	3.8	350	0.2	246	12.5	12.5	B	
8382	9.7	306	0.3	233	12.5	12.5	A	
8388	9.2	306	0.4	243	12.5	12.5	A	
8394	8.2	310	0.4	264	12.4	12.4	A	
8400	9.1	315	0.4	294	12.3	12.3	A	
8406	9.3	320	0.2	316	12.2	12.3	A	
8412	8.9	337	0.2	306	12.2	12.2	A	
8418	6.2	339	0.0	270	12.2	12.2	A	
8424	5.7	311	0.1	231	12.2	12.2	A	
8430	5.3	311	0.2	204	12.2	12.2	A	
8436	3.9	346	0.2	180	12.2	12.2	A	
8442	4.8	46	0.2	165	12.2	12.2	A	
8447	5.8	350	0.3	158	12.2	12.1	B	
8451	7.6	329	0.4	154	12.3	12.2	A	
8457	7.7	311	0.4	140	12.3	12.2	A	
8463	6.2	305	0.5	124	12.3	12.3	A	
8469	6.4	293	0.6	106	12.4	12.4	A	
8475	6.7	278	0.6	88	12.5	12.7	A	
8481	5.1	268	0.6	79	12.5	12.7	A	
8487	5.2	256	0.5	78	12.5	12.6	A	
8493	4.7	266	0.4	76	12.4	12.4	A	
8499	4.1	266	0.4	71	12.4	12.4	A	
8505	4.5	252	0.5	67	12.2	12.3	A	
8511	5.9	262	0.5	69	12.3	12.3	A	
8517	6.9	278	0.6	76	12.3	12.3	A	
8523	6.2	268	0.7	80	12.4	12.4	A	
8529	5.6	312	0.8	94	12.5	12.4	A	
8534	2.6	296	0.9	107	12.5	12.4	B	
8538	3.2	300	0.9	122	12.5	12.5	A	
8544	5.5	301	1.0	139	12.4	12.6	A	
8550	5.2	311	0.9	150	12.4	12.6	A	
8556	5.6	321	0.7	159	12.5	12.5	A	
8562	4.0	311	0.7	145	12.5	12.5	A	
8568	4.8	283	0.6	110	12.4	12.4	A	
8574	7.8	256	0.7	83	12.3	12.3	A	
8580	8.8	248	0.9	78	12.2	12.2	A	
8586	7.1	242	1.0	80	12.2	12.2	A	

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 17-FILE 1	
*****		*****		*****		*****	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	QUAL. INDEX BEST =A
*****		*****		*****		*****	
8592	6.8	253	1.0	82	12.2	12.1	A
8598	7.6	265	1.0	85	12.3	12.3	A
8603	8.0	293	1.1	87	12.3	12.4	B
8607	5.5	289	1.1	86	12.4	12.4	A
8613	4.7	294	1.2	86	12.4	12.6	A
8619	4.0	294	1.1	94	12.4	12.6	A
8625	3.7	298	1.1	103	12.4	12.5	A
8631	3.5	307	1.1	105	12.4	12.5	A
8637	3.8	314	0.9	96	12.6	12.6	A
8643	4.2	299	0.9	91	12.7	12.5	A
8651	19.6	52	0.8	97	12.7	12.5	D
8657	4.5	273	0.8	102	12.8	12.5	B
8661	6.7	291	0.9	100	12.6	12.4	A
8667	7.8	293	1.0	99	12.3	12.3	A
8673	7.4	305	1.0	100	12.3	12.3	A
8679	8.3	301	1.1	103	12.3	12.2	A
8688	9.9	294	1.1	104	12.1	12.2	A
8694	8.6	310	1.1	104	12.1	12.2	A
8700	6.7	301	1.1	109	12.3	12.4	A
8706	6.9	293	1.2	118	12.4	12.5	A
8712	4.6	318	1.2	127	12.4	12.5	A
8718	5.5	304	1.4	134	12.5	12.4	A
8723	4.0	357	1.4	127	12.5	12.4	B
8726	6.0	59	1.3	115	12.5	12.4	B
8729	6.5	329	1.3	101	12.4	12.4	B
8733	8.5	297	1.3	84	12.4	12.4	A
8739	11.4	280	1.4	79	12.4	12.3	A
8745	8.1	267	1.4	85	12.4	12.3	A
8751	6.3	252	1.4	90	12.3	12.2	A
8757	4.8	247	1.3	93	12.3	12.3	A
8763	4.0	291	1.2	97	12.4	12.4	A
8769	6.7	264	1.2	101	12.3	12.2	A
8775	7.6	278	1.3	106	12.2	12.1	A
8781	5.2	301	1.3	113	12.3	12.3	A
8787	4.6	307	1.2	117	12.4	12.4	A
8793	5.9	300	1.2	117	12.5	12.4	A
8799	6.4	296	1.2	110	12.5	12.4	A
8805	3.3	262	1.2	100	12.6	12.4	A
8811	2.2	234	1.2	95	12.4	12.3	A
8817	3.0	263	1.2	92	12.2	12.1	A

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 18-FILE		1	
FORMATION		BOREHOLE		QUAL.		INDEX			
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	=A	
	AZI.		AZI.		1-3	2-4			
8823	4.3	248	1.2	91	12.1	12.0	A		
8829	5.4	200	1.2	95	12.1	12.1	A		
8834	3.1	262	1.2	101	12.1	12.1	B		
8837	6.4	317	1.3	104	12.2	12.2	B		
8841	7.9	312	1.4	111	12.3	12.3	A		
8847	8.2	301	1.6	110	12.3	12.3	A		
8853	6.4	298	1.6	94	12.2	12.1	A		
8859	5.8	284	1.5	86	12.1	12.0	A		
8865	3.5	279	1.4	88	12.1	11.9	A		
8871	5.9	289	1.4	85	12.1	11.9	A		
8877	6.1	294	1.3	82	12.1	11.9	A		
8883	4.3	311	1.2	81	12.2	12.0	A		
8889	4.3	298	1.2	82	12.2	12.0	A		
8895	3.5	259	1.2	87	12.3	12.1	A		
8901	2.8	254	1.2	95	12.4	12.3	A		
8907	2.1	254	1.3	99	12.4	12.4	A		
8913	1.4	257	1.4	105	12.4	12.4	A		
8919	2.9	307	1.3	117	12.3	12.4	A		
8925	4.0	310	1.2	127	12.4	12.4	A		
8931	3.0	292	1.2	128	12.5	12.5	A		
8937	2.1	293	1.2	124	12.6	12.6	A		
8943	1.4	318	1.2	121	12.6	12.5	A		
8949	1.2	301	1.3	111	12.5	12.4	A		
8955	1.7	285	1.4	96	12.4	12.4	A		
8961	3.2	294	1.4	86	12.4	12.3	A		
8967	4.8	277	1.2	83	12.4	12.3	A		
8973	3.7	266	1.2	82	12.3	12.2	A		
8979	1.6	280	1.2	81	12.2	12.2	A		
8984	5.0	175	1.2	80	12.1	12.2	B		
8987	9.3	257	1.2	81	12.1	12.3	B		
8991	9.4	255	1.2	85	12.3	12.3	A		
8997	2.8	263	1.2	93	12.4	12.4	A		
9003	2.0	276	1.1	105	12.5	12.4	A		
9009	0.9	61	0.9	116	12.4	12.4	A		
9015	0.7	89	0.8	119	12.4	12.4	A		
9020	4.3	195	0.9	119	12.4	12.4	B		
9024	3.5	205	1.1	127	12.4	12.4	A		
9029	3.2	1	1.2	138	12.5	12.5	B		
9033	4.1	338	1.3	149	12.5	12.5	A		
9039	4.1	326	1.4	155	12.4	12.4	A		

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 19-FILE		1
*****		*****		*****		*****		*****
* FORMATION *	* BOREHOLE *							* QUAL. *
* * * * *	* * * * *							* INDEX *
* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* BEST *	* * *
* * * * *	* AZI. *	* AZI. *	* * * *	* AZI. *	* 1-3 *	* 2-4 *	* =A *	* * *

* 9045	2.4	317	1.4	151	12.3	12.3	A	*
* 9051	1.1	317	1.3	146	12.4	12.4	A	*
* 9056	5.5	342	1.3	143	12.5	12.5	B	*
* 9059	1.8	342	1.4	141	12.5	12.5	B	*
* 9063	2.8	329	1.5	136	12.6	12.5	B	*
* 9068	2.2	77	1.6	120	12.5	12.5	B	*
* 9072	2.4	2	1.6	105	12.4	12.4	A	*
* 9078	3.2	319	1.4	94	12.4	12.3	A	*
* 9084	3.4	307	1.2	94	12.6	12.4	A	*
* 9089	2.0	206	1.2	93	12.5	12.5	B	*
* 9093	3.1	267	1.2	95	12.6	12.4	A	*
* 9099	3.2	266	1.2	102	12.6	12.4	A	*
* 9105	2.7	251	1.2	113	12.5	12.5	A	*
* 9110	10.8	347	1.2	118	12.5	12.5	B	*
* 9113	3.5	293	1.2	115	12.5	12.5	B	*
* 9117	4.3	327	1.2	105	12.5	12.4	A	*
* 9123	5.0	313	1.2	92	12.5	12.5	A	*
* 9129	4.4	316	1.2	97	12.5	12.5	A	*
* 9135	4.5	328	1.3	114	12.5	12.5	A	*
* 9141	2.6	360	1.3	129	12.5	12.6	A	*
* 9147	2.0	355	1.2	135	12.4	12.6	A	*
* 9153	2.2	250	1.2	129	12.4	12.4	A	*
* 9158	6.6	266	1.2	119	12.4	12.2	B	*
* 9162	6.7	235	1.2	114	12.4	12.2	A	*
* 9168	6.3	210	1.1	116	12.3	12.2	A	*
* 9173	4.2	82	1.0	120	12.2	12.2	B	*
* 9177	2.1	44	0.9	124	12.2	12.3	A	*
* 9185	17.5	347	0.8	102	12.2	12.2	D	*
* 9189	12.4	336	0.8	90	12.2	12.2	C	*
* 9194	5.7	312	0.9	87	12.2	12.1	B	*
* 9198	6.3	317	0.9	97	12.3	12.2	A	*
* 9204	4.3	312	1.2	115	12.4	12.4	A	*
* 9209	2.7	132	1.2	125	12.6	12.5	B	*
* 9213	3.9	147	1.3	129	12.6	12.5	A	*
* 9219	2.6	97	1.3	131	12.7	12.5	A	*
* 9224	9.1	85	1.3	136	12.6	12.5	B	*
* 9228	8.3	79	1.2	143	12.4	12.4	A	*
* 9234	7.0	88	1.2	152	12.2	12.2	A	*
* 9240	8.3	93	1.1	162	12.3	12.3	A	*
* 9246	13.7	82	0.9	174	12.3	12.4	A	*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 20-FILE		1	
*****		*****		*****		*****		*****	
* FORMATION *		* BOREHOLE *		* QUAL. *		* INDEX *		* *	
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST		
		AZI.		AZI.	1-3	2-4	=A		

* 9251	23.6	85	0.9	181	12.3	12.3	B		*
* 9254	19.9	81	1.0	182	12.2	12.3	B		*
* 9257	22.6	91	1.0	179	12.2	12.2	B		*
* 9260	12.4	110	1.0	173	12.1	12.1	B		*
* 9263	15.0	129	1.0	166	12.1	12.1	B		*
* 9267	14.1	131	0.9	158	12.4	12.4	A		*
* 9272	18.0	118	0.9	151	12.5	12.5	D		*
* 9275	19.1	106	0.8	154	12.6	12.6	D		*
* 9281	19.0	150	0.7	165	12.7	12.6	D		*
* 9300	7.1	227	0.7	141	12.5	12.4	A		*
* 9306	5.8	222	0.8	136	12.7	12.6	A		*
* 9312	5.8	215	0.8	136	12.8	12.7	A		*
* 9318	9.1	206	0.8	140	12.8	12.7	A		*
* 9324	10.7	203	0.7	148	12.7	12.6	A		*
* 9330	11.8	201	0.5	153	12.6	12.4	A		*
* 9335	14.3	185	0.4	154	12.5	12.4	B		*
* 9339	13.0	161	0.4	157	12.5	12.4	B		*
* 9344	7.0	160	0.4	163	12.6	12.6	B		*
* 9348	4.3	185	0.4	156	12.8	12.7	A		*
* 9354	8.3	182	0.4	122	12.7	12.7	A		*
* 9360	8.8	187	0.4	85	12.7	12.7	A		*
* 9366	12.0	201	0.4	67	12.4	12.6	A		*
* 9372	11.6	198	0.3	56	12.4	12.4	A		*
* 9378	10.5	194	0.4	49	12.7	12.6	A		*
* 9384	9.6	185	0.5	49	12.6	12.6	A		*
* 9390	9.6	183	0.7	56	12.5	12.6	A		*
* 9396	8.4	194	0.9	61	12.5	12.6	A		*
* 9401	2.7	201	1.0	68	12.5	12.7	B		*
* 9405	1.3	216	0.9	79	12.5	12.7	A		*
* 9411	1.3	225	0.6	89	12.6	12.6	A		*
* 9417	6.4	229	0.5	93	12.6	12.4	A		*
* 9423	6.0	221	0.5	86	12.6	12.4	A		*
* 9429	7.4	200	0.4	44	12.7	12.4	A		*
* 9435	8.8	194	0.6	2	12.4	12.4	A		*
* 9441	9.6	219	0.7	357	12.3	12.3	A		*
* 9447	10.6	217	0.7	4	12.2	12.3	A		*
* 9453	11.4	201	0.6	8	12.2	12.2	A		*
* 9459	13.7	176	0.4	3	12.1	12.0	A		*
* 9465	11.8	207	0.5	358	12.1	12.1	A		*
* 9471	11.0	210	0.6	360	12.2	12.1	A		*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 21-FILE		1
*****		*****		*****		*****		*****
* FORMATION *	BOREHOLE							* QUAL. *
* INDEX *	* BEST *	*****						
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	* =A *	

* 9477	11.8	198	0.6	2	12.2	12.2	A	*
* 9483	14.2	190	0.6	3	12.2	12.2	A	*
* 9488	17.9	180	0.6	2	12.2	12.1	B	*
* 9491	20.3	190	0.5	2	12.2	12.1	B	*
* 9494	13.3	189	0.6	0	12.2	12.0	B	*
* 9498	14.4	180	0.6	355	12.2	11.8	A	*
* 9504	15.7	179	0.6	344	12.2	11.6	A	*
* 9509	11.5	192	0.6	338	12.2	11.7	B	*
* 9513	13.5	186	0.7	338	12.2	12.0	A	*
* 9519	13.7	188	0.9	342	12.2	12.2	A	*
* 9524	12.9	199	1.0	347	12.3	12.3	B	*
* 9528	12.2	200	1.2	352	12.4	12.4	A	*
* 9534	11.7	200	1.2	353	12.4	12.3	A	*
* 9540	13.4	201	1.3	355	12.3	12.3	A	*
* 9546	13.7	204	1.2	4	12.4	12.4	A	*
* 9552	11.4	206	1.2	11	12.6	12.5	A	*
* 9558	10.4	203	1.2	10	12.6	12.4	A	*
* 9564	9.6	195	1.1	8	12.4	12.4	A	*
* 9570	11.5	194	1.2	358	12.2	12.4	A	*
* 9575	19.9	205	1.3	348	12.3	12.3	B	*
* 9579	18.9	214	1.5	346	12.4	12.4	A	*
* 9585	17.7	216	1.8	352	12.5	12.5	A	*
* 9591	16.8	210	1.8	359	12.4	12.4	A	*
* 9597	15.8	202	1.8	360	12.4	12.4	A	*
* 9602	15.1	212	1.9	1	12.5	12.5	B	*
* 9606	13.3	219	1.9	358	12.4	12.5	A	*
* 9612	13.7	222	1.8	356	12.4	12.4	A	*
* 9618	13.4	222	1.6	3	12.4	12.4	A	*
* 9624	15.6	223	1.6	11	12.4	12.4	A	*
* 9629	21.4	229	1.7	15	12.3	12.3	B	*
* 9633	23.2	227	1.9	17	12.4	12.3	A	*
* 9639	23.2	225	2.1	16	12.5	12.4	A	*
* 9644	13.2	220	2.3	19	12.5	12.4	B	*
* 9648	13.1	221	2.4	23	12.5	12.4	A	*
* 9654	12.5	233	2.3	26	12.6	12.5	A	*
* 9660	13.7	227	2.3	28	12.8	12.4	A	*
* 9666	14.5	221	2.3	25	13.2	12.4	A	*
* 9672	14.2	221	2.3	21	13.3	12.4	A	*
* 9677	7.0	234	2.2	20	13.0	12.4	D	*
* 9680	3.4	226	2.1	25	12.7	12.5	D	*

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 22-FILE 1	
*****		*****		*****		*****	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	QUAL. INDEX BEST =A
*****		*****		*****		*****	
9684	3.6	226	2.1	32	12.6	12.5	C
9689	7.9	246	2.1	35	12.5	12.5	D
9693	11.6	236	2.3	34	12.5	12.4	A
9699	11.1	230	2.7	33	12.5	12.4	A
9705	10.9	216	2.8	24	12.5	12.4	A
9711	11.7	215	2.8	12	12.4	12.4	A
9716	16.4	207	2.8	1	12.3	12.2	B
9719	12.1	199	2.8	354	12.3	12.2	B
9722	17.4	190	2.8	347	12.3	12.2	B
9726	17.2	185	2.8	343	12.3	12.3	B
9731	15.0	195	2.9	341	12.2	12.3	B
9735	14.8	188	3.0	343	12.3	12.3	A
9741	14.6	181	3.0	343	12.3	12.3	A
9747	14.3	172	3.0	343	12.2	12.3	A
9753	15.1	171	3.0	340	12.2	12.2	A
9759	16.6	182	3.1	340	12.2	12.4	A
9765	16.5	179	3.1	342	12.3	12.4	A
9771	16.8	176	3.0	346	12.3	12.4	A
9777	14.4	174	2.8	347	12.4	12.4	A
9783	11.9	176	2.8	345	12.4	12.4	A
9789	11.3	171	2.9	343	12.5	12.5	A
9795	13.6	167	3.0	344	12.5	12.5	A
9801	13.0	178	3.1	347	12.5	12.5	A
9807	12.7	180	3.3	351	12.4	12.5	A
9813	18.0	200	3.4	355	12.4	12.5	A
9819	11.3	190	3.4	359	12.5	12.4	A
9825	11.7	183	3.4	360	12.5	12.4	A
9831	14.1	207	3.4	4	12.5	12.5	A
9837	13.1	207	3.5	11	12.5	12.5	A
9843	10.4	214	3.5	16	12.7	12.5	A
9849	9.6	216	3.4	15	12.7	12.5	A
9854	6.2	198	3.2	16	12.6	12.5	B
9858	7.0	223	3.2	19	12.6	12.5	B
9863	9.7	234	3.1	21	12.5	12.5	B
9866	13.3	242	3.1	22	12.6	12.5	B
9869	13.6	262	3.1	22	12.6	12.5	B
9873	10.5	271	3.0	23	12.6	12.5	A
9879	9.9	279	3.0	25	12.6	12.5	A
9884	19.3	339	2.9	25	12.5	12.5	D
9888	19.5	332	2.9	22	12.5	12.5	C

HEMATITE PETROLEUM		WELL		PELICAN 4		PAGE 23-FILE		1
*****		*****		*****		*****		*****
* FORMATION *	* BOREHOLE *		* QUAL. *		* INDEX *		* BEST *	
* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* =A *	* =A *
		AZI.		AZI.	1-3	2-4		

* 9905	18.1	334	2.8	2	12.6	12.5	D	*
* 9908	27.7	322	2.8	4	12.5	12.5	D	*
* 9911	15.0	324	2.8	4	12.5	12.5	D	*
* 9914	12.0	312	2.8	5	12.3	12.4	D	*
* 9917	31.5	293	2.8	5	12.3	12.4	D	*
* 9921	9.1	273	2.8	5	12.3	12.4	A	*
* 9926	6.3	261	2.8	7	12.5	12.5	B	*
* 9930	5.6	273	2.8	8	12.6	12.5	A	*
* 9935	29.3	289	2.8	11	12.6	12.5	D	*
* 9939	6.1	293	2.8	17	12.6	12.5	A	*
* 9944	6.0	244	2.7	21	12.6	12.5	B	*
* 9947	3.4	279	2.7	24	12.6	12.5	D	*
* 9951	6.1	249	2.6	28	12.6	12.5	C	*
* 9957	5.4	245	2.6	30	12.5	12.4	C	*
* 9963	7.1	320	2.6	33	12.4	12.4	C	*
* 9968	4.0	279	2.6	37	12.4	12.4	D	*
* 9974	6.5	317	2.6	40	12.4	12.4	D	*

HEMATITE PETROLEUM		WELL		PELICAN 4		SUMMARY	
* DEPTH *	* DIP	DIP	* DEV	DEV	DIAM	DIAM	* QUAL *
		AZM		AZM	1-3	2-4	
* TOP							
* 5007.0	0.4	41.	0.4	163.	13.5	13.5	B
* BOTTOM							
* 9974.0	6.5	317.	2.6	40.	12.4	12.4	D