



FIELD READINGS
SINGLE STAGE UNIT
OEC - 905-1-A

TEST NO. DST#1	WELL NAME OR NUMBER PELICAN #5	TEST UNIT DESCRIPTION 1440PSI 3PHASE SEPARATOR	DATE (DAY, MO, YR.) 14MAR86	PAGE 1	OF 10
--------------------------	--	--	---------------------------------------	------------------	-----------------

CUSTOMER AMOCO AUSTRALIA PETROLEUM CO.	FIELD PELICAN	FORMATION SANDSTONE	OIL METER SIZE 0	METER RANGE (BBLs) ---
--	-------------------------	-------------------------------	----------------------------	----------------------------------

INTERVAL TESTED 3672-3699 MTR	BHP SURVEY DEPTH (FT.)	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE 0 (INS)	DIFF. RANGE (INS. H ₂ O) 0-100	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
---	------------------------	--	--------------------------------------	---	---

TIME		WELLHEAD DATA			DOWNHOLE DATA				FLOW CONTROL		GAS METERING				OIL OR CONDENSATE METERING				WATER METERING		
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	BHP	BHT	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W _i	# 1 TANK OR METER READING	SALINITY		
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH IN)	(64TH IN)	(INS)	(PSIG)	(IN H ₂ O)	(°F)	% H ₂ S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F °API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)		
1	14	TEST STRING RAN IN THE HOLE																			1
0950	0.00																				
2	14	TEST STRING AND SURFACE EQUIPMENT																			2
0950	0.00																				
3	14	TESTED TO 8000 PSI - OKAY																			3
0950	0.00																				
4	14	PERFORATING GUNS RAN IN HOLE																			4
1300	3.16																				
5	14	3672-3686 METRES PERFORATED USING																			5
1445	4.91																				
6	14	2-1/8" ENERJET GUNS. WELL OPENED TO FLARE																			6
1445	4.91																				
7	14	NO POSITIVE INDICATION OF FLOW AT BUBBLE HOSE																			7
1446	0.01	0	66	1870	0.0	0	16														
8	14																				
1448	0.04	0	66	1870	0.0	0	16														
9	14																				
1450	0.08	0	66	1870	0.0	0	16														
10	14	WELL SHUT-IN AT CHOKE MANIFOLD																			10
1456	0.18	0	66	1870	0.0	0	0														
11	14																				
1500	0.06	0	66	1870	0.0	0	0														
12	14																				
1515	0.31	0	66	1860	0.0	0	0														
13	14																				
1530	0.56	0	66	1860	0.0	0	0														
14	14																				
1600	1.06	0	66	1860	0.0	0	0														
15	14	PERFORATING GUNS AT SURFACE																			15
1625	1.48	0	66	1860	0.0	0	0														
16	14	SUBSEA LUBRICATOR VALVE PUMPED CLOSE																			16
1630	1.56	0	66	1860	0.0	0	0														
17	14	PERFORATING GUNS RIGGED DOWN																			17
1630	1.56	0	66	1860	0.0	0	0														

Computer - Form Toppan (Houe)