



FIELD READINGS  
SINGLE STAGE UNIT  
OEC - 905-1-A

446291

TEST NO. <b>DST#1</b>	WELL NAME OR NUMBER <b>PELICAN #5</b>	TEST UNIT DESCRIPTION <b>1440PSI 3PHASE SEPARATOR</b>	DATE (DAY, MO. YR.) <b>15MAR86</b>	PAGE <b>7</b>	OF <b>10</b>
--------------------------	--	--	---------------------------------------	------------------	-----------------

CUSTOMER <b>AMOCO AUSTRALIA PETROLEUM.CO.</b>	FIELD <b>PELICAN</b>	FORMATION <b>SANDSTONE</b>	OIL METER SIZE <b>0</b>	METER RANGE (BBLs) <b>---</b>
--	-------------------------	-------------------------------	----------------------------	----------------------------------

INTERVAL TESTED <b>3672-3699 MTR</b>	BHP SURVEY DEPTH (FT.) <b>(FT.)</b>	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE <b>0</b>	DIFF. RANGE (INS. H <sub>2</sub> O) <b>0-100</b>	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
---	--	--	--------------------------------	---	---

TIME		WELLHEAD DATA			DOWNHOLE DATA		FLOW CONTROL		GAS METERING				OIL OR CONDENSATE METERING				WATER METERING			
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	BHP	BHT	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W <sub>i</sub>	# 1 TANK OR METER READING	SALINITY	
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH IN)	(64TH IN)	(INS)	(PSIG)	(IN H <sub>2</sub> O)	(°F)	% H <sub>2</sub> S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F °API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)	
1	15	WELL OPENED TO FLARE ON 16/64" ADJUSTABLE CHOKE																		1
	2227	4.74	600	58	1900	0.0	0	16												
2	15																			
	2229	0.03	30	58	1900	0.0	0	16												
3	15																			
	2230	0.04	15	59	1880	0.0	0	16												
4	15																			
	2231	0.06	10	60	1870	0.0	0	16												
5	15																			
	2232	0.08	8	60	1870	0.0	0	16												
6	15																			
	2233	0.09	4	63	1870	0.0	0	16												
7	15																			
	2238	0.18	0	63	1870	0.0	0	16												
8	15																			
	2245	0.29	0	62	1870	0.0	0	16												
9	15																			
	2250	0.38	0	61	1870	0.0	0	16												
10	15																			
	2300	0.54	0	60	1870	0.0	0	16												
11	15																			
	2315	0.79	0	60	1880	0.0	0	16												
12	15																			
	2330	1.04	0	59	1900	0.0	0	16												
13	15																			
	2345	1.29	0	59	1900	0.0	0	16												
14	15	STARTED TO RIG UP OTIS LUBRICATOR TO																		14
	2350	1.38	0	59	1900	0.0	0	16												
15	15	RUN GAUGE RING																		15
	2350	1.38	0	59	1900	0.0	0	16												
16	16	WELL SHUT-IN AT CHOKE MANIFOLD FOR PRESSURE TEST																		16
	0007	1.66	0	59	1900	0.0	0	0												
17	16	LUBRICATOR PRESSURE TESTED TO 5000 PSI - OKAY																		17
	0042	0.58	0	59	1900	0.0	0	0												