



FIELD READINGS  
SINGLE STAGE UNIT  
OEC - 905-1-A

446294

TEST NO. <b>DST#1</b>	WELL NAME OR NUMBER <b>PELICAN #5</b>	TEST UNIT DESCRIPTION <b>1440PSI 3PHASE SEPARATOR</b>	DATE (DAY, MO. YR.) <b>16MAR86</b>	PAGE <b>10</b>	OF <b>10</b>
--------------------------	--	--	---------------------------------------	-------------------	-----------------

CUSTOMER <b>AMOCO AUSTRALIA PETROLEUM.CO.</b>	FIELD <b>PELICAN</b>	FORMATION <b>SANDSTONE</b>	OIL METER SIZE <b>0</b>	METER RANGE (BBL) <b>---</b>
--	-------------------------	-------------------------------	----------------------------	---------------------------------

INTERVAL TESTED <b>3672-3699 MTR</b>	BHP SURVEY DEPTH (FT.) <b>(FT.)</b>	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE <b>0</b>	DIFF. RANGE (INS. H <sub>2</sub> O) <b>0-100</b>	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
---	--	--	--------------------------------	---	---

TIME		WELLHEAD DATA				DOWNHOLE DATA		FLOW CONTROL		GAS METERING				OIL OR CONDENSATE METERING				WATER METERING	
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	BHP	BHT	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W <sub>i</sub>	# 1 TANK OR METER READING	SALINITY
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH) IN	(64TH) IN	(INS)	(PSIG)	(IN H <sub>2</sub> O)	(°F)	% H <sub>2</sub> S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)
1	16																		
	0615	1.16	0	58	1900	0.0	0	16											
2	16	WIRELINER TOOLS IN LUBRICATOR																	
	0630	1.41	0	58	1900	0.0	0	16											
3	16	PUMPED CLOSE SUBSEA LUBRICATOR VALVE																	
	0633	1.46	0	58	1900	0.0	0	0											
4	16	RIGGED DOWN LUBRICATOR																	
	0633	1.46	0	58	1900	0.0	0	0											
5	16	STARTED RIGGING UP PERFORATING GUNS FOR DST #2																	
	0650	0.28	0	58	1900	0.0	0	0											
6	16	PRESSURE TESTED LUBRICATOR TO 8000 PSI																	
	0745	1.19	0	58	1900	0.0	0	0											
7	16	PUMPED OPEN SUBSEA LUBRICATOR VALVE																	
	0920	2.78	0	60	1900	0.0	0	16											
8	16	PERFORATING GUNS RAN IN HOLE																	
	0920	2.78	0	60	1900	0.0	0	16											
9	16	WELL OPENED TO FLARE ON 16/64" ADJUSTABLE CHOKE																	
	0920	2.78	0	60	1900	0.0	0	16											
10	16	WELL SHUT-IN AT CHOKE MANIFOLD																	
	1025	3.86	0	63	1900	0.0	0	0											
11	16																		
	1055	4.36	0	63	1900	0.0	0	0											
12	16	ZONE PERFORATED FOR DST #2 ENDING DST #1																	
	1057	4.39	0	64	1920	0.0	0	0											
13																			
14																			
15																			
16																			
17																			

Computer - Form 7000 - 1/78