



FIELD READINGS  
SINGLE STAGE UNIT  
OEC - 905-1-A

446297

TEST NO. <b>DST#2</b>	WELL NAME OR NUMBER <b>PELICAN #5</b>	TEST UNIT DESCRIPTION <b>1440PSI 3PHASE SEPARATOR</b>	DATE (DAY, MO. YR.) <b>16MAR86</b>	PAGE <b>3</b>	OF <b>5</b>
--------------------------	--	--	---------------------------------------	------------------	----------------

CUSTOMER <b>AMOCO AUSTRALIA PETROLEUM.CO.</b>	FIELD <b>PELICAN</b>	FORMATION <b>SANDSTONE</b>	OIL METER SIZE <b>0</b>	METER RANGE (BBLs) ---
--	-------------------------	-------------------------------	----------------------------	---------------------------

INTERVAL TESTED <b>3607-3619M</b>	BHP SURVEY DEPTH (FT.)	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE <b>0</b>	DIFF. RANGE (INS. H <sub>2</sub> O) ---	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
--------------------------------------	------------------------	--	--------------------------------	--	---

TIME		WELLHEAD DATA			DOWNHOLE DATA		FLOW CONTROL		GAS METERING				OIL OR CONDENSATE METERING				WATER METERING			
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	BHP	BHT	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W <sub>t</sub>	# 1 TANK OR METER READING	SALINITY	
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH) IN)	(64TH) IN)	(INS)	(PSIG)	(IN H <sub>2</sub> O)	(°F)	% H <sub>2</sub> S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F °API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)	
1	16	WIRELINE BEING JARRED AT 3540 METRES																		1
	1545	4.63	50	62	1940	0.0	0	0												
2	16																			
	1600	4.88	80	62	1940	0.0	0	0												
3	16																			
	1615	5.13	120	62	1940	0.0	0	0												
4	16																			
	1630	5.38	170	61	1940	0.0	0	0												
5	16																			
	1645	5.63	220	61	1940	0.0	0	0												
6	16																			
	1700	5.88	300	60	1950	0.0	0	0												
7	16																			
	1715	6.13	400	60	1950	0.0	0	0												
8	16	WELL OPENED TO FLARE ON 16/64" ADJUSTABLE CHOKE																		8
	1723	6.26	460	60	1950	0.0	0	16												
9	16																			
	1724	0.01	50	60	1950	0.0	0	16												
10	16																			
	1725	0.03	0	60	1950	0.0	0	16												
11	16																			
	1730	0.11	0	61	1950	0.0	0	16												
12	16																			
	1735	0.19	0	62	1950	0.0	0	16												
13	16																			
	1740	0.28	0	62	1950	0.0	0	16												
14	16																			
	1800	0.61	0	60	1950	0.0	0	16												
15	16	INCREASED PRESSURE ON ANNULUS																		15
	1810	0.78	0	60	2500	0.0	0	16												
16	16	700 LBS STRAIN TAKEN ON WIRELINE																		16
	1810	0.78	0	60	2500	0.0	0	16												
17	16	BLED OFF ANNULUS PRESSURE IN ATTEMPT TO HAVE																		17
	1825	0.25	0	60	0	0.0	0	0												

Computer-Forma Toppin Thorne