



FIELD READINGS
SINGLE STAGE UNIT
OEC - 905-1-A

446312

TEST NO. DST#4	WELL NAME OR NUMBER PELICAN #5	TEST UNIT DESCRIPTION 1440PSI 3PHASE SEPARATOR	DATE (DAY, MO, YR) 25MAR86	PAGE 3	OF 12
--------------------------	--	--	--------------------------------------	------------------	-----------------

CUSTOMER AMOCO AUSTRALIA PETROLEUM CO.	FIELD PELICAN	FORMATION SANDSTONE	OIL METER SIZE 0	METER RANGE (BBLs) ---
--	-------------------------	-------------------------------	----------------------------	----------------------------------

INTERVAL TESTED 3142-3163.5M	BHP SURVEY DEPTH (FT.)	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE 5.761 (INS)	DIFF. RANGE (INS. H ₂ O) 0-100	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
--	------------------------	--	--	---	---

TIME		WELLHEAD DATA			DOWNHOLE DATA		FLOW CONTROL		GAS METERING					OIL OR CONDENSATE METERING				WATER METERING			
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	B H P	B H T	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W _f	# 1 TANK OR METER READING	SALINITY		
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH) IN	(64TH) IN	(INS)	(PSIG)	(IN H ₂ O)	(°F)	% H ₂ S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F °API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)		
1	25																			1	
	1640	0.11	340	65	2440	0.0	0	0													
2	25																			2	
	1645	0.19	555	65	2440	0.0	0	0													
3	25																			3	
	1650	0.28	705	65	2440	0.0	0	0													
4	25																			4	
	1655	0.36	830	65	2440	0.0	0	0													
5	25																			5	
	1700	0.44	950	65	2440	0.0	0	0													
6	25																			6	
	1705	0.53	1030	65	2440	0.0	0	0													
7	25																			7	
	1710	0.61	1110	65	2440	0.0	0	0													
8	25																			8	
	1715	0.69	1150	64	2440	0.0	0	0													
9	25																			9	
	1720	0.78	1240	64	2440	0.0	0	0													
10	25																			10	
	1725	0.86	1295	64	2450	0.0	0	0													
11	25																			11	
	1730	0.94	1350	63	2450	0.0	0	0													
12	25	WELL OPENED TO OIL BURNERS ON 16/64" ADJ. CHOKE																			12
	1731	0.96	1200	63	2450	0.0	0	16													
13	25																			13	
	1732	0.01	800	63	2450	0.0	0	16													
14	25																			14	
	1733	0.03	60	63	2450	0.0	0	16													
15	25																			15	
	1734	0.04	8	63	2440	0.0	0	16													
16	25																			16	
	1735	0.06	3	63	2440	0.0	0	16													
17	25																			17	
	1736	0.08	0	63	2440	0.0	0	16													

Computer - Farnes Toppen Moore