



FIELD READINGS
SINGLE STAGE UNIT
OEC - 905-1-A

| | | | | | |
|--------------------------|--|--|---------------------------------------|------------------|----------------|
| TEST NO. DST#4 | WELL NAME OR NUMBER PELICAN #5 | TEST UNIT DESCRIPTION 1440PSI 3PHASE SEPARATOR | DATE (DAY, MO. YR.) 27MAR86 | PAGE 1 | OF 3 |
|--------------------------|--|--|---------------------------------------|------------------|----------------|

| | | | | |
|--|-------------------------|-------------------------------|----------------------------|----------------------------------|
| CUSTOMER AMOCO AUSTRALIA PETROLEUM.CO. | FIELD PELICAN | FORMATION SANDSTONE | OIL METER SIZE 0 | METER RANGE (BBLs) --- |
|--|-------------------------|-------------------------------|----------------------------|----------------------------------|

| | | | | | |
|--|--|--|--|---|---|
| INTERVAL TESTED 3142-3163.5M | BHP SURVEY DEPTH (FT.) (FT.) | GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE | GAS METER RUN SIZE 5.761 (INS) | DIFF. RANGE (INS. H ₂ O) 0-100 | STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM |
|--|--|--|--|---|---|

| TIME | | WELLHEAD DATA | | | DOWNHOLE DATA | | FLOW CONTROL | | GAS METERING | | | | OIL OR CONDENSATE METERING | | | | WATER METERING | | | |
|---------------|--------------------------|---|-------|---------------|---------------|------|--------------|--------------|--------------|---------------|-----------------------|-------|----------------------------|--|-------------------|-------------|----------------|---|----------|--|
| DAY | FLOW OR SHUT-IN DURATION | TUBING PRESS. | TEMP. | CASING PRESS. | BHP | BHT | MAN. CHOKE | HEATER CHOKE | ORIFICE SIZE | STATIC PRESS. | DIFF. PRESS. | TEMP. | GAS GRAVITY (AIR=1) | # 1 TANK OR METER READING | # 1 OIL TEMP | OIL GRAVITY | W _t | # 1 TANK OR METER READING | SALINITY | |
| 24 HOUR CLOCK | (HOURS) | (PSIG) | (°F) | (PSIG) | (PSIG) | (°F) | (64TH) IN) | (64TH) IN) | (INS) | (PSIG) | (IN H ₂ O) | (°F) | % H ₂ S | # 2 TANK OR METER READING (INS OR BBL) | # 2 OIL TEMP (°F) | @ 60°F °API | BSW (%) | # 2 TANK OR METER READING (INS. OR BBL) | (%) | |
| 1 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0545 | 0.00 | 120 | 57 | 0 | 0 | 0 | 0 | | | | | | | | | | | | |
| 2 | 27 | PRESSURED UP ON ANNULUS TO OPEN LPR-N TEST TOOL | | | | | | | | | | | | | | | | | | |
| | 0618 | 0.55 | 120 | 57 | 1400 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 3 | 27 | TO START RATE #2 | | | | | | | | | | | | | | | | | | |
| | 0618 | 0.55 | 120 | 57 | 1400 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 4 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0619 | 0.56 | 120 | 57 | 1400 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 5 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0620 | 0.58 | 120 | 57 | 1400 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 6 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0621 | 0.59 | 190 | 57 | 1400 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 7 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0622 | 0.61 | 200 | 57 | 1400 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 8 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0623 | 0.63 | 200 | 57 | 1400 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 9 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0624 | 0.64 | 210 | 57 | 1420 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 10 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0625 | 0.66 | 220 | 57 | 1420 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 11 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0626 | 0.68 | 225 | 57 | 1420 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 12 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0627 | 0.69 | 230 | 57 | 1420 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 13 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0628 | 0.71 | 235 | 57 | 1420 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 14 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0629 | 0.73 | 240 | 57 | 1420 | 0.0 | 0 | 0 | | | | | | | | | | | | |
| 15 | 27 | WELL OPENED TO FLARE ON 16/64" ADJUSTABLE CHOKE | | | | | | | | | | | | | | | | | | |
| | 0630 | 0.74 | 240 | 57 | 1450 | 0.0 | 0 | 16 | | | | | | | | | | | | |
| 16 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0631 | 0.01 | 215 | 57 | 1450 | 0.0 | 0 | 16 | | | | | | | | | | | | |
| 17 | 27 | | | | | | | | | | | | | | | | | | | |
| | 0632 | 0.03 | 210 | 57 | 1450 | 0.0 | 0 | 16 | | | | | | | | | | | | |