



FIELD READINGS  
SINGLE STAGE UNIT  
OEC - 905-1-A

446335

TEST NO. <b>DST#5</b>	WELL NAME OR NUMBER <b>PELICAN #5</b>	TEST UNIT DESCRIPTION <b>1440PSI 3PHASE SEPARATOR</b>	DATE (DAY. MO. YR.) <b>31MAR86</b>	PAGE <b>11</b>	OF <b>15</b>
--------------------------	--	--	---------------------------------------	-------------------	-----------------

CUSTOMER <b>AMOCO AUSTRALIA PETROLEUM.CO.</b>	FIELD <b>PELICAN</b>	FORMATION <b>SANDSTONE</b>	OIL METER SIZE <b>0</b>	METER RANGE (BBLs) ----
--	-------------------------	-------------------------------	----------------------------	----------------------------

INTERVAL TESTED <b>2868-2884M</b>	BHP SURVEY DEPTH (FT.)	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE <b>5.761 (INS)</b>	DIFF. RANGE (INS. H <sub>2</sub> O) <b>0-100</b>	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
--------------------------------------	------------------------	--	--	---	---

TIME		WELLHEAD DATA			DOWNHOLE DATA		FLOW CONTROL		GAS METERING				OIL OR CONDENSATE METERING				WATER METERING			
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	B H P	B H T	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W <sub>t</sub>	# 1 TANK OR METER READING	SALINITY	
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH) IN)	(64TH) IN)	(INS)	(PSIG)	( IN H <sub>2</sub> O )	(°F)	% H <sub>2</sub> S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F °API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)	
1	31																			
	0615	8.16	437	50	2550	0.0	0	0												
2	31																			
	0630	8.41	437	50	2550	0.0	0	0												
3	31																			
	0633	8.46	437	50	2550	0.0	0	8												
WELL OPENED TO FLARE ON 8/64" POSITIVE CHOKE																				
4	31																			
	0634	0.01	410	50	2550	0.0	0	8												
5	31																			
	0635	0.03	395	50	2550	0.0	0	8												
6	31																			
	0636	0.04	355	49	2550	0.0	0	8												
7	31																			
	0637	0.06	349	49	2550	0.0	0	8												
8	31																			
	0638	0.08	315	49	2550	0.0	0	8												
9	31																			
	0639	0.09	298	49	2550	0.0	0	8												
10	31																			
	0640	0.11	283	49	2550	0.0	0	8												
11	31																			
	0641	0.13	263	49	2550	0.0	0	8												
12	31																			
	0642	0.14	245	49	2550	0.0	0	8												
13	31																			
	0643	0.16	218	49	2550	0.0	0	8												
14	31																			
	0644	0.18	200	49	2550	0.0	0	8												
15	31																			
	0645	0.19	180	49	2550	0.0	0	8												
16	31																			
	0650	0.28	132	49	2550	0.0	0	8												
17	31																			
	0655	0.36	80	49	2550	0.0	0	8												

Computer - Form 3 Toppan (1/80)