



FIELD READINGS
SINGLE STAGE UNIT
OEC - 905-1-A

446342

TEST NO. DST#5A	WELL NAME OR NUMBER PELICAN #5	TEST UNIT DESCRIPTION 1440PSI 3PHASE SEPARATOR	DATE (DAY, MO. YR.) 08APR86	PAGE 3	OF 9
---------------------------	--	--	---------------------------------------	------------------	----------------

CUSTOMER AMOCO AUSTRALIA PETROLEUM CO.	FIELD PELICAN	FORMATION SANDSTONE	OIL METER SIZE 0	METER RANGE (BBL) ---
--	-------------------------	-------------------------------	----------------------------	---------------------------------

INTERVAL TESTED 2855-2860.5M	BHP SURVEY DEPTH (FT.) (FT.)	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE 0	DIFF. RANGE (INS. H ₂ O) (INS) ---	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
--	--	--	--------------------------------	---	---

TIME		WELLHEAD DATA			DOWNHOLE DATA		FLOW CONTROL		GAS METERING				OIL OR CONDENSATE METERING				WATER METERING			
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	BHP	BHT	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W _i	# 1 TANK OR METER READING	SALINITY	
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH) IN	(64TH) IN	(INS)	(PSIG)	(IN H ₂ O)	(°F)	% H ₂ S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F °API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)	
1	08																			
	1430	14.16	754	60	1480	0.0	0	0												
2	08																			
	1435	14.24	758	60	1480	0.0	0	0												
3	08																			
	1440	14.33	760	59	1490	0.0	0	0												
4	08																			
	1445	14.41	762	58	1500	0.0	0	0												
5	08																			
	1450	14.49	765	58	1510	0.0	0	0												
6	08		SCHLUMBERGER IN LUBRICATOR																	
	1455	14.58	770	58	1510	0.0	0	0												
7	08																			
	1500	14.66	772	57	1520	0.0	0	0												
8	08		CLOSED SUBSEA LUBRICATOR VALVE AND BLED OFF																	
	1510	14.83	788	57	1520	0.0	0	0												
9	08		LUBRICATOR TO CHANGE SCHLUMBERGER TOOL STRING																	
	1510	14.83	788	57	1520	0.0	0	0												
10	08		CLOSED LPR-N & REOPENED SUBSEA LUBRICATOR VALVE																	
	1519	14.98																		
11	08		BLED DOWN TUBING PRESSURE THRU CHOKE MANIFOLD																	
	1530	15.16	700	56	0	0.0	0	64												
12	08		SCHLUMBERGER RIGGED DOWN PERFORATING GUNS AND																	
	1550	15.49																		
13	08		RIGGED UP TO RUN PRODUCTION LOGGING TOOL																	
	1550	15.49																		
14	08		SCHLUMBERGER RAN IN HOLE TO																	
	1740	17.33																		
15	08		ESTABLISH FLUID CONTACT																	
	1740	17.33																		
16	08		PRESSURED ANNULUS TO OPEN LPR-N																	
	1928	19.13																		
17	08		OPENED THROUGH CHOKE MANIFOLD FOR INITIAL FLOW																	
	1930	0.03	34	50	1570	0.0	0	16												

Computer - Furns Toppan Thorne