



FIELD READINGS
SINGLE STAGE UNIT
OEC - 905-1-A

446345

TEST NO. DST#5A	WELL NAME OR NUMBER PELICAN #5	TEST UNIT DESCRIPTION 1440PSI 3PHASE SEPARATOR	DATE (DAY, MO, YR.) 09APR86	PAGE 6	OF 9
---------------------------	--	--	---------------------------------------	------------------	----------------

CUSTOMER AMOCO AUSTRALIA PETROLEUM.CO.	FIELD PELICAN	FORMATION SANDSTONE	OIL METER SIZE 0	METER RANGE (BBLs) ---
--	-------------------------	-------------------------------	----------------------------	---------------------------

INTERVAL TESTED 2855-2860.5M	BHP SURVEY DEPTH (FT.)	GAS PRODUCED TO <input type="checkbox"/> PIPELINE <input checked="" type="checkbox"/> FLARE	GAS METER RUN SIZE 0	DIFF. RANGE (INS. H ₂ O) ---	STATIC PRESSURE TAKEN <input type="checkbox"/> UPSTREAM <input checked="" type="checkbox"/> DOWNSTREAM
--	------------------------	--	--------------------------------	--	---

TIME		WELLHEAD DATA			DOWNHOLE DATA		FLOW CONTROL		GAS METERING				OIL OR CONDENSATE METERING				WATER METERING		
DAY	FLOW OR SHUT-IN DURATION	TUBING PRESS.	TEMP.	CASING PRESS.	B H P	B H T	MAN. CHOKE	HEATER CHOKE	ORIFICE SIZE	STATIC PRESS.	DIFF. PRESS.	TEMP.	GAS GRAVITY (AIR=1)	# 1 TANK OR METER READING	# 1 OIL TEMP	OIL GRAVITY	W _i	# 1 TANK OR METER READING	SALINITY
24 HOUR CLOCK	(HOURS)	(PSIG)	(°F)	(PSIG)	(PSIG)	(°F)	(64TH) IN)	(64TH) IN)	(INS)	(PSIG)	(IN H ₂ O)	(°F)	% H ₂ S	# 2 TANK OR METER READING (INS OR BBL)	# 2 OIL TEMP (°F)	@ 60°F °API	BSW (%)	# 2 TANK OR METER READING (INS. OR BBL)	(%)
1	09	WEAK	BLOW AT SURFACE																
0100	5.53	0	48	1550	0.0	0	16												
2	09	WEAK	BLOW AT SURFACE																
0115	5.78	0	48	1550	0.0	0	16												
3	09	WEAK	BLOW AT SURFACE																
0130	6.03	0	47	1550	0.0	0	16												
4	09	WEAK	BLOW AT SURFACE																
0145	6.28	0	47	1550	0.0	0	16												
5	09	WEAK	BLOW AT SURFACE																
0200	6.53	0	48	1550	0.0	0	16												
6	09	SCHLUMBERGER PICKED UP PRODUCTION LOGGING TOOL																	
0200	6.53	0	48	1550	0.0	0	16												
7	09	WEAK	BLOW AT SURFACE																
0215	6.78	0	48	1550	0.0	0	16												
8	09	WEAK	BLOW AT SURFACE																
0230	7.03	0	48	1550	0.0	0	16												
9	09	WEAK	BLOW AT SURFACE																
0245	7.28	0	47	1550	0.0	0	16												
10	09	INTERMITTENT BUBBLE INDICATION AT SURFACE																	
0300	7.53	0	47	1550	0.0	0	16												
11	09	INTERMITTENT BUBBLE INDICATION AT SURFACE																	
0315	7.78	0	47	1550	0.0	0	16												
12	09	WEAK	BLOW AT SURFACE																
0330	8.03	0	47	1550	0.0	0	16												
13	09	NO BLOW AT SURFACE																	
0345	8.28	0	47	1550	0.0	0	16												
14	09	NO BLOW AT SURFACE																	
0400	8.53	0	47	1550	0.0	0	16												
15	09	NO BLOW AT SURFACE																	
0415	8.78	0	47	1550	0.0	0	16												
16	09	NO BLOW AT SURFACE																	
0430	9.03	0	47	1550	0.0	0	16												
17	09	NO BLOW AT SURFACE																	
0445	9.28	0	47	1550	0.0	0	16												

Computer - Farnas Toppan (Houma)