



COMPANY: ANDCO AUSTRALIA PETROLEUM CO.
WELL: PELICAN #5
FIELD: TASMANIA
STATE: D.N.E.P.O.C.H.
RIG: AUSTRALIA
NATION: AUSTRALIA
LOCATION: LINE TNA-87
LINE TNA-87
LATITUDE: 40 20' 43.229"S
LONGITUDE: 149 51' 49.971"E
PERMANENT DATUM: NSL
ELEV. OF PERM. DATUM: 0.0 M
LOG MEASURED FROM: PERM. DATUM
DRI.G. MEASURED FROM: NS
ELEVATIONS:-
KI: 21.4 M
LI: 21.1 M
GL: -28.3 M
PROGRAM: TAP# 04
TAP# NO: 28.4
SERVICE: DRIBER NO:
DNE 880801

OTHER SERVICES:-
ISF-SLS-MSFL
RFT-HR-GR

DEPTH-DRILLER: 3647.0 M
DEPTH-LOGGER: 3649.0 M
DEPTH-LOG: 3649.0 M
TOP LOG INTERVAL: 2995.0 M
CASING-DRILLER: 1290.8 M
CASING-LOGGER: 1330.0 M
CASING-LOG: 1330.0 M
LOG HEIGHT: 72.0000 LB/F
BIT SIZE: 17 1/2 IN.
DEPTH: 1776.0 M

TYPE FLUID IN HOLE: FRESH WATER LIME
DENSITY: 14.40 LB/G
VISCOSITY: 49.0 S
PH: 12.0 C3
FLUID LOSS: 12.0 C3
SOURCE OF SAMPLE: FLOWLINE
RM: .021 DHMM AT 68.0 DEGF
RMF: .495 DHMM AT 71.0 DEGF
RMC: .974 DHMM AT 268. DEGF
SOURCE RMF/RMC: PRESS/PRESS
RM AT BHT: .224 DHMM AT 268. DEGF
RMF AT BHT: .140 DHMM AT 268. DEGF
RMC AT BHT: .273 DHMM AT 268. DEGF
TIME CIRC. STOPPED: 1700/08
TIME LOGGER ON BTH: 0400/09
MAX. REC. TEMP: 268.0 DEGF
LOGGING UNIT NO: 822
LOGGING UNIT LOC: VEA
RECORDED BY: WINSLOE
WITNESSED BY: MCCULLOUGH/MOSNESS

REMARKS:
LDL (DRHO,PEF,RHOB) WAS RECORDED ON 9 TH FEB
CNL-GR WAS RECORDED ON 10 TH FEB. USING 1 1/2 IN. STANDOFF.
TENSION CURVES FOR BOTH LOGS ARE RECORDED IN THE DEPTH TRACK
TENSION CURVE FOR LDL IS A SOLID LINE AND WAS RECORDED ON
DEPTH WITH THE LDL
TENSION CURVE FOR CNL IS DOTTED AND WAS RECORDED 14 METRES
DEEPER THAN NPHI, AND 16.3 METRES DEEPER THAN THE GR.
INCREASING TENSION SHOWS WHERE TOOL IS STICKING.

EQUIPMENT NUMBERS:-
DRS-C 2952 PGD-G 1966 NSC-D 1735 GSR-J 6892
CHC-A 1547 SGC-SA 225 TCC-A 617 TCM-AB 16


ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR
OTHER MEASUREMENTS AND WE CANNOT, AND DO NOT GUARANTEE THE ACCURACY OR
CORRECTNESS OF ANY INTERPRETATIONS, AND WE SHALL NOT, EXCEPT IN THE CASE
OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR
ANY LOSS, COSTS, DAMAGES OR EXPENSES INCURRED OR SUSTAINED BY ANYONE
RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR
EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS
AND CONDITIONS AS SET OUT IN OUR CURRENT PRICE SCHEDULE.

CP 28.4 FILE 101 09-FEB-86 01:05
DATA ACQUIRED 09-FEB-86 05:05

EVENT MARK SUMMARY:
OUTPUT INTERVAL DEPTH TRACK
BETWEEN PIPS EDGE
IHV 10.0000 F3 LEFT EDGE

BS (IN)	6.0000	16.0000	0.0	PEF	40.0000	-2500	DRHO(G/C3)	.25000
CALI (IN)	6.0000	16.0000	.45000				NPHI	-.1500
GR (GAPI)	0.0	150.00	1.9500				RHOB(G/C3)	2.9500

CP 28.4 FILE 101 00- -00 00:22
DATA ACQUIRED 09-FEB-86 05:05



CP 28.4 FILE 101 00- -00 00:19
DATA ACQUIRED 10-FEB-86 15:56

BS (IN)	6.0000	16.0000	0.0	PEF	40.0000	-2500	DRHO(G/C3)	.25000
CALI (IN)	6.0000	16.0000	.45000				NPHI	-.1500
GR (GAPI)	0.0	150.00	1.9500				RHOB(G/C3)	2.9500

SENSOR MEASURE POINT TO TOOL ZERO

STSG	.10 METER	GR	16.3 METER
NCNL	14.0 METER	FCNL	14.0 METER
LI TH	.79 METER	SCNL	.10 METER
LS	.79 METER	LL	.79 METER
SS1	.64 METER	LU	.79 METER
CALI	.81 METER	SS2	.64 METER
NRAT	14.0 METER	TENS	.10 METER

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
SHT	80.0000	DEGF	TD	3048.00	M
HC	1.00000	G/C3	PSNR	2.31300	M
HD	14.30000	LB/G	MATR	LIME	
HWD	8.50000	IN	MEN	2.71000	G/C3
DHC	0.0	M	BFM	LIOU	
BS	0.0	M	BHS	OPEN	
DD	0.0	M	DD2	0.0	M
PP	NORM				

TAPE NOT MADE