

* DEPTH	RPM	WOB	ROP	MUD-WGT	FLOW	POISS	OVERD	BWCDR	DXCOM	DXEXP	PG	ECD	FRAC	POROS
* METERS		TONS	MM/M	KG/L	L/MM	*	*	*	*	*	EQUIVALENT	DENSITY		%
* 3262.05	97	.9	722.5	0.60	409	.40	10.21	1.7100	.22	1.22	0.60	0.72	13.17	88
* 3264.10	97	3.0	635.0	0.60	409	.40	10.21	1.7111	.20	1.22	0.60	0.72	13.17	83
* 3266.10	96	3.4	543.2	0.60	492	.40	10.21	1.7113	.32	1.22	0.60	0.72	13.17	81
* 3270.26	98	2.6	514.6	0.60	400	.40	10.22	1.7120	.31	1.22	0.60	0.72	13.18	81
* 3271.39	99	2.2	910.5	0.60	400	.40	10.22	1.7121	.22	1.22	0.60	0.72	13.18	80
* 3275.72	75	.6	270.0	0.60	493	.40	10.22	1.7120	.30	1.22	0.60	0.72	13.18	82
* 3282.45	102	2.0	377.2	0.60	490	.40	10.22	1.7137	.35	1.22	0.60	0.72	13.19	78
* 3283.34	100	4.5	189.5	0.60	490	.40	10.22	1.7139	.53	1.22	0.60	0.72	13.19	64
* 3287.36	101	6.3	732.7	0.60	503	.40	10.22	1.7144	.31	1.22	0.60	0.73	13.19	81
* 3292.27	101	6.5	746.7	0.60	499	.40	10.22	1.7151	.30	1.22	0.60	0.72	13.19	82
* 3295.40	103	6.7	760.0	0.60	490	.40	10.22	1.7156	.30	1.22	0.60	0.72	13.19	81
* 3297.11	97	12.0	202.5	0.60	490	.40	10.22	1.7150	.63	1.22	0.60	0.72	13.19	56
* 3308.93	99	17.1	1377.	0.60	409	.40	10.23	1.7175	.22	1.22	0.60	0.72	13.20	87
* 3309.73	101	9.1	1181.	0.60	409	.40	10.23	1.7176	.23	1.22	0.60	0.72	13.20	87
* 3315.93	101	3.1	920.7	0.60	477	.40	10.23	1.7104	.23	1.22	0.60	0.72	13.21	87
* 3317.44	100	1.0	118.7	0.60	493	.40	10.23	1.7106	.49	1.22	0.60	0.72	13.21	67
* 3321.29	105	4.5	915.0	0.60	490	.40	10.23	1.7192	.25	1.22	0.60	0.72	13.21	85
* 3325.77	100	2.1	905.3	0.60	503	.40	10.23	1.7190	.20	1.22	0.60	0.72	13.21	89
* 3329.76	100	4.3	703.3	0.60	503	.40	10.23	1.7203	.27	1.22	0.60	0.72	13.21	84
* 3331.78	99	3.5	414.3	0.60	490	.40	10.23	1.7206	.37	1.22	0.60	0.72	13.22	77
* 3333.17	103	8.2	114.1	0.60	493	.40	10.24	1.7200	.70	1.22	0.60	0.72	13.22	49
* 3335.11	101	17.6	23.09	0.60	401	.40	10.24	1.7210	1.22	1.22	0.60	0.71	13.22	23
* 3337.15	100	35.0	69.05	0.60	479	.40	10.24	1.7213	1.15	1.22	0.60	0.71	13.22	23
* 3339.21	99	33.4	60.20	0.60	409	.40	10.24	1.7216	1.13	1.22	0.60	0.72	13.22	23
* 3341.13	100	33.2	60.30	0.60	403	.40	10.24	1.7210	1.17	1.22	0.60	0.71	13.22	23
* 3343.14	99	30.0	57.77	0.60	403	.40	10.24	1.7221	1.15	1.22	0.60	0.71	13.22	23
* 3345.17	100	32.4	42.40	0.60	403	.40	10.24	1.7224	1.26	1.22	0.60	0.71	13.23	23
* 3351.13	96	33.4	45.60	0.60	403	.40	10.24	1.7232	1.24	1.22	0.60	0.71	13.23	23
* 3355.15	103	35.6	46.81	0.60	407	.40	10.24	1.7237	1.27	1.22	0.60	0.72	13.23	23
* 3361.12	99	32.4	46.90	0.60	401	.40	10.24	1.7245	1.23	1.23	0.60	0.71	13.24	23
* 3363.14	101	33.9	35.26	0.60	400	.40	10.24	1.7247	1.33	1.23	0.60	0.72	13.24	23
* 3377.42	96	17.8	504.7	0.60	409	.40	10.25	1.7265	.46	1.23	0.60	0.72	13.25	70
* 3382.34	92	32.1	749.5	0.60	490	.40	10.25	1.7272	.41	1.23	0.60	0.72	13.25	73
* 3384.70	92	20.5	457.3	0.60	490	.40	10.25	1.7275	.54	1.23	0.60	0.72	13.25	64
* 3393.00	98	10.2	307.4	0.60	492	.40	10.25	1.7205	.51	1.23	0.60	0.72	13.26	66
* 3404.44	101	2.0	400.5	0.60	403	.40	10.26	1.7299	.33	1.23	0.60	0.71	13.26	80
* 3406.19	99	5.2	620.5	0.60	400	.40	10.26	1.7301	.32	1.23	0.60	0.71	13.26	81
* 3407.10	99	10.5	209.9	0.60	400	.40	10.26	1.7302	.60	1.23	0.60	0.71	13.26	58
* 3409.45	95	9.7	390.5	0.60	400	.40	10.26	1.7305	.45	1.23	0.60	0.71	13.27	71
* 3412.26	97	5.0	359.2	0.60	403	.40	10.26	1.7309	.41	1.23	0.60	0.71	13.27	73
* 3416.02	101	2.2	627.4	0.60	403	.40	10.26	1.7313	.20	1.23	0.60	0.71	13.27	84
* 3420.22	99	3.6	940.0	0.60	401	.40	10.26	1.7310	.23	1.23	0.60	0.71	13.27	87
* 3423.90	98	3.0	894.0	0.60	403	.40	10.26	1.7322	.24	1.23	0.60	0.71	13.27	87
* 3429.65	109	1.4	631.6	0.60	407	.40	10.26	1.7329	.27	1.23	0.60	0.71	13.28	84
* 3433.04	100	1.0	774.2	0.60	407	.40	10.26	1.7334	.25	1.23	0.60	0.71	13.28	86
* 3436.64	111	1.0	461.4	0.60	409	.40	10.27	1.7330	.33	1.23	0.60	0.71	13.28	80
* 3439.35	100	0.5	307.7	0.60	409	.40	10.27	1.7341	.47	1.23	0.60	0.71	13.28	69
* 3442.60	107	9.5	514.0	0.60	400	.40	10.27	1.7344	.42	1.23	0.60	0.71	13.29	73
* 3445.02	110	5.0	743.2	0.60	405	.40	10.27	1.7340	.30	1.23	0.60	0.71	13.29	82
* 3450.19	109	6.6	609.6	0.60	409	.49	10.27	1.7353	.33	1.23	0.60	0.71	13.29	80
* 3454.47	100	6.0	767.4	0.60	493	.49	10.27	1.7350	.30	1.23	0.60	0.72	13.29	82
* 3457.60	109	6.2	462.5	0.60	400	.49	10.27	1.7362	.40	1.23	0.60	0.71	13.30	74
* 3463.93	92	3.4	402.0	0.60	474	.49	10.27	1.7369	.36	1.24	0.60	0.71	13.30	78
* 3467.26	93	6.9	064.3	0.60	479	.49	10.27	1.7373	.26	1.24	0.60	0.71	13.30	85
* 3469.98	93	5.0	744.0	0.60	460	.49	10.27	1.7376	.20	1.24	0.60	0.70	13.30	84
* 3474.50	91	6.9	592.5	0.60	460	.49	10.20	1.7301	.33	1.24	0.60	0.70	13.31	80

NORMAL

PERMEABLE