

* DEPTH	RPM	WOB	ROP	MUD-WGT	FLOW	POISS	OVERB	BWCOR	DXCOM	DXEXP		PF	ECD	FRAC	POROS
* METERS		TONS	MM/H	KG/L	L/HR	*	*	*				EQUIVALENT	DENSITY		%
* 5122.09	112	25.5	103.7	9.29	569	.56	10.71	2.5975	.90	1.41	PERMEABLE	0.60	9.37	14.24	50
* 5124.22	114	29.3	69.22	9.28	565	.56	10.71	2.6130	.94	1.41	"	0.60	9.36	14.24	40
* 5126.12	115	33.4	62.51	9.29	569	.56	10.71	2.6247	1.00	1.41	"	0.60	9.37	14.24	35
* 5132.16	116	26.5	46.15	9.28	573	.56	10.71	2.6604	1.02	1.41	"	0.60	9.36	14.25	34
* 5136.64	105	23.9	42.62	9.30	579	.56	10.71	2.6856	.98	1.41	"	0.60	9.36	14.25	37
* 5142.37	111	25.0	52.04	9.28	579	.56	10.71	2.7162	.95	1.41	"	0.60	9.36	14.25	39
* 5144.09	116	25.2	35.84	9.30	575	.56	10.71	2.7250	1.06	1.41	"	0.60	9.38	14.25	31
* 5148.02	120	22.3	70.45	9.27	582	.56	10.72	2.7447	.89	1.41	"	0.60	9.35	14.25	44
* 5150.13	120	27.0	18.59	9.28	582	.56	10.72	2.7550	1.27	1.41	UNDER COMPACTED	9.84	9.36	14.80	17
* 5154.17	128	27.3	53.88	9.28	578	.56	10.72	2.7741	1.00	1.41	PERMEABLE	0.60	9.35	14.26	35
* 5156.31	131	24.5	48.60	9.26	578	.56	10.72	2.7839	1.00	1.41	"	0.60	9.34	14.26	35
* 5158.71	128	26.8	50.51	9.28	582	.56	10.72	2.7947	1.01	1.41	"	0.60	9.36	14.26	35
* 5162.29	127	27.6	40.47	9.28	587	.56	10.72	2.8103	1.07	1.42	"	0.60	9.36	14.26	30
* 5164.46	128	25.2	79.68	9.31	582	.56	10.72	2.8196	.87	1.42	"	0.60	9.39	14.26	45
* 5166.07	125	27.4	75.66	9.29	574	.56	10.72	2.8263	.90	1.42	"	0.60	9.37	14.26	43
* 5168.33	127	20.3	75.19	9.27	570	.56	10.72	2.8356	.92	1.42	"	0.60	9.35	14.26	42
* 5172.40	128	27.8	149.5	9.31	575	.56	10.72	2.8510	.73	1.42	"	0.60	9.39	14.27	55
* 5174.32	129	25.5	159.6	9.30	570	.56	10.72	2.8593	.70	1.42	"	0.60	9.38	14.27	58
* 5176.00	131	29.0	39.78	9.29	575	.56	10.72	2.8657	1.09	1.42	"	0.60	9.37	14.27	28
* 5178.02	131	33.6	4.77	9.28	578	.56	10.72	2.8733	1.71	1.42	NORMAL	0.60	9.35	14.27	17
* 5180.02	121	29.1	2.94	9.28	575	.56	10.72	2.8807	1.74	1.42	"	0.60	9.36	14.27	17
* 5186.69	124	26.1	59.97	9.29	575	.56	10.72	2.9045	.94	1.42	PERMEABLE	0.60	9.37	14.27	40
* 5188.34	123	30.6	74.85	9.30	579	.56	10.73	2.9102	.92	1.42	"	0.60	9.38	14.28	42
* 5192.58	122	30.5	54.92	9.25	574	.56	10.73	2.9244	1.00	1.42	"	0.60	9.33	14.28	35
* 5196.25	123	33.1	106.6	9.25	575	.56	10.73	2.9363	.85	1.42	"	0.60	9.33	14.28	47
* 5200.26	115	33.9	93.31	9.29	547	.56	10.73	2.9409	.87	1.42	"	0.60	9.36	14.28	46
* 5204.11	115	36.2	38.72	9.28	556	.56	10.73	2.9607	1.13	1.42	"	0.60	9.36	14.28	26
* 5212.30	118	37.1	116.6	9.25	561	.56	10.73	2.9844	.84	1.42	"	0.60	9.32	14.29	48
* 5214.15	118	34.3	10.71	9.25	556	.56	10.73	2.9895	1.47	1.42	NORMAL	0.60	9.33	14.29	17
* 5218.26	123	32.6	48.99	9.27	561	.56	10.73	3.0006	1.05	1.42	PERMEABLE	0.60	9.34	14.29	32
* 5220.34	120	32.0	70.72	9.25	565	.56	10.73	3.0061	.94	1.42	"	0.60	9.33	14.29	40
* 5222.09	120	33.0	66.95	9.25	565	.56	10.73	3.0107	.96	1.42	"	0.60	9.33	14.29	39
* 5224.16	119	32.0	33.89	9.26	561	.56	10.73	3.0160	1.13	1.42	"	0.60	9.33	14.29	26
* 5226.10	120	34.6	30.76	9.26	570	.56	10.73	3.0211	1.10	1.42	"	0.60	9.34	14.30	21
* 5228.13	118	34.2	14.67	9.27	579	.56	10.73	3.0260	1.30	1.42	NORMAL	0.60	9.35	14.30	17
* 5232.09	125	29.3	205.3	9.24	582	.56	10.74	3.0356	.65	1.42	PERMEABLE	0.60	9.32	14.30	62
* 5234.32	127	28.4	195.0	9.23	579	.56	10.74	3.0409	.66	1.42	"	0.60	9.31	14.30	61
* 5236.25	127	33.0	84.46	9.25	583	.56	10.74	3.0454	.91	1.42	"	0.60	9.33	14.30	43
* 5240.02	126	34.6	47.87	9.26	579	.56	10.74	3.0540	1.07	1.42	"	0.60	9.34	14.30	30
* 5244.68	129	33.5	67.74	9.25	579	.56	10.74	3.0643	.98	1.42	"	0.60	9.32	14.30	38
* 5246.18	128	34.4	43.89	9.27	575	.56	10.74	3.0675	1.10	1.42	"	0.60	9.35	14.31	28
* 5250.29	129	31.7	43.61	9.26	579	.56	10.74	3.0762	1.08	1.43	"	0.60	9.34	14.31	30
* 5252.42	128	32.7	52.00	9.23	582	.56	10.74	3.0806	1.04	1.43	"	0.60	9.31	14.31	33
* 5256.24	127	32.9	63.22	9.24	579	.56	10.74	3.0883	.98	1.43	"	0.60	9.32	14.31	37
* 5262.38	123	39.4	27.81	9.25	579	.56	10.74	3.1003	1.26	1.43	UNDER COMPACTED	9.99	9.32	14.92	17
* 5264.13	124	37.8	58.90	9.25	588	.56	10.74	3.1036	1.03	1.43	PERMEABLE	0.60	9.33	14.31	34
* 5266.21	124	37.0	62.72	9.27	579	.56	10.74	3.1074	1.01	1.43	"	0.60	9.35	14.32	35
* 5268.17	124	31.5	55.64	9.25	582	.56	10.74	3.1110	1.00	1.43	"	0.60	9.32	14.32	36
* 5270.39	123	36.0	43.79	9.26	578	.56	10.74	3.1150	1.10	1.43	"	0.60	9.34	14.32	28
* 5272.07	125	36.8	27.71	9.26	583	.56	10.75	3.1180	1.24	1.43	UNDER COMPACTED	10.21	9.34	15.02	17
* 5274.05	124	38.4	36.88	9.25	582	.56	10.75	3.1215	1.17	1.43	PERMEABLE	0.60	9.33	14.32	23
* 5276.49	123	37.4	30.48	9.26	582	.56	10.75	3.1257	1.21	1.43	"	0.60	9.34	14.32	20
* 5278.42	125	39.3	33.32	9.29	576	.56	10.75	3.1290	1.20	1.43	"	0.60	9.37	14.32	20
* 5282.68	124	36.4	42.30	9.25	578	.56	10.75	3.1361	1.11	1.43	"	0.60	9.33	14.32	27
* 5284.00	123	34.1	33.96	9.25	579	.56	10.75	3.1382	1.15	1.43	"	0.60	9.32	14.33	25
* 5291.52	117	36.2	56.94	9.26	579	.56	10.75	3.1501	1.01	1.43	"	0.60	9.34	14.33	35