

* DEPTH	RPM	WOB	ROP	MUD-WGT	FLOW	* POISS	OVERD	* BWCOR	DXCOM	DXEXP		PF	ECD	FRAC	POROS
* METERS		TONS	MM/M	KG/L	L/MN	*	*	*				EQUIVALENT	DENSITY		%
* 5292.23	118	40.3	12.31	9.27	502	.56	10.75	3.1511	1.40	1.43	NORMAL	0.60	9.35	14.33	17
* 5294.20	120	30.0	15.50	9.26	502	.56	10.75	3.1543	1.40	1.43	"	0.60	9.34	14.33	17
* 5296.27	119	34.0	12.90	9.25	502	.56	10.75	3.1572	1.40	1.43	"	0.60	9.33	14.33	17
* 5300.06	118	33.2	15.01	9.27	502	.56	10.75	3.1627	1.34	1.43	"	0.60	9.35	14.33	17
* 5304.09	119	33.0	17.51	9.26	507	.56	10.75	3.1685	1.31	1.43	UNDER COMPACTED	9.60	9.34	14.77	17
* 5308.02	119	35.6	17.31	9.25	502	.57	10.75	3.1739	1.34	1.43	NORMAL	0.60	9.32	14.34	17
* 5310.11	118	33.0	15.37	9.27	507	.57	10.75	3.1767	1.33	1.43	"	0.60	9.35	14.34	17
* 5312.05	118	30.3	16.37	9.27	502	.57	10.75	3.1793	1.30	1.43	"	0.60	9.35	14.34	17
* 5314.05	119	37.7	15.12	9.30	505	.57	10.76	3.1819	1.39	1.43	"	0.60	9.30	14.34	17
* 5320.14	118	30.5	11.35	9.20	579	.57	10.76	3.1897	1.40	1.43	"	0.60	9.36	14.34	17
* 5322.59	120	36.0	10.00	9.27	565	.57	10.76	3.1927	1.49	1.43	"	0.60	9.34	14.34	17
* 5324.07	119	30.0	7.01	9.20	579	.57	10.76	3.1945	1.62	1.43	"	0.60	9.36	14.35	17
* 5326.00	120	37.0	7.31	9.20	570	.57	10.76	3.1969	1.60	1.43	"	0.60	9.35	14.35	17
* 5328.01	117	30.9	7.90	9.26	573	.57	10.76	3.1992	1.50	1.43	"	0.60	9.34	14.35	17
* 5330.20	116	30.4	6.10	9.20	579	.57	10.76	3.2018	1.65	1.43	"	0.60	9.35	14.35	17
* 5332.12	115	30.0	6.10	9.20	575	.57	10.76	3.2040	1.65	1.43	"	0.60	9.20	14.35	17
* 5336.05	107	10.4	14.05	9.20	503	.57	10.76	3.1920	1.35	1.43	"	0.60	9.35	14.35	17
* 5340.21	105	20.9	20.12	9.30	503	.57	10.76	3.3047	1.21	1.44	PERMEABLE	0.60	9.30	14.35	20
* 5342.02	104	21.0	26.33	9.30	504	.57	10.76	3.3500	1.22	1.44	"	0.60	9.30	14.35	19
* 5346.32	108	24.0	30.62	9.30	507	.57	10.76	3.4496	1.22	1.44	"	0.60	9.30	14.36	19
* 5340.13	115	25.7	8.70	9.20	596	.57	10.76	3.4006	1.57	1.44	NORMAL	0.60	9.36	14.36	17
* 5358.99	112	34.1	116.1	9.25	599	.57	10.77	3.6936	.96	1.44	PERMEABLE	0.60	9.33	14.36	40
* 5360.07	111	30.9	94.11	9.20	599	.57	10.77	3.7117	.90	1.44	"	0.60	9.36	14.36	38
* 5362.60	112	34.4	115.0	9.27	599	.57	10.77	3.7526	.95	1.44	"	0.60	9.35	14.36	40
* 5364.72	115	34.0	87.17	9.27	599	.57	10.77	3.7056	1.03	1.44	"	0.60	9.35	14.37	35
* 5368.42	115	34.4	70.41	9.20	599	.57	10.77	3.8401	1.00	1.44	"	0.60	9.36	14.37	31
* 5372.09	113	33.1	42.03	9.25	599	.57	10.77	3.8910	1.19	1.44	"	0.60	9.36	14.37	22
* 5376.50	124	29.0	71.07	9.20	579	.57	10.77	3.9492	1.03	1.44	"	0.60	9.36	14.37	34
* 5370.19	124	30.4	70.33	9.20	502	.57	10.77	3.9691	1.01	1.44	"	0.60	9.35	14.37	36
* 5300.60	122	36.1	62.01	9.27	570	.57	10.77	3.9909	1.12	1.44	"	0.60	9.34	14.37	27
* 5304.02	123	33.6	26.60	9.27	591	.57	10.77	3.0372	1.32	1.44	UNDER COMPACTED	9.50	9.35	14.00	17
* 5308.17	122	32.0	30.36	9.26	594	.57	10.77	3.0022	1.21	1.44	PERMEABLE	0.60	9.34	14.30	21
* 5392.43	122	35.3	63.74	9.25	596	.57	10.77	3.1256	1.09	1.44	"	0.60	9.33	14.30	30
* 5394.07	122	35.9	54.44	9.26	592	.57	10.77	3.1417	1.14	1.44	"	0.60	9.34	14.30	26
* 5396.01	120	36.1	16.02	9.20	595	.57	10.77	3.1603	1.45	1.44	NORMAL	0.60	9.36	14.30	17
* 5398.25	123	35.4	50.61	9.31	595	.57	10.77	3.2012	1.15	1.44	PERMEABLE	0.60	9.39	14.30	26
* 5400.34	122	33.7	43.34	9.30	597	.57	10.77	3.2001	1.17	1.44	"	0.60	9.30	14.30	24
* 5404.07	114	35.0	22.09	9.20	503	.57	10.70	3.2325	1.35	1.44	NORMAL	0.60	9.36	14.39	17
* 5408.04	112	35.7	35.00	9.20	503	.57	10.70	3.2654	1.22	1.44	PERMEABLE	0.60	9.35	14.39	20
* 5410.37	115	35.6	31.75	9.29	570	.57	10.70	3.2039	1.25	1.44	UNDER COMPACTED	10.24	9.37	15.10	17
* 5412.22	115	33.9	30.10	9.20	503	.57	10.70	3.2903	1.24	1.44	PERMEABLE	0.60	9.35	14.39	18
* 5414.01	114	36.7	31.32	9.27	503	.57	10.70	3.3119	1.26	1.44	UNDER COMPACTED	10.15	9.34	15.06	17
* 5418.73	115	34.1	31.04	9.27	509	.57	10.70	3.3404	1.22	1.44	PERMEABLE	0.60	9.35	14.39	20
* 5426.06	114	30.2	24.40	9.29	503	.57	10.70	3.3962	1.33	1.45	UNDER COMPACTED	9.56	9.37	14.01	17
* 5420.35	113	39.0	21.52	9.29	503	.57	10.70	3.4109	1.30	1.45	NORMAL	0.60	9.37	14.40	16
* 5434.15	120	34.4	67.37	9.25	506	.57	10.70	3.4467	1.03	1.45	PERMEABLE	0.60	9.33	14.40	35
* 5436.32	119	37.1	27.17	9.20	503	.57	10.70	3.4594	1.29	1.45	UNDER COMPACTED	9.07	9.36	14.95	16
* 5440.35	118	36.6	39.62	9.26	507	.57	10.70	3.4024	1.10	1.45	PERMEABLE	0.60	9.34	14.40	23
* 5442.16	119	34.4	23.70	9.30	502	.57	10.70	3.4924	1.30	1.45	UNDER COMPACTED	9.07	9.37	14.95	16
* 5446.25	119	35.9	33.73	9.24	502	.57	10.79	3.5142	1.22	1.45	PERMEABLE	0.60	9.31	14.41	20
* 5448.29	118	35.9	26.02	9.25	507	.57	10.79	3.5240	1.20	1.45	UNDER COMPACTED	10.01	9.33	15.01	16
* 5450.09	118	36.3	14.06	9.20	507	.57	10.79	3.5340	1.46	1.45	NORMAL	0.60	9.36	14.41	16
* 5452.13	110	30.0	32.53	9.20	507	.57	10.79	3.5441	1.25	1.45	UNDER COMPACTED	10.26	9.36	15.12	16
* 5454.10	110	30.3	33.55	9.31	509	.57	10.79	3.5530	1.23	1.45	PERMEABLE	0.60	9.30	14.41	19
* 5456.30	120	37.9	30.57	9.30	592	.57	10.79	3.5643	1.19	1.45	"	0.60	9.30	14.41	22
* 5450.00	110	40.2	37.73	9.20	591	.57	10.79	3.5722	1.22	1.45	"	0.60	9.36	14.41	20