

* DEPTH * * METERS	RPM	WOB TONS	ROP MM/M	MUD-WGT KG/L	FLOW L/HR	* POISS *	OVERD *	* BWCOR *	DXCOM	DXEXP		PF EQUIVALENT	CCD DENSITY	FRAC	POROS * % *
* 6722.60	102	11.3	35.02	2.19	570	.61	19.06	* 1.5055	1.00	1.60	*	0.00	9.24	15.11	44 *
* 6724.66	99	14.7	48.04	9.17	570	.61	19.06	* 1.5064	.99	1.60	*	0.00	9.23	15.11	45 *
* 6726.54	101	21.4	57.50	2.19	575	.61	19.06	* 1.5073	1.05	1.60	*	0.00	9.25	15.11	41 *
* 6728.51	93	21.3	31.21	9.19	574	.61	19.06	* 1.5082	1.10	1.60	*	0.00	9.25	15.11	33 *
* 6730.55	86	20.7	38.44	2.20	566	.61	19.06	* 1.5092	1.10	1.60	*	0.00	9.26	15.11	30 *
* 6732.50	92	20.6	47.29	9.17	569	.61	19.07	* 1.5101	1.06	1.60	*	0.00	9.23	15.11	40 *
* 6734.60	92	20.5	43.27	2.21	575	.61	19.07	* 1.5110	1.00	1.60	*	0.00	9.27	15.11	39 *
* 6738.55	95	15.6	24.72	9.17	572	.61	19.07	* 1.5129	1.15	1.61	*	0.00	9.23	15.11	35 *
* 6742.61	89	26.3	5.67	9.16	579	.61	19.07	* 1.5147	1.60	1.61	NORMAL	0.00	9.22	15.11	12 *
* 6746.50	109	15.7	27.32	9.14	570	.62	19.07	* 1.5165	1.16	1.61	PERMEABLE	0.00	9.20	15.12	34 *
* 6748.71	104	20.6	38.69	9.15	579	.62	19.07	* 1.5174	1.14	1.61	*	0.00	9.21	15.12	35 *
* 6750.57	103	14.6	45.90	9.17	579	.62	19.07	* 1.5183	1.01	1.61	*	0.00	9.23	15.12	44 *
* 6752.52	110	19.0	60.89	2.15	570	.62	19.07	* 1.5191	1.03	1.61	*	0.00	9.21	15.12	42 *
* 6754.83	116	15.7	60.07	9.15	579	.62	19.07	* 1.5201	.99	1.61	*	0.00	9.21	15.12	45 *
* 6757.40	117	12.7	60.83	9.16	570	.62	19.07	* 1.5212	.94	1.61	*	0.00	9.22	15.12	48 *
* 6759.01	116	12.6	49.11	9.18	575	.62	19.07	* 1.5219	.90	1.61	*	0.00	9.24	15.12	46 *
* 6760.90	116	13.5	57.13	9.15	579	.62	19.07	* 1.5228	.97	1.61	*	0.00	9.21	15.12	47 *
* 6762.58	118	11.7	46.03	9.15	574	.62	19.07	* 1.5235	.99	1.61	*	0.00	9.21	15.12	45 *
* 6766.72	110	13.0	47.00	9.17	570	.62	19.07	* 1.5253	.99	1.61	*	0.00	9.23	15.13	45 *
* 6768.65	105	15.1	48.51	9.13	575	.62	19.07	* 1.5261	1.01	1.61	*	0.00	9.19	15.13	44 *
* 6770.89	106	15.0	36.59	9.13	570	.62	19.07	* 1.5270	1.07	1.61	*	0.00	9.19	15.13	40 *
* 6772.76	105	15.3	35.86	9.15	574	.62	19.07	* 1.5276	1.00	1.61	*	0.00	9.21	15.13	39 *
* 6774.60	87	18.7	2.65	9.16	565	.62	19.07	* 1.5286	1.71	1.61	NORMAL	0.00	9.22	15.13	12 *
* 6786.78	100	20.0	49.14	9.14	565	.62	19.08	* 1.5336	1.06	1.61	PERMEABLE	0.00	9.20	15.13	40 *
* 6788.62	105	15.2	23.75	9.16	566	.62	19.08	* 1.5343	1.17	1.61	*	0.00	9.21	15.14	33 *
* 6790.87	103	16.9	30.29	9.18	575	.62	19.08	* 1.5352	1.13	1.61	*	0.00	9.24	15.14	36 *
* 6795.13	111	17.9	37.85	9.17	574	.62	19.08	* 1.5369	1.12	1.61	*	0.00	9.23	15.14	37 *
* 6798.52	89	20.0	4.70	9.16	574	.62	19.08	* 1.5383	1.60	1.61	NORMAL	0.00	9.22	15.14	12 *
* 6802.53	95	16.0	23.00	9.15	570	.62	19.08	* 1.5399	1.17	1.61	PERMEABLE	0.00	9.21	15.14	34 *
* 6806.97	101	18.5	18.16	9.17	574	.62	19.08	* 1.5416	1.20	1.61	*	0.00	9.23	15.14	26 *
* 6808.53	97	14.4	56.89	9.16	570	.62	19.08	* 1.5422	.94	1.61	*	0.00	9.22	15.14	49 *
* 6810.74	100	18.4	65.15	9.19	574	.62	19.08	* 1.5431	.77	1.61	*	0.00	9.24	15.15	47 *
* 6812.79	99	10.0	12.59	9.17	566	.62	19.08	* 1.5438	1.10	1.62	*	0.00	9.23	15.15	33 *
* 6814.59	111	11.6	61.76	9.17	566	.62	19.08	* 1.5445	.90	1.62	*	0.00	9.23	15.15	51 *
* 6816.68	108	12.8	62.34	9.18	565	.62	19.08	* 1.5453	.92	1.62	*	0.00	9.24	15.15	50 *
* 6818.74	111	15.0	32.69	9.18	575	.62	19.08	* 1.5461	1.10	1.62	*	0.00	9.24	15.15	38 *
* 6820.76	108	17.6 *	1.5469	1.73	1.62	NORMAL		0.00	9.24	15.15	12 *				
* 6822.64	105	14.0	77.19	9.19	556	.62	19.08	* 1.5476	.00	1.62	PERMEABLE	0.00	9.24	15.15	53 *
* 6825.01	102	10.2	58.52	9.17	561	.62	19.08	* 1.5484	.07	1.62	*	0.00	9.23	15.15	53 *
* 6826.60	99	15.1	72.03	9.19	560	.62	19.08	* 1.5490	.90	1.62	*	0.00	9.24	15.15	52 *
* 6829.11	100	18.9	19.10	9.19	565	.62	19.08	* 1.5500	1.27	1.62	*	0.00	9.24	15.15	27 *
* 6831.20	105	14.0	12.50	9.21	544	.62	19.09	* 1.5500	1.20	1.62	*	0.00	9.26	15.15	26 *
* 6834.53	100	14.3	42.65	9.20	542	.62	19.09	* 1.5519	1.00	1.62	*	0.00	9.25	15.16	45 *
* 6836.58	100	17.0	25.73	9.18	537	.62	19.09	* 1.5527	1.17	1.62	*	0.00	9.23	15.16	34 *
* 6842.60	89	14.6	9.46	9.19	537	.62	19.09	* 1.5549	1.32	1.62	*	0.00	9.24	15.16	23 *
* 6848.51	103	21.2	44.92	9.18	530	.62	19.09	* 1.5570	1.10	1.62	*	0.00	9.23	15.16	38 *
* 6850.72	103	18.8	45.00	9.21	542	.62	19.09	* 1.5577	1.07	1.62	*	0.00	9.26	15.16	41 *
* 6852.69	105	25.0	21.50	9.19	567	.62	19.09	* 1.5584	1.34	1.62	*	0.00	9.24	15.16	22 *
* 6854.73	88	22.3	10.43	9.17	566	.62	19.09	* 1.5591	1.44	1.62	UNDER COMPACTED	10.15	9.23	15.68	12 *
* 6856.90	91	20.0	64.68	9.20	565	.62	19.09	* 1.5599	.96	1.62	PERMEABLE	0.00	9.26	15.17	47 *
* 6858.50	88	17.3	51.43	9.19	575	.62	19.09	* 1.5604	.90	1.62	*	0.00	9.25	15.17	47 *
* 6860.56	89	16.1	21.96	9.19	565	.62	19.09	* 1.5611	1.16	1.62	*	0.00	9.24	15.17	34 *
* 6864.58	91	15.0	11.67	9.21	565	.62	19.09	* 1.5625	1.20	1.62	*	0.00	9.27	15.17	26 *
* 6866.77	88	15.6	33.55	9.18	566	.62	19.09	* 1.5633	1.05	1.62	*	0.00	9.23	15.17	42 *
* 6868.77	95	15.6	32.04	9.19	556	.62	19.09	* 1.5639	1.00	1.62	*	0.00	9.24	15.17	40 *
* 6870.99	100	14.8	27.32	9.19	568	.62	19.09	* 1.5647	1.11	1.62	*	0.00	9.24	15.17	38 *