

* DEPTH	RPM	WOB	ROP	MUD-WGT	FLOW	* POISS	OVERD	* BWCOR	DXDGM	DXEXP		PT	CCD	FRAC	POROS
* METERS		TONS	MM/M	KG/L	L/MM	*	*	*				EQUIVALENT	DENSITY		%
* 6874.56	100	14.5	28.14	9.18	570	* .62	19.09	* 1.5659	1.10	1.62	"	0.00	9.24	15.17	39 *
* 6876.51	101	19.7	19.86	9.19	566	* .62	19.09	* 1.5665	1.27	1.62	"	0.00	9.25	15.18	27 *
* 6880.70	102	17.0	45.30	9.19	570	* .62	19.10	* 1.5679	1.04	1.62	"	0.00	9.24	15.18	43 *
* 6884.64	88	17.1	5.83	9.19	571	* .62	19.10	* 1.5692	1.40	1.62	UNDER COMPACTED	9.98	9.25	15.60	12 *
* 6888.92	102	18.3	59.21	9.23	572	* .62	19.10	* 1.5706	.99	1.62	PERMEABLE	0.00	9.29	15.18	46 *
* 6892.66	103	18.0	31.12	9.20	570	* .62	19.10	* 1.5718	1.14	1.63	"	0.00	9.26	15.18	36 *
* 6897.09	100	26.1	8.15	9.19	565	* .62	19.10	* 1.5732	1.00	1.63	NORMAL	0.00	9.24	15.18	12 *
* 6900.89	110	27.9	12.26	9.13	563	* .62	19.10	* 1.5744	1.55	1.63	"	0.00	9.19	15.19	12 *
* 6904.77	103	16.7	40.86	9.13	575	* .62	19.10	* 1.5756	1.06	1.63	PERMEABLE	0.00	9.19	15.19	41 *
* 6906.53	99	16.0	31.64	9.14	570	* .62	19.10	* 1.5762	1.10	1.63	"	0.00	9.20	15.19	39 *
* 6910.63	97	14.1	17.76	9.13	569	* .62	19.10	* 1.5775	1.19	1.63	"	0.00	9.19	15.19	32 *
* 6918.75	92	21.3	35.00	9.16	574	* .62	19.10	* 1.5800	1.14	1.63	"	0.00	9.22	15.19	36 *
* 6920.76	92	18.7	31.96	9.17	570	* .62	19.10	* 1.5806	1.12	1.63	"	0.00	9.23	15.20	38 *
* 6924.59	95	19.2	36.98	9.19	561	* .62	19.10	* 1.5817	1.10	1.63	"	0.00	9.24	15.20	39 *
* 6926.65	97	14.9	65.52	9.17	559	* .62	19.10	* 1.5823	.91	1.63	"	0.00	9.23	15.20	51 *
* 6928.89	93	14.4	60.00	9.17	556	* .62	19.10	* 1.5830	.91	1.63	"	0.00	9.22	15.20	51 *
* 6931.05	96	17.6	58.04	9.19	551	* .62	19.11	* 1.5836	.97	1.63	"	0.00	9.24	15.20	47 *
* 6932.95	100	17.1	37.38	9.16	556	* .62	19.11	* 1.5842	1.08	1.63	"	0.00	9.22	15.20	40 *
* 6934.53	101	18.7	34.95	9.17	556	* .62	19.11	* 1.5847	1.12	1.63	"	0.00	9.22	15.20	38 *
* 6936.51	100	20.0	5.02	9.17	551	* .62	19.11	* 1.5853	1.61	1.63	NORMAL	0.00	9.22	15.20	12 *
* 6943.08	105	18.8	44.52	9.19	556	* .62	19.11	* 1.5872	1.07	1.63	PERMEABLE	0.00	9.24	15.21	41 *
* 6946.51	100	25.5	100.2	9.17	561	* .62	19.11	* 1.5882	.94	1.63	"	0.00	9.23	15.21	50 *
* 6948.52	102	22.0	47.42	9.17	550	* .62	19.11	* 1.5887	1.09	1.63	"	0.00	9.22	15.21	39 *
* 6950.85	95	22.8	20.11	9.16	556	* .62	19.11	* 1.5894	1.30	1.63	"	0.00	9.22	15.21	25 *
* 6954.51	92	23.4	26.43	9.16	547	* .62	19.11	* 1.5904	1.23	1.63	"	0.00	9.22	15.21	30 *
* 6958.60	93	16.0	51.41	9.16	552	* .62	19.11	* 1.5916	.97	1.63	"	0.00	9.21	15.21	40 *
* 6960.75	98	16.5	50.36	9.17	556	* .62	19.11	* 1.5922	.96	1.63	"	0.00	9.22	15.21	40 *
* 6962.53	103	16.7	39.93	9.16	555	* .62	19.11	* 1.5927	1.06	1.63	"	0.00	9.22	15.21	42 *
* 6964.75	86	20.0	18.23	9.19	556	* .62	19.11	* 1.5933	1.25	1.63	"	0.00	9.24	15.21	29 *
* 6966.61	89	25.1	14.17	9.19	547	* .62	19.11	* 1.5938	1.41	1.64	"	0.00	9.25	15.22	18 *
* 6968.69	84	29.1	38.23	9.19	551	* .62	19.11	* 1.5944	1.18	1.64	"	0.00	9.24	15.22	34 *
* 6970.68	103	23.9	38.49	9.19	556	* .62	19.11	* 1.5949	1.17	1.64	"	0.00	9.24	15.22	34 *
* 6972.54	97	20.0	67.32	9.18	579	* .62	19.11	* 1.5954	.97	1.64	"	0.00	9.24	15.22	48 *
* 6974.53	97	15.4	44.07	9.21	583	* .62	19.11	* 1.5960	1.00	1.64	"	0.00	9.27	15.22	46 *
* 6978.62	101	15.2	28.94	9.19	547	* .62	19.11	* 1.5971	1.10	1.64	"	0.00	9.25	15.22	39 *
* 6980.58	83	21.9	25.13	9.21	542	* .62	19.12	* 1.5976	1.19	1.64	"	0.00	9.26	15.22	33 *
* 6982.63	81	30.5	9.77	9.22	565	* .62	19.12	* 1.5982	1.55	1.64	NORMAL	0.00	9.27	15.22	12 *
* 6984.55	78	31.2	4.36	9.22	542	* .62	19.12	* 1.5987	1.77	1.64	"	0.00	9.27	15.22	12 *
* 6988.83	73	21.4	21.44	9.16	542	* .62	19.12	* 1.5998	1.20	1.64	PERMEABLE	0.00	9.21	15.23	33 *
* 6991.00	75	26.8	29.47	9.14	537	* .62	19.12	* 1.6004	1.20	1.64	"	0.00	9.19	15.23	33 *
* 6992.79	79	16.8	24.90	9.13	542	* .62	19.12	* 1.6009	1.12	1.64	"	0.00	9.18	15.23	38 *
* 6994.69	78	16.0	27.74	9.15	546	* .62	19.12	* 1.6013	1.00	1.64	"	0.00	9.20	15.23	40 *
* 6996.70	79	22.5	26.54	9.13	537	* .62	19.12	* 1.6017	1.19	1.64	"	0.00	9.18	15.23	34 *
* 6998.99	81	19.7	32.47	9.15	542	* .62	19.12	* 1.6025	1.10	1.64	"	0.00	9.20	15.23	39 *
* 7000.64	85	18.1	33.83	9.16	542	* .62	19.12	* 1.6029	1.00	1.64	"	0.00	9.21	15.23	41 *
* 7008.75	92	22.6	45.20	9.17	556	* .62	19.12	* 1.6050	1.00	1.64	"	0.00	9.22	15.23	40 *
* 7010.54	93	23.0	10.07	9.18	565	* .62	19.12	* 1.6054	1.47	1.64	UNDER COMPACTED	10.09	9.23	15.72	12 *
* 7012.83	97	24.9	44.55	9.20	566	* .62	19.12	* 1.6060	1.13	1.64	PERMEABLE	0.00	9.26	15.24	38 *
* 7014.78	97	22.7	39.48	9.22	551	* .62	19.12	* 1.6065	1.13	1.64	"	0.00	9.27	15.24	37 *
* 7018.53	99	18.0	13.95	9.18	542	* .62	19.12	* 1.6074	1.32	1.64	"	0.00	9.23	15.24	25 *
* 7025.13	99	16.5	21.75	9.18	551	* .62	19.12	* 1.6091	1.19	1.64	"	0.00	9.23	15.24	34 *
* 7028.54	101	16.2	15.30	9.20	551	* .62	19.12	* 1.6099	1.26	1.64	"	0.00	9.25	15.24	28 *
* 7032.61	96	24.9	23.29	9.22	551	* .62	19.13	* 1.6109	1.29	1.64	"	0.00	9.27	15.25	27 *
* 7036.56	89	17.8	19.84	9.20	564	* .62	19.13	* 1.6119	1.20	1.64	"	0.00	9.26	15.25	33 *
* 7038.67	87	21.0	27.88	9.19	565	* .62	19.13	* 1.6124	1.16	1.64	"	0.00	9.25	15.25	35 *
* 7042.89	89	17.8	16.38	9.21	561	* .62	19.13	* 1.6134	1.25	1.65	"	0.00	9.26	15.25	30 *