

* DEPTH	RPM	WOB	ROP	MUD-WGT	FLOW	* POISS	OVERB	* BWCOR	DXCOM	DXEXP		PF	ECD	FRAC	POROS
* METERS		TONS	MM/M	KG/L	L/MM	*	*	*				EQUIVALENT	DENSITY		%
*****															
* 8080.54	84	47.5	68.28	9.28	530	.66	19.33	* 1.0202	1.28	1.79	PERMEABLE	8.80	9.35	15.70	32 *
* 8082.85	84	46.3	49.02	9.24	530	.66	19.33	* 1.0204	1.30	1.79	"	8.80	9.31	15.70	27 *
* 8084.62	85	45.5	56.45	9.25	542	.66	19.33	* 1.0206	1.33	1.79	"	8.80	9.33	15.70	30 *
* 8087.36	84	49.1	47.53	9.28	534	.66	19.33	* 1.0209	1.40	1.79	"	8.80	9.36	15.70	25 *
* 8088.57	84	45.2	46.37	9.28	525	.66	19.33	* 1.0210	1.37	1.79	"	8.80	9.36	15.70	27 *
* 8090.57	84	44.8	72.65	9.27	528	.66	19.33	* 1.0212	1.23	1.79	"	8.80	9.34	15.71	35 *
* 8092.83	84	48.2	63.87	9.27	525	.66	19.33	* 1.0214	1.31	1.79	"	8.80	9.34	15.71	31 *
* 8094.52	86	46.7	61.88	9.28	530	.66	19.33	* 1.0216	1.31	1.79	"	8.80	9.36	15.71	31 *
* 8097.38	85	44.8	82.32	9.27	530	.66	19.33	* 1.0219	1.20	1.79	"	8.80	9.34	15.71	37 *
* 8098.53	84	45.8	55.89	9.28	534	.66	19.33	* 1.0220	1.33	1.79	"	8.80	9.35	15.71	30 *
* 8100.65	83	49.8	41.48	9.26	532	.66	19.33	* 1.0222	1.45	1.79	"	8.80	9.33	15.71	22 *
* 8103.22	82	47.8	48.94	9.27	530	.66	19.33	* 1.0225	1.38	1.79	"	8.80	9.34	15.71	26 *
* 8104.56	82	49.6	54.45	9.25	529	.66	19.33	* 1.0226	1.37	1.79	"	8.80	9.33	15.71	27 *
* 8106.62	82	47.8	63.51	9.27	531	.66	19.33	* 1.0228	1.30	1.79	"	8.80	9.34	15.71	31 *
* 8108.61	82	46.4	48.32	9.26	525	.66	19.33	* 1.0230	1.37	1.79	"	8.80	9.33	15.71	27 *
* 8110.72	82	44.3	17.61	9.25	521	.66	19.33	* 1.0232	1.65	1.79	UNDER COMPACTED	9.59	9.32	15.99	18 *
* 8116.61	88	46.4	31.39	9.22	525	.66	19.33	* 1.0238	1.58	1.79	"	10.60	9.29	16.36	18 *
* 8118.55	84	58.1	47.89	9.22	521	.66	19.33	* 1.0240	1.42	1.79	PERMEABLE	8.80	9.29	15.72	24 *
* 8120.56	81	43.2	47.87	9.22	530	.66	19.33	* 1.0242	1.35	1.79	"	8.80	9.29	15.72	29 *
* 8122.70	82	41.2	39.45	9.22	527	.66	19.33	* 1.0244	1.38	1.79	"	8.80	9.30	15.72	26 *
* 8124.84	82	44.7	32.91	9.21	534	.66	19.33	* 1.0246	1.48	1.79	"	8.80	9.28	15.72	21 *
* 8126.56	88	44.4	67.17	9.19	522	.66	19.33	* 1.0248	1.26	1.79	"	8.80	9.26	15.72	34 *
* 8128.66	79	45.4	48.45	9.24	530	.66	19.33	* 1.0250	1.35	1.79	"	8.80	9.31	15.72	28 *
* 8131.24	82	41.8	31.79	9.22	527	.66	19.33	* 1.0253	1.45	1.79	"	8.80	9.30	15.72	22 *
* 8132.85	78	45.8	43.24	9.26	526	.66	19.34	* 1.0254	1.38	1.79	"	8.80	9.33	15.72	26 *
* 8134.58	88	41.8	34.61	9.24	521	.66	19.34	* 1.0256	1.41	1.80	"	8.80	9.31	15.72	25 *
* 8136.98	79	44.6	39.17	9.26	528	.66	19.34	* 1.0258	1.41	1.80	"	8.80	9.33	15.72	25 *
* 8138.68	88	38.9	40.20	9.27	530	.66	19.34	* 1.0260	1.34	1.80	"	8.80	9.34	15.73	29 *
* 8140.87	86	42.9	27.74	9.26	499	.66	19.34	* 1.0262	1.51	1.80	UNDER COMPACTED	10.60	9.33	16.34	18 *
* 8142.78	86	46.1	21.33	9.27	499	.66	19.34	* 1.0264	1.62	1.80	"	9.83	9.33	16.88	18 *
* 8149.37	89	49.6	31.52	9.29	522	.66	19.34	* 1.0271	1.55	1.80	"	10.33	9.36	16.25	18 *
* 8150.68	85	48.8	31.96	9.29	530	.66	19.34	* 1.0272	1.52	1.80	"	10.54	9.36	16.32	18 *
* 8152.51	87	33.9	45.69	9.28	530	.66	19.34	* 1.0274	1.27	1.80	PERMEABLE	8.80	9.35	15.73	33 *
* 8154.57	87	34.7	42.14	9.29	530	.66	19.34	* 1.0276	1.30	1.80	"	8.80	9.36	15.73	32 *
* 8156.98	86	37.2	38.92	9.28	530	.66	19.34	* 1.0278	1.35	1.80	"	8.80	9.35	15.73	29 *
* 8158.58	92	36.9	34.18	9.26	534	.66	19.34	* 1.0280	1.40	1.80	"	8.80	9.33	15.73	25 *
* 8162.81	87	33.6	7.98	9.29	525	.66	19.34	* 1.0284	1.74	1.80	NORMAL	8.80	9.36	15.74	18 *
* 8168.78	85	33.7	27.98	9.27	534	.66	19.34	* 1.0290	1.40	1.80	PERMEABLE	8.80	9.34	15.74	26 *
* 8170.63	87	33.6	34.47	9.25	534	.66	19.34	* 1.0292	1.35	1.80	"	8.80	9.32	15.74	29 *
* 8172.63	89	28.8	16.26	9.23	534	.66	19.34	* 1.0293	1.48	1.80	"	8.80	9.30	15.74	28 *
* 8176.58	87	30.2	33.67	9.22	534	.66	19.34	* 1.0297	1.32	1.80	"	8.80	9.29	15.74	31 *
* 8178.58	87	31.7	69.69	9.23	530	.66	19.34	* 1.0299	1.14	1.80	"	8.80	9.30	15.74	42 *
* 8180.61	89	32.3	92.81	9.23	534	.66	19.34	* 1.0301	1.88	1.80	"	8.80	9.30	15.74	45 *
* 8182.98	87	33.8	21.32	9.21	534	.66	19.34	* 1.0303	1.40	1.80	"	8.80	9.28	15.74	21 *
* 8184.81	87	27.6	48.70	9.22	533	.66	19.34	* 1.0305	1.24	1.80	"	8.80	9.29	15.74	36 *
* 8186.62	89	38.6	47.64	9.22	531	.66	19.34	* 1.0307	1.24	1.80	"	8.80	9.29	15.75	36 *
* 8188.79	87	38.3	57.36	9.28	530	.66	19.35	* 1.0309	1.18	1.80	"	8.80	9.27	15.75	39 *
* 8190.56	89	38.3	55.55	9.19	534	.66	19.35	* 1.0311	1.28	1.80	"	8.80	9.26	15.75	38 *
* 8192.83	87	31.8	24.21	9.20	534	.66	19.35	* 1.0313	1.43	1.80	"	8.80	9.27	15.75	24 *
* 8196.53	88	38.9	24.71	9.19	534	.66	19.35	* 1.0316	1.42	1.80	"	8.80	9.27	15.75	25 *
* 8199.88	87	31.7	53.48	9.19	525	.66	19.35	* 1.0319	1.22	1.80	"	8.80	9.26	15.75	37 *
* 8205.43	89	32.4	148.8	9.19	531	.66	19.35	* 1.0325	.97	1.81	"	8.80	9.27	15.75	52 *
* 8207.84	95	36.8	34.65	9.19	534	.66	19.35	* 1.0327	1.41	1.81	"	8.80	9.27	15.75	26 *
* 8212.53	96	34.2	72.68	9.19	534	.66	19.35	* 1.0332	1.19	1.81	"	8.80	9.26	15.76	39 *
* 8214.77	94	33.9	11.96	9.19	532	.66	19.35	* 1.0334	1.67	1.81	UNDER COMPACTED	9.57	9.26	16.82	18 *
* 8218.71	93	35.4	44.84	9.20	534	.66	19.35	* 1.0338	1.32	1.81	PERMEABLE	8.80	9.27	15.76	31 *
*****															