

\* 23/ 8/82

CAPE SORELL # 10E

* DEPTH	RPM	WOB	ROP	MUD-WGT	FLOW	* POISS	OVERB	* BWCOR	DXCOM	DXEXP		PF	CCD	FRAC	PORES
* METERS		TONS	MM/M	KG/L	L/MM	*	*	*				EQUIVALENT	DENSITY		%
* 10056.82	54	27.0	4.00	9.44	325	* .71	19.66	* 1.0240	1.07	2.09	PERMEABLE	0.00	9.50	16.49	13
* 10062.51	55	37.1	18.46	9.43	325	* .71	19.66	* 1.0997	1.60	2.09	"	0.00	9.50	16.50	29
* 10064.62	54	35.7	18.45	9.42	325	* .71	19.66	* 1.1233	1.57	2.09	"	0.00	9.49	16.50	31
* 10066.72	54	35.3	19.09	9.44	325	* .71	19.66	* 1.1440	1.54	2.09	"	0.00	9.50	16.50	32
* 10068.54	55	37.9	16.66	9.44	329	* .71	19.66	* 1.1622	1.62	2.09	"	0.00	9.51	16.50	28
* 10072.78	54	36.3	12.54	9.44	325	* .71	19.66	* 1.1906	1.67	2.10	"	0.00	9.51	16.50	25
* 10076.54	55	39.6	10.68	9.46	329	* .71	19.66	* 1.2269	1.77	2.10	"	0.00	9.53	16.50	20
* 10078.81	54	39.2	14.43	9.44	325	* .71	19.66	* 1.2426	1.66	2.10	"	0.00	9.50	16.50	26
* 10080.61	52	41.7	14.12	9.44	327	* .71	19.67	* 1.2543	1.69	2.10	"	0.00	9.51	16.50	24
* 10082.73	53	40.8	9.80	9.44	325	* .71	19.67	* 1.2674	1.90	2.10	"	0.00	9.50	16.50	19
* 10084.56	50	41.2	17.52	9.44	325	* .71	19.67	* 1.2781	1.64	2.10	"	0.00	9.51	16.50	27
* 10087.03	55	42.0	15.52	9.44	320	* .71	19.67	* 1.2910	1.67	2.10	"	0.00	9.51	16.51	26
* 10090.67	54	40.4	13.11	9.45	329	* .71	19.67	* 1.3105	1.69	2.10	"	0.00	9.52	16.51	24
* 10092.72	55	41.8	15.87	9.44	325	* .71	19.67	* 1.3203	1.65	2.10	"	0.00	9.50	16.51	26
* 10094.75	53	42.4	11.13	9.44	329	* .71	19.67	* 1.3296	1.76	2.10	"	0.00	9.51	16.51	21
* 10098.73	53	41.2	12.54	9.44	329	* .71	19.67	* 1.3467	1.70	2.10	"	0.00	9.51	16.51	24
* 10102.97	53	45.4	14.00	9.42	332	* .71	19.67	* 1.3633	1.72	2.10	"	0.00	9.49	16.51	23
* 10104.60	53	40.8	9.14	9.46	327	* .71	19.67	* 1.3693	1.79	2.10	"	0.00	9.53	16.51	19
* 10108.61	54	40.2	12.26	9.44	325	* .71	19.67	* 1.3834	1.70	2.10	"	0.00	9.50	16.51	24
* 10110.57	51	41.9	13.15	9.44	325	* .71	19.67	* 1.3898	1.68	2.10	"	0.00	9.51	16.51	25
* 10112.72	53	43.7	9.12	9.45	325	* .71	19.67	* 1.3967	1.83	2.10	"	0.00	9.52	16.52	17
* 10115.25	53	46.2	8.97	9.43	325	* .71	19.67	* 1.4044	1.87	2.10	"	0.00	9.50	16.52	15
* 10126.67	54	44.7	13.67	9.44	325	* .71	19.67	* 1.4352	1.71	2.10	"	0.00	9.50	16.52	24
* 10128.85	54	45.3	14.86	9.43	329	* .71	19.67	* 1.4404	1.69	2.10	"	0.00	9.50	16.52	25
* 10130.75	54	43.6	14.92	9.43	325	* .71	19.67	* 1.4440	1.66	2.11	"	0.00	9.50	16.52	26
* 10132.71	53	43.5	13.67	9.43	325	* .71	19.67	* 1.4492	1.68	2.11	"	0.00	9.50	16.52	25
* 10134.68	54	45.1	16.81	9.41	325	* .71	19.67	* 1.4536	1.65	2.11	"	0.00	9.48	16.52	27
* 10137.05	56	44.8	26.32	9.44	329	* .71	19.67	* 1.4585	1.50	2.11	"	0.00	9.51	16.52	35
* 10138.55	51	42.2	21.54	9.42	325	* .71	19.67	* 1.4616	1.51	2.11	"	0.00	9.49	16.53	34
* 10140.00	55	46.4	11.75	9.44	325	* .71	19.67	* 1.4661	1.70	2.11	"	0.00	9.50	16.53	20
* 10142.57	53	41.9	11.93	9.44	325	* .71	19.68	* 1.4695	1.70	2.11	"	0.00	9.51	16.53	24
* 10144.73	54	44.9	14.39	9.47	325	* .71	19.68	* 1.4736	1.68	2.11	"	0.00	9.53	16.53	25
* 10146.54	55	45.5	4.89	9.47	325	* .71	19.68	* 1.4769	2.06	2.11	NORMAL	0.00	9.54	16.53	2
* 10150.66	55	40.8	40.46	9.52	325	* .71	19.68	* 1.4841	1.29	2.11	PERMEABLE	0.00	9.59	16.53	46
* 10153.43	54	37.6	38.23	9.52	321	* .71	19.68	* 1.4887	1.26	2.11	"	0.00	9.58	16.53	47
* 10154.98	55	37.6	26.60	9.50	325	* .71	19.68	* 1.4912	1.39	2.11	"	0.00	9.56	16.53	41
* 10156.58	54	39.2	12.75	9.50	325	* .71	19.68	* 1.4938	1.63	2.11	"	0.00	9.56	16.53	28
* 10160.53	53	41.1	18.03	9.49	321	* .71	19.68	* 1.4998	1.54	2.11	"	0.00	9.55	16.53	33
* 10162.62	56	43.7	9.86	9.51	329	* .71	19.68	* 1.5029	1.79	2.11	"	0.00	9.58	16.53	20
* 10170.97	52	40.9	25.20	9.50	334	* .71	19.68	* 1.5143	1.42	2.11	"	0.00	9.57	16.54	39
* 10172.76	51	40.7	9.94	9.49	329	* .71	19.68	* 1.5166	1.71	2.11	"	0.00	9.56	16.54	24
* 10174.71	57	45.8	9.40	9.50	334	* .71	19.68	* 1.5191	1.84	2.11	"	0.00	9.58	16.54	17
* 10176.50	53	45.1	6.54	9.49	329	* .71	19.68	* 1.5213	1.93	2.11	UNDER COMPACTED	9.94	9.56	16.87	2
* 10180.64	53	44.3	3.93	9.49	334	* .71	19.68	* 1.5261	2.08	2.11	NORMAL	0.00	9.56	16.54	2
* 10186.65	56	46.7	4.96	9.50	334	* .71	19.68	* 1.5328	2.06	2.11	"	0.00	9.57	16.54	2
* 10192.55	53	46.1	4.01	9.49	334	* .71	19.68	* 1.5389	2.11	2.12	"	0.00	9.56	16.55	2
* 10198.62	65	24.5	16.81	9.55	307	* .71	19.68	* 1.8330	1.45	2.12	PERMEABLE	0.00	9.73	16.55	38
* 10200.62	63	28.4	20.51	9.56	307	* .71	19.68	* 1.8562	1.45	2.12	"	0.00	9.74	16.55	38
* 10202.64	65	27.5	21.93	9.53	307	* .71	19.68	* 1.8779	1.42	2.12	"	0.00	9.71	16.55	39
* 10204.65	62	31.6	7.53	9.53	307	* .71	19.68	* 1.8979	1.70	2.12	"	0.00	9.70	16.55	20