

GEOSERVICES  
ON-LINE TDC

D/EXPONENT RORUN

\* 24/ 0/82

CAPE SORELL # 10E

* DEPTH	RPM	WOB	ROP	HUB-WGT	FLOW	* POISS	OVERD	* BWCOR	DXCOM	DXEXP		PT	ECD	FRAC	POROS
* METERS		TONG	MM/H	KG/L	L/MN	*	*	*				EQUIVALENT	DENSITY		%
* 10612.60	65	33.5	4.72	9.64	325	* .72	19.75	* 1.0016	1.97	2.19	UNDER COMPACTED	10.11	9.93	17.07	10 *
* 10614.59	65	36.0	9.02	9.61	325	* .72	19.75	* 1.0037	1.81	2.19	PERMEABLE	0.00	9.00	16.71	22 *
* 10620.74	65	36.4	15.30	9.61	326	* .72	19.75	* 1.0101	1.67	2.19	"	0.00	9.00	16.71	29 *
* 10622.60	63	40.5	11.93	9.61	325	* .72	19.75	* 1.0120	1.80	2.19	"	0.00	9.00	16.71	22 *
* 10626.50	65	34.3	6.91	9.59	330	* .72	19.75	* 1.0160	1.80	2.19	"	0.00	9.70	16.71	19 *
* 10620.73	63	36.6	6.70	9.50	334	* .72	19.75	* 1.0101	1.93	2.19	UNDER COMPACTED	10.32	9.71	17.13	10 *
* 10630.70	66	40.3	7.33	9.43	330	* .72	19.75	* 1.0201	2.00	2.19	"	9.95	9.63	17.03	10 *
* 10634.70	65	37.7	7.99	9.65	329	* .72	19.75	* 1.0240	1.80	2.19	PERMEABLE	0.00	9.04	16.71	19 *
* 10638.79	65	39.3	9.35	9.67	330	* .72	19.75	* 1.0270	1.85	2.19	"	0.00	9.07	16.72	20 *
* 10640.67	66	39.2	12.60	9.70	326	* .72	19.75	* 1.0296	1.76	2.19	"	0.00	9.09	16.72	25 *
* 10642.60	63	30.5	12.23	9.69	326	* .72	19.75	* 1.0314	1.74	2.19	"	0.00	9.00	16.72	26 *
* 10644.77	63	33.0	10.04	9.71	330	* .72	19.75	* 1.0334	1.71	2.19	"	0.00	9.90	16.72	27 *
* 10646.51	63	40.2	0.01	9.71	326	* .72	19.75	* 1.0350	1.87	2.19	"	0.00	9.90	16.72	19 *
* 10640.56	65	37.3	7.27	9.73	330	* .72	19.75	* 1.0360	1.80	2.19	"	0.00	9.93	16.72	19 *
* 10650.77	69	34.0	6.56	9.71	326	* .72	19.75	* 1.0300	1.89	2.20	"	0.00	9.91	16.72	18 *
* 10652.50	64	37.0	9.01	9.72	330	* .72	19.75	* 1.0404	1.80	2.20	"	0.00	9.92	16.72	23 *
* 10654.59	65	36.4	0.00	9.65	325	* .72	19.76	* 1.0422	1.82	2.20	"	0.00	9.85	16.72	22 *
* 10656.60	65	36.5	9.12	9.60	320	* .72	19.76	* 1.0440	1.82	2.20	"	0.00	9.80	16.72	22 *
* 10650.61	65	30.3	12.67	9.56	330	* .72	19.76	* 1.0457	1.76	2.20	"	0.00	9.76	16.72	25 *
* 10660.59	60	41.4	9.04	9.56	330	* .72	19.76	* 1.0474	1.93	2.20	UNDER COMPACTED	10.40	9.75	17.17	10 *
* 10662.66	66	41.4	0.55	9.56	330	* .72	19.76	* 1.0492	1.94	2.20	"	10.35	9.75	17.15	10 *
* 10660.72	66	30.0	9.76	9.56	330	* .72	19.76	* 1.0542	1.83	2.20	PERMEABLE	0.00	9.76	16.73	21 *
* 10670.63	65	40.5	10.03	9.53	326	* .72	19.76	* 1.0550	1.84	2.20	"	0.00	9.73	16.73	21 *
* 10672.50	65	35.9	0.04	9.55	330	* .72	19.76	* 1.0574	1.85	2.20	"	0.00	9.75	16.73	20 *
* 10674.64	63	37.5	6.09	9.54	330	* .72	19.76	* 1.0591	1.92	2.20	UNDER COMPACTED	10.45	9.74	17.10	10 *
* 10676.07	63	34.9	7.07	9.54	329	* .72	19.76	* 1.0600	1.87	2.20	PERMEABLE	0.00	9.74	16.73	19 *
* 10678.70	64	32.7	11.03	9.56	330	* .72	19.76	* 1.0624	1.70	2.20	"	0.00	9.76	16.73	20 *
* 10680.74	66	35.1	16.63	9.56	330	* .72	19.76	* 1.0641	1.62	2.20	"	0.00	9.76	16.73	32 *
* 10682.79	67	31.1	17.56	9.56	329	* .72	19.76	* 1.0655	1.55	2.20	"	0.00	9.75	16.73	36 *
* 10604.51	65	33.3	7.40	9.56	330	* .72	19.76	* 1.0660	1.83	2.20	"	0.00	9.75	16.73	22 *
* 10606.62	65	34.0	13.57	9.60	330	* .72	19.76	* 1.0605	1.67	2.20	"	0.00	9.00	16.73	30 *
* 10609.03	64	36.3	12.21	9.60	324	* .72	19.76	* 1.0703	1.72	2.20	"	0.00	9.79	16.73	27 *
* 10692.57	60	37.2	3.77	9.60	325	* .72	19.76	* 1.0730	2.11	2.20	NORMAL	0.00	9.79	16.74	10 *
* 10696.60	66	37.0	11.02	9.60	334	* .72	19.76	* 1.0760	1.76	2.20	PERMEABLE	0.00	9.80	16.74	25 *
* 10698.51	63	31.3	12.10	9.60	334	* .72	19.76	* 1.0774	1.63	2.20	"	0.00	9.00	16.74	32 *
* 10701.90	63	33.0	0.03	9.60	330	* .72	19.76	* 1.0799	1.70	2.20	"	0.00	9.00	16.74	24 *
* 10704.00	64	36.6	7.00	9.60	326	* .72	19.76	* 1.0814	1.89	2.20	"	0.00	9.79	16.74	19 *
* 10704.63	64	33.4	7.00	9.60	330	* .72	19.76	* 1.0810	1.83	2.20	"	0.00	9.01	16.74	21 *
* 10706.56	65	36.2	9.46	9.60	334	* .72	19.76	* 1.0832	1.79	2.20	"	0.00	9.00	16.74	24 *
* 10700.66	60	32.4	6.55	9.59	326	* .72	19.76	* 1.0847	1.85	2.21	"	0.00	9.70	16.74	21 *
* 10710.62	65	31.6	5.34	9.56	327	* .72	19.76	* 1.0861	1.89	2.21	"	0.00	9.76	16.74	19 *
* 10712.57	63	33.9	9.46	9.60	329	* .72	19.76	* 1.0874	1.75	2.21	"	0.00	9.00	16.74	26 *
* 10714.56	65	35.5	9.06	9.57	331	* .72	19.76	* 1.0880	1.77	2.21	"	0.00	9.77	16.74	25 *
* 10716.64	60	31.7	7.03	9.60	330	* .72	19.76	* 1.0902	1.81	2.21	"	0.00	9.00	16.74	23 *
* 10720.56	63	32.4	14.60	9.60	325	* .72	19.77	* 1.0929	1.59	2.21	"	0.00	9.79	16.75	34 *
* 10722.61	65	33.0	6.06	9.50	330	* .72	19.77	* 1.0943	1.85	2.21	"	0.00	9.77	16.75	21 *
* 10724.57	64	33.5	9.61	9.59	334	* .72	19.77	* 1.0956	1.74	2.21	"	0.00	9.79	16.75	27 *
* 10726.54	63	36.4	12.42	9.59	330	* .72	19.77	* 1.0969	1.71	2.21	"	0.00	9.70	16.75	20 *
* 10720.57	65	35.4	6.52	9.50	325	* .72	19.77	* 1.0902	1.09	2.21	"	0.00	9.77	16.75	19 *
* 10730.56	63	33.9	6.30	9.61	330	* .72	19.77	* 1.0995	1.06	2.21	"	0.00	9.00	16.75	20 *

\*\*\*\*\*