466325

* DIT # 5   DGJ SMITH   BIT DIAMETER : 26.00 inch   NOZZ 22/22/22

MUD RHEOLOGICAL PARAMETERS : PV = 3 YP = 4 GEL = 1

	TIME	MEASURED	DEPTHS VERTCL	LAGGED	ROP	WOB	RPM	TORQ	PRESS	FLOW IN	PIT VOL	DENSITY IN	OUT	TEMPERATURE IN	OUT	RESISTIVITY IN	OUT	GAS DCS	OVERPRESSURE SURVEY NORM	PF	ECD	FRAC	FEET	TIME	COST
	Hr:mn	feet	feet	feet	ft/h	klbs	rpm	ftlb	psi	gpm	bbls	ppg		degF		ohmm		unit	ppg	ppg	ppg	feet	DHr	$
D *	23:53	1127.4	1126.1	1082.0	424.3	21.7	69	1700	1565	1014	593	8.7	.0	48.5	.0	.19	.00	0	.39	.00	.0	8.8	5.7	407.2	9.64	154
D *	23:54	1130.3	1129.0	1082.0	226.3	28.0	68	1300	1565	1010	589	8.7	.0	48.5	.0	.19	.00	0	.54	.00	.0	8.8	5.7	410.0	9.65	153
D *	23:54	1132.7	1131.6	1082.0	483.0	24.3	69	1600	1570	1014	585	8.7	.0	48.5	.0	.19	.00	0	.37	.00	.0	8.8	5.7	412.7	9.65	152
D *	23:54	1133.8	1132.4	1082.0	228.6	24.5	69	1900	1574	1014	581	8.7	.0	48.5	.0	.19	.00	0	.54	.00	.0	8.8	5.7	413.5	9.66	152
D *	0: 9	1135.3	1134.2	1084.0	22.6	5.3	67	800	1625	1040	697	8.7	.0	48.5	.0	.20	.00	0	.61	.00	.0	8.8	5.7	415.2	9.71	152
D *	0:11	1137.7	1136.1	1087.0	103.8	13.9	80	900	1625	1029	661	8.7	.0	48.5	.0	.19	.00	0	.64	.00	.0	8.8	5.7	417.1	9.73	152
D *	0:11	1139.1	1138.1	1087.0	156.7	12.2	79	1400	1625	1033	647	8.7	.0	48.5	.0	.20	.00	0	.55	.00	.0	8.8	5.7	419.1	9.74	151
D *	0:11	1141.5	1140.0	1087.0	444.1	13.2	76	1100	1625	1033	629	8.7	.0	48.5	.0	.19	.00	0	.37	.00	.0	8.8	5.7	421.0	9.75	150
D *	0:12	1143.3	1142.2	1088.0	123.7	14.8	75	1000	1630	1029	619	8.7	.0	48.5	.0	.20	.00	0	.62	.00	.0	8.8	5.7	423.3	9.75	150
D *	0:12	1145.5	1143.3	1088.0	539.1	10.8	78	1100	1630	1029	611	8.7	.0	48.5	.0	.19	.00	0	.32	.00	.0	8.8	5.7	424.3	9.76	149
D *	0:12	1148.4	1144.8	1088.0	426.0	10.3	78	1100	1630	1029	601	8.7	.0	48.5	.0	.20	.00	0	.36	.00	.0	8.8	5.7	425.9	9.76	149
D *	0:13	1150.0	1147.5	1088.0	685.0	11.3	79	1000	1630	1029	597	8.7	.0	48.5	.0	.20	.00	0	.27	.00	.0	8.8	5.7	428.5	9.76	148
D *	0:13	1153.5	1149.2	1088.0	459.4	7.2	78	900	1635	1029	593	8.7	.0	48.5	.0	.20	.00	0	.35	.00	.0	8.8	5.7	430.2	9.77	147
D *	0:13	1155.1	1153.3	1088.0	359.2	7.0	77	1000	1635	1029	587	8.7	.0	48.6	.0	.20	.00	0	.36	.00	.0	8.8	5.7	434.4	9.77	146
D *	0:14	1157.8	1156.4	1088.0	392.0	2.5	86	700	1635	1035	577	8.7	.0	48.6	.0	.20	.00	0	.29	.00	.0	8.8	5.7	437.5	9.78	145
D *	0:14	1159.6	1158.6	1088.0	844.0	5.6	85	700	1639	1034	568	8.7	.0	48.5	.0	.20	.00	0	.22	.00	.0	8.8	5.7	439.6	9.78	144
D *	0:14	1161.6	1160.5	1089.0	377.5	5.1	84	800	1644	1029	562	8.7	.0	48.5	.0	.20	.00	0	.35	.00	.0	8.8	5.7	441.6	9.79	144
D *	0:14	1163.1	1162.1	1089.0	424.8	7.5	0	0	1662	1034	560	8.7	.0	48.5	.0	.20	.00	0	.33	.00	.0	8.8	5.7	443.1	9.79	143
D *	0:27	1168.0	1164.1	1104.0	18.3	-.1	74	1200	1621	1029	530	8.7	.0	48.5	.0	.20	.00	0	.10	.00	.0	8.8	5.8	448.0	9.91	143
D *	0:27	1171.1	1166.9	1104.0	1466.	4.2	65	1300	1616	1029	524	8.7	.0	48.4	.0	.20	.00	0	.10	.00	.0	8.8	5.8	448.0	9.91	143
D *	0:28	1174.5	1173.4	1104.0	594.6	2.7	70	800	1621	1029	520	8.7	.0	48.5	.0	.20	.00	0	.18	.00	.0	8.8	5.8	454.5	9.92	141
D *	0:28	1175.3	1174.1	1104.0	96.6	4.4	67	800	1625	1024	520	8.7	.0	48.5	.0	.20	.00	0	.53	.00	.0	8.8	5.8	455.2	9.92	140
D *	0:29	1178.2	1176.3	1104.0	397.8	1.6	61	1100	1616	1025	518	8.7	.0	48.4	.0	.20	.00	0	.25	.00	.0	8.8	5.8	457.4	9.93	140
D *	0:29	1180.5	1179.4	1104.0	615.0	1.6	78	900	1621	1029	518	8.7	.0	48.5	.0	.20	.00	0	.20	.00	.0	8.8	5.8	460.5	9.94	139
D *	0:29	1181.8	1179.4	1104.0	615.0	1.1	78	1000	1616	1029	518	8.7	.0	48.4	.0	.20	.00	0	.20	.00	.0	8.8	5.8	460.5	9.94	139
D *	0:29	1183.6	1182.5	1104.0	708.9	5.1	79	900	1621	1027	516	8.7	.0	48.4	.0	.20	.00	0	.23	.00	.0	8.8	5.8	463.6	9.95	138
D *	0:30	1185.1	1183.6	1104.0	289.0	10.1	76	900	1616	1034	520	8.7	.0	48.4	.0	.20	.00	0	.40	.00	.0	8.8	5.8	464.7	9.95	138
D *	0:30	1187.5	1185.7	1104.0	710.0	4.6	77	900	1621	1034	522	8.7	.0	48.3	.0	.21	.00	0	.22	.00	.0	8.8	5.8	466.8	9.95	137
D *	0:30	1190.2	1189.2	1104.0	1125.	7.5	78	900	1621	1025	522	8.7	.0	48.4	.0	.20	.00	0	.16	.00	.0	8.8	5.8	470.2	9.96	136
D *	0:31	1192.7	1191.5	1104.0	621.3	7.9	77	1000	1616	1025	524	8.7	.0	48.4	.0	.20	.00	0	.26	.00	.0	8.8	5.8	472.5	9.96	136
D *	0:31	1193.3	1192.1	1104.0	354.1	4.2	61	300	1625	1025	528	8.7	.0	48.4	.0	.21	.00	0	.33	.00	.0	8.8	5.8	473.2	9.97	135
D *	0:44	1196.2	1195.0	1128.0	23.7	-.8	68	700	1616	1029	556	8.7	.0	48.3	.0	.19	.00	0	.40	.00	.0	8.8	5.8	476.0	10.05	135
D *	0:44	1198.2	1196.5	1128.0	415.6	-.8	78	700	1621	1029	560	8.7	.0	48.3	.0	.19	.00	0	.00	.00	.0	8.8	5.8	477.6	10.05	135
D *	0:44	1199.4	1198.2	1133.0	543.5	-.1	79	700	1621	1029	560	8.7	.0	48.3	.0	.19	.00	0	.00	.00	.0	8.8	5.8	479.3	10.05	134
D *	0:44	1201.0	1199.3	1133.0	583.4	-1.0	77	700	1621	1029	558	8.7	.0	48.3	.0	.19	.00	0	.18	.00	.0	8.8	5.8	480.3	10.06	134
D *	0:45	1203.6	1202.2	1133.0	695.2	.6	77	600	1621	1029	558	8.7	.0	48.3	.0	.20	.00	0	.17	.00	.0	8.8	5.8	483.3	10.06	133
D *	0:45	1206.1	1204.7	1133.0	846.9	.6	79	1000	1621	1029	558	8.7	.0	48.3	.0	.20	.00	0	.15	.00	.0	8.8	5.8	485.8	10.07	133
D *	0:45	1207.1	1205.3	1133.0	300.9	.9	74	700	1621	1025	560	8.7	.0	48.3	.0	.20	.00	0	-.00	.00	.0	8.8	5.8	486.4	10.07	132
D *	0:45	1209.5	1208.3	1134.0	600.1	5.3	71	900	1621	1025	562	8.7	.0	48.3	.0	.20	.00	0	.24	.00	.0	8.8	5.8	489.4	10.07	132
D *	0:46	1211.4	1210.3	1134.0	191.6	3.2	76	500	1630	1026	570	8.7	.0	48.3	.0	.20	.00	0	.40	.00	.0	8.8	5.8	491.4	10.08	131
D *	0:46	1214.2	1212.7	1134.0	721.9	3.0	82	700	1621	1029	572	8.7	.0	48.3	.0	.20	.00	0	.27	.00	.0	8.8	5.8	494.2	10.09	131
D *	0:46	1216.4	1214.5	1134.0	692.2	1.1	77	900	1616	1025	574	8.7	.0	48.3	.0	.20	.00	0	.20	.00	.0	8.8	5.8	496.5	10.09	130
D *	0:47	1217.1	1215.5	1134.0	500.2	.6	78	700	1621	1025	574	8.7	.0	48.3	.0	.19	.00	0	.20	.00	.0	8.8	5.8	496.5	10.09	130
D *	0:47	1219.4	1218.4	1134.0	191.1	4.6	75	700	1625	1025	579	8.7	.0	48.3	.0	.20	.00	0	.43	.00	.0	8.8	5.8	499.4	10.10	129
D *	0:48	1221.9	1220.1	1134.0	74.2	6.1	74	600	1630	1025	587	8.7	.0	48.3	.0	.20	.00	0	.60	.00	.0	8.8	5.9	501.2	10.12	129
D *	1: 3	1225.1	1223.6	1155.0	717.6	1.0	73	1300	1630	1015	560	8.7	.0	48.3	.0	.20	.00	0	.17	.00	.0	8.8	5.9	504.7	10.18	129
D *	1: 3	1227.4	1226.3	1155.0	749.1	.7	69	900	1635	1014	558	8.7	.0	48.3	.0	.20	.00	0	.15	.00	.0	8.8	5.9	507.4	10.18	128
D *	1: 3	1229.9	1228.0	1155.0	434.4	1.7	77	800	1639	1029	558	8.7	.0	48.3	.0	.17	.00	0	.20	.00	.0	8.8	5.9	509.1	10.18	127
D *	1: 3	1231.3	1229.2	1155.0	331.7	1.4	76	800	1639	1029	556	8.7	.0	48.3	.0	.19	.00	0	.29	.00	.0	8.8	5.9	510.3	10.18	127