

REFERENCES:

- BANKS, M. R., 1962. Cainozoic vulcanism - in the Geology of Tasmania, J. Geol. Soc. Aust., 9 (2); 239-241.
- BOWLER, J. M., 1963. Tertiary stratigraphy and sedimentation in the Geelong-Maude area, Victoria. Proc. Roy. Soc. Vict., 76 (1 & 2) 239-241.
- CARTER, A. N., 1958. Tertiary foraminifera from the Aire District, Victoria. Bull. Geol. Surv. Vict., 55.
- CARTER, A. N., 1964. Tertiary foraminifera from Gippsland, Victoria, and their stratigraphic significance. Geol. Surv. Vict. Mem. 23.
- HORNIBROOK, N. deB., 1961. Tertiary foraminifera from the Oamaru District (N. Z.) - Part I - Systematics and distribution. N. Z. Geol. Surv., Paleont. Bull. 34 (1).
- JENKIN, J. J., 1962. The geology and hydrology of the Westernport Area. Geol. Surv. Vict., Underground Water Invest., Rep. 5.
- JENKINS, D. G., 1960. Planktonic foraminifera from the Lakes Entrance Oil Shaft, Victoria, Australia. Micropaleontology, 6 (4); 345-371.
- QUILTY, P. G., 1965 - Correlation of Tasmanian Tertiary marine deposits - in symposium on Geology of Bass Strait. 38th Congress (Hobart), A. N. Z. A. A. S., Section C, ABSTRACTS.
- RAGGATT, H. G., & CRESPIAN, Irene, 1955. Stratigraphy of the Tertiary rocks between Torquay and Eastern View, Victoria. Proc. Roy. Soc. Vict., 67; 75-142
- TAYLOR, D. J., 1964. Foraminifera and the stratigraphy of the western Victorian Cretaceous sediments. Proc. Roy. Soc. Vict., 77 (2): 535-603.
- TAYLOR, D. J., 1965a. The mid-Tertiary foraminiferal sequence, ESSO Gippsland Shelf No. 1 Well. Geol. Surv. Vict., unpubl. rep. 16/1965 and as Appendix 1 in well completion report (Sept. 1965)
- TAYLOR, D. J., 1965b. Preservation, composition and significance of Victorian Lower Tertiary "Cyclammina faunas". Proc. Roy. Soc. Vict., 78 (2): 143-160.
- WADE, Mary, 1964. Application of the lineage concept to biostratigraphic zoning based on planktonic foraminifera. Micropaleontology, 10 (3): 273-290.