

DEPTH	DIP				TOOL POSITION	
	ANGLE	AZIMUTH	BEARING		ANGLE	AZIMUTH
5911.0	24	137	S 43 E	2	1.0	11
5918.0	5	221	S 41 W	3	1.0	351
5926.0	33	221	S 41 W	2	1.2	356
5943.0	5	155	S 25 E	2	1.0	356
5944.0	10	115	S 65 E	2	1.0	1
5952.0	1	200	S 20 W	2	0.8	20
5959.0	1	151	S 29 F	3	1.0	331
5992.0	1	220	S 40 W	2	1.0	40
6000.0				0	0.5	350
6002.0	16	151	S 29 E	2	0.5	331
6003.0	10	175	S 5 F	2	0.5	321
6020.0	62	163	S 17 F	3	1.7	341
6026.0	37	249	S 69 W	3	1.5	10
6028.0	41	179	S 1 E	3	1.2	25
6058.0	51	121	S 59 F	3	1.5	340
6076.0	15	178	S 2 E	2	0.7	301
6078.0	11	207	S 27 W	2	0.8	291
6089.0	2	175	S 5 E	3	1.5	355
6092.0	1	190	S 10 W	2	1.2	10
6094.0	1	190	S 10 W	2	1.2	10
6096.0	1	205	S 25 W	2	0.8	25
6100.0				0	0.8	35
6129.0	21	258	S 78 W	3	0.5	330
6142.0	5	211	S 31 W	3	1.2	350
6164.0	1	170	S 10 E	3	0.8	350

DEPTH	DIP				TOOL POSITION	
	ANGLE	AZIMUTH	BEARING		ANGLE	AZIMUTH
6172.0	1	150	S 30 E	3	1.3	330
6181.0	20	26	N 26 E	2	0.5	315
6192.0	39	27	N 27 E	3	1.5	350
6200.0	38	33	N 33 F	3	1.0	25
6210.0	14	356	N 4 W	3	0.5	350
6214.0	22	255	S 75 W	3	0.5	5
6246.0	6	245	S 65 W	3	0.8	345
6254.0	16	233	S 53 W	3	0.8	355
6270.0	6	1	N 1 E	3	0.8	355
6274.0	6	270	WEST	2	0.7	0
6277.0	23	321	N 39 W	2	0.7	10
6278.5	7	237	S 57 W	2	0.7	15
6294.0	9	207	S 27 W	2	0.5	5
6296.0	5	214	S 34 W	3	0.5	345
6300.0				0	0.5	345
6306.0	42	3	N 3 F	3	0.7	340
6316.0	1	156	S 24 E	2	0.8	336
6325.0	17	105	S 75 E	3	0.7	350
6328.0	10	236	S 56 W	2	0.8	345
6330.0	14	252	S 72 W	2	0.8	350
6334.0	5	303	N 57 W	3	1.0	350
6336.0	20	58	N 58 E	3	1.0	355
6338.0	9	134	S 46 E	2	0.8	355
6346.0	3	268	S 88 W	2	0.7	345
6351.0	6	141	S 39 E	2	0.8	350