

WELL NAME PIPIPA 1	FORMATION EVCM							DRILLING FLUIDS					CUTTINGS			
	F/M	L/D	T	R	VP	HW	SOURCE	HOT WIRE		CHROMATOGRAPHIC ANALYSIS (PPM)					TOTAL GAS	TOTAL METHANE
								TOTAL	BACKGROUND	C1	C2	C3	C4	C5		
1990 - 2060	M	D	0	7	1	4	ML	12	5	1500	1400	1300	600	180		
6529 - 6759	F													+75 C6		

LITHOLOGICAL DESCRIPTION: Intbd sst siltst & shale, minor coal. SST: dirty white, med to occ coarse grained, sub-ang, well std, firm to unconsolidated, silty. The amount of fluor ranged from 0-40%, Av 10-15%?

DESCRIPTION OF FLUORESCENCE: No fluorescence

Percent sample with fluorescence	trace	10	20	30	40	50	60	70	80	>90
Fluorescence appearance	trace		spotted			streaked		patchy		solid
Brightness of fluorescence	v.dull		dull		dim			bright	v.bright	glowing
Colour of fluorescence	blue-white		white		green	yellow		gold (orange)		brown
Type of cut	trace	v.slow crush cut	crush cut	instant crush cut	v.slow streaming cut	slow stream	moderate streaming	streaming	fast streaming	instant
Colour of Cut	colourless	white	pale yellow	yellow	dark yellow	light orange	orange	dark brown		very dark brown opaque
Residue on spot plate	trace	heavy trace	v.thin ring	thin ring	thick ring	v.thick ring	thin film	thin film	thick film	solid

HYDROCARBON RECOVERY (FIT, DST RESULTS):