Tap Oil T/47 3D PSTM

De-signature and resample test
Cable depth 8m
Sail line 1198P1049

Summary

- Reformat

- Navigation merge

- Low cut filter 3Hz 18dB/Oct

- De-signature and resample to 4ms test – cable depth 8m

- Display: Shots, NTG and amplitude spectrum of sailline 1198P1049

NTG: Without de-signature

Tango:vegas:spr224ws:s563tap:1198 ntg nodes.1

CHANNEL 1   /   SHOT.UNIQUE.ID

NTG: With de-signature

CHANNEL 1   / SHOT.UNIQUE.ID

NTG: With de-signature and AA filter

Tango:vegas:spr224ws:s563tap:1198 ntg aafil.1

NTG: With de-signature, AA filter and resample to 4ms

Tango:vegas:spr224ws:s563tap:1198 ntg res4ms.1

CHANNEL 1 / SHOT.UNIQUE.ID

# NTG: Amplitude Spectrum

Without desig
With desig
With desig and AA filter
With desig, AA and resample

Shot: Without de-signature

Tango:vegas:spr224ws:s563tap:1198s6 lc318.1

SHOT: With de-signature

Tango:vegas:spr224ws:s563tap:1198 sht 8mtst6s.1

Shot: With de-signature and AA filter

Tango:vegas:spr224ws:s563tap:1198 sht aafil.1

NTG: With de-signature, AA filter and resample to 4ms

Tango:vegas:spr224ws:s563tap:1198 sht res4ms.1

Shot: Amplitude Spectrum