COMPANY: Golden Triangle NL
PROJECT: Main Creek
HOLE NUMBER: MC 44

Description			Core Recovery			RQD			Assays							
From	To		From	To	%	From	To	%	From	To	MgO	CaO	SiO_2	Fe_2O_3		
		83.0-93.0 m: white magnesite extensively replaced by crystalline magnesite and dolomite; 1% fine grained pyrite disseminated throughout and ocassional 10-20 mm.bands semi-massive pyrite as coarse aggregates; gradational to				107.8	116.8	100	87.0	88.0	42.06	5.44	0.70	1.02		
						116.8	121.3	95	88.0	89.0	39.26	8.69	0.93	1.09		
						121.3	125.8	95	89.0	90.0	35.42	10.68	1.66	3.40		
						125.8	134.5	100	90.0	91.0	41.96	5.91	1.03	0.63		
		93.0-108.0 m: similar to unit above but less dolomitic and generally more veins and large masses coarse crystalline magnesite, and less pyrite, occuring as fine disseminated grains; grades into.....							91.0	92.0	44.02	4.22	0.30	0.49		
									92.0	93.0	43.65	4.80	0.28	0.47		
									93.0	94.0	45.06	2.87	<0.05	0.40		
									94.0	95.0	45.44	2.90	0.10	0.36		
									95.0	96.0	45.01	3.06	0.30	0.39		
		108.0-131.0 m: similar to unit above but more replacement by light gray dolomitic (?) crystalline magnesite; large veins coarse crystalline magnesite; 1% disseminated pyrite; 125.2 m: 100 mm. soft talcose schist band;							96.0	97.0	45.16	2.68	0.40	0.39		
									97.0	98.0	44.36	3.64	0.39	0.42		
									98.0	99.0	45.05	2.46	0.52	0.54		
									99.0	100.0	44.90	3.09	0.20	0.56		
									100.0	101.0	45.28	2.66	<0.05	0.52		
									101.0	102.0	45.28	2.31	<0.05	0.65		
									102.0	103.0	46.02	1.47	<0.05	0.51		
		131.0-134.5 m: mottled darker gray more dolomitic carbonate; rare pyrite;							103.0	104.0	45.96	1.90	0.13	0.49		
									104.0	105.0	45.89	1.70	<0.05	0.57		
									105.0	106.0	45.68	1.94	0.34	0.79		
		overall ground conditions excellent; most breaks are driller breaks; wide spaced jointing 30-60 CA;							106.0	107.0	45.64	1.89	0.38	0.69		
									107.0	108.0	45.85	1.77	0.30	0.45		
									108.0	109.0	44.27	3.17	0.76	0.50		
									109.0	110.0	42.89	5.25	<0.05	0.79		
134.5	147.4	**FOOTWALL SCHISTS:** dark gray schists with major calcareous component as white partings parallel to schistosity and as irregular veins and patches; minor non-calcareous talcose beds; ocassional 10-20 mm quartz and quartz-carbonate veins; light gray magnesite units 143.5-145.0 m. and 146.7-147.2 m; 2-5% pyrite, more abundant in narrow seams; SCA 50; magnesite and calcareous schists units generally competent but overall schist substantially broken, especially along graphitic schistosity surfaces;							110.0	111.0	44.78	3.21	<0.05	0.59		
			134.5	147.4	100	134.5	139.5	75	111.0	112.0	44.78	3.13	0.11	0.64		
						139.5	143.7	70	112.0	113.0	44.89	2.87	0.75	0.65		
						143.7	147.4	75	113.0	114.0	45.10	2.17	0.32	0.87		
									114.0	115.0	43.56	3.52	0.26	1.56		
									115.0	116.0	32.17	16.60	1.43	1.44		
									116.0	117.0	44.18	3.24	0.61	0.84		
									117.0	118.0	44.77	2.91	0.18	0.62		
									118.0	119.0	45.20	2.68	<0.05	0.47		
									119.0	120.0	45.61	2.18	<0.05	0.52		
									120.0	121.0	45.15	1.68	0.88	0.46		
									121.0	122.0	44.56	2.73	1.14	0.48		
									122.0	123.0	45.11	1.80	1.29	0.54		
									123.0	124.0	45.19	2.59	0.48	0.55		
		END OF HOLE							124.0	125.0	45.09	2.28	0.53	0.65		
									125.0	126.0	44.43	2.12	1.86	0.92		
									126.0	127.0	45.21	2.26	0.25	0.67		