

COMPANY: Golden Triangle NL
 PROJECT: Main Creek
 HOLE NUMBER: MC 48A

Page No: 3

Description		Core Recovery			RQD			Assays									
From	To		From	To	%	From	To	%	From	To	MgO	CaO	SiO ₂	Fe ₂ O ₃			
108.0 continued.....	118.7	siliceous and dolomitic crystalline magnesite; white coarse crystalline magnesite as irregular masses and veins up to 50 mm.; pervasive fine grained disseminated pyrite associated with alteration, always <1% but more common in some intervals; principal joint set 45 CA with others at 10, 30 and 55; ground conditions generally good but some broken zones where jointing more concentrated; grades into unit below....							108.0	109.0	25.11	12.11	23.56	1.43			
									109.0	110.0	41.65	2.82	4.34	2.09			
									110.0	111.0	43.81	2.16	0.52	2.60			
									111.0	112.0	41.04	4.42	1.14	2.86			
									112.0	113.0	41.82	2.02	3.69	3.22			
									113.0	114.0	40.98	3.63	3.80	2.74			
									114.0	115.0	41.28	3.09	3.27	3.19			
									115.0	116.0	41.00	4.92	1.63	2.92			
									116.0	117.0	40.45	5.38	1.79	2.45			
									117.0	118.0	40.53	2.37	5.27	3.67			
118.7	121.1	DOLOMITE: dark gray well bedded dolomite, stylolitic and cut by occasional white 1-10 mm quartz-carbonate and carbonate veins; 1-2% pyrite concentrated along stylolite surfaces; BCA 45; core competent; principal joint set 30 CA; most fractures parallel to bedding; grades into unit below....	118.7	121.1	100	118.9	123.7	100									
121.1	127.0	DOLOMITIC MAGNESITE: mottled mixture of light gray-white relict magnesite set in gray groundmass of dolomite, talc and quartz in upper section of interval, and quartz and crystalline magnesite in lower section; irregular masses of coarse crystalline magnesite near base; some quartz veining at 124 m; rare fine grained disseminated pyrite; ground conditions excellent; grades into unit below;	121.1	127.0	100	123.7	128.3	95									
127.0	162.5	MAGNESITE, siliceous, talcose, dolomitic, minor schist bands: white-light gray magnesite, extensively and variably replaced by silica, talc, dolomite and substantial pyrite in places; narrow schist bands in upper half; 127.0-130.0 m: remnant masses white-light gray magnesite set in groundmass of light	127.0	162.5	100	128.3	133.0	90	127.0	128.0	39.60	1.81	10.80	1.63			
									133.0	137.7	95	128.0	129.0	37.90	2.42	13.29	1.83
									137.7	162.5	108	129.0	130.0	38.57	1.83	13.99	1.74
									130.0	131.0	35.64	2.99	17.14	1.72			
									131.0	132.0	38.24	4.04	11.11	1.64			
									132.0	132.6	sample not reported						