

COMPANY: Golden Triangle NL
 PROJECT: Main Creek
 HOLE NUMBER: MC 53

Page No: 2

| Description | | Core Recovery | | | RQD | | | Assays | | | | | | | | | |
|----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|-----|-------|-------|--------|------|------|-------|-------|------------------|--------------------------------|------|--|--|
| From | To | | From | To | % | From | To | % | From | To | MgO | CaO | SiO ₂ | Fe ₂ O ₃ | | | |
| 20.4 | 118.0 | patches; ground conditions generally excellent; grades into..... 60.5-78.5 m: light gray magnesite, extensively brecciated and then replaced by gray crystalline magnesite; 1-5 mm. veins of coarse crystalline magnesite common; disseminated pyrite associated with replacement rims but generally <0.5%; 74.2-75.2 m: contorted schistose material intermixed with white magnesite; ground conditions good except for several broken sections where joints 15 CA intersect principal joint direction 60 CA; grades into..... 78.5-87.5 m: white magnesite fractured and replaced by gray crystalline magnesite, but not as extensively as unit above; very minor pyrite associated with replacement; ground conditions good except where low angled jointing 30 CA intersects joint set 60 CA; 83-86 m.: some hairline "crackle" fracturing; grades into..... 87.5-91.0 m: more abundant gray material replacing magnesite (?silica); significant quartz as large patches associated with magnesite alteration; wide spaced jointing 30-40 CA; ground conditions good; 91.0-107.1 m: white magnesite almost totally replaced by white crystalline carbonate leaving only vague remnants of primary magnesite; seggregations, blebs large patches and narrow veins gray and white quartz commonly associated with replacement; amount of quartz increases towards base of unit; no talc or pyrite observed; ground conditions excellent; 107.1 m: 200 mm dark gray talcose schist; | | | | 113.0 | 118.0 | 90 | 40.0 | 41.0 | 43.32 | 1.70 | 0.22 | 3.71 | | | |
| continued..... | | | | | | | | | | 41.0 | 42.0 | 42.56 | 2.31 | 0.23 | 4.23 | | |
| | | | | | | | | | | 42.0 | 43.0 | 43.44 | 1.20 | 0.23 | 4.40 | | |
| | | | | | | | | | | 43.0 | 44.0 | 43.81 | 0.87 | 0.51 | 3.98 | | |
| | | | | | | | | | | 44.0 | 45.0 | 43.23 | 1.19 | 0.67 | 4.50 | | |
| | | | | | | | | | | 45.0 | 46.0 | 43.21 | 0.60 | 0.47 | 4.96 | | |
| | | | | | | | | | | 46.0 | 47.0 | 42.13 | 1.02 | 0.85 | 5.65 | | |
| | | | | | | | | | | 47.0 | 48.0 | 41.80 | 1.89 | 1.59 | 5.20 | | |
| | | | | | | | | | | 48.0 | 49.0 | 41.98 | 3.16 | 0.61 | 3.73 | | |
| | | | | | | | | | | 49.0 | 50.0 | 43.04 | 1.97 | 0.40 | 3.52 | | |
| | | | | | | | | | | 50.0 | 51.0 | 43.13 | 1.81 | 0.49 | 3.59 | | |
| | | | | | | | | | | 51.0 | 52.0 | 40.61 | 2.38 | 6.43 | 3.65 | | |
| | | | | | | | | | | 52.0 | 53.0 | 33.36 | 3.08 | 23.14 | 2.72 | | |
| | | | | | | | | | | 53.0 | 54.0 | 35.16 | 10.00 | 3.26 | 3.45 | | |
| | | | | | | | | | | 54.0 | 55.0 | 21.53 | 26.51 | 3.98 | 2.12 | | |
| | | | | | | | | | | 55.0 | 56.0 | 22.73 | 26.03 | 1.28 | 2.79 | | |
| | | | | | | | | | | 56.0 | 57.0 | 30.94 | 11.97 | 9.48 | 3.43 | | |
| | | | | | | | | | | 57.0 | 58.0 | 24.12 | 19.73 | 11.94 | 2.32 | | |
| | | | | | | | | | | 58.0 | 59.0 | 26.59 | 20.25 | 3.75 | 3.10 | | |
| | | | | | | | | | | 59.0 | 60.0 | 29.11 | 17.68 | 3.91 | 3.01 | | |
| | | | | | | | | | | 60.0 | 61.0 | 31.52 | 4.85 | 19.84 | 3.60 | | |
| | | | | | | | | | | 61.0 | 62.0 | 41.73 | 1.44 | 1.89 | 5.18 | | |
| | | | | | | | | | | 62.0 | 63.0 | 41.11 | 3.21 | 1.66 | 4.36 | | |
| | | | | | | | | | | 63.0 | 64.0 | 40.04 | 4.11 | 2.04 | 4.43 | | |
| | | | | | | | | | | 64.0 | 65.0 | 41.42 | 1.28 | 2.90 | 5.03 | | |
| | | | | | | | | | 65.0 | 66.0 | 43.26 | 0.78 | 0.31 | 5.06 | | | |
| | | | | | | | | | 66.0 | 67.0 | 41.96 | 0.79 | <0.05 | 7.13 | | | |
| | | | | | | | | | 67.0 | 68.0 | 40.77 | 2.07 | <0.05 | 6.97 | | | |
| | | | | | | | | | 68.0 | 69.0 | 41.35 | 1.59 | 0.31 | 6.94 | | | |
| | | | | | | | | | 69.0 | 70.0 | 41.42 | 0.95 | <0.05 | 7.18 | | | |
| | | | | | | | | | 70.0 | 71.0 | 41.23 | 1.03 | <0.05 | 7.30 | | | |
| | | | | | | | | | 71.0 | 72.0 | 41.64 | 0.90 | <0.05 | 6.95 | | | |
| | | | | | | | | | 72.0 | 73.0 | 41.42 | 1.17 | <0.05 | 7.08 | | | |
| | | | | | | | | | 73.0 | 74.0 | 41.51 | 0.80 | <0.05 | 7.15 | | | |
| | | | | | | | | | 74.0 | 75.0 | 33.81 | 3.60 | 9.33 | 4.17 | | | |
| | | | | | | | | | 75.0 | 76.0 | 40.25 | 0.96 | 3.41 | 3.60 | | | |
| | | | | | | | | | 76.0 | 77.0 | 40.20 | 1.55 | 6.27 | 4.71 | | | |
| | | | | | | | | | 77.0 | 78.0 | 41.27 | 2.47 | 1.45 | 5.32 | | | |
| | | | | | | | | | 78.0 | 79.0 | 41.59 | 2.25 | 0.92 | 5.08 | | | |
| | | | | | | | | | 79.0 | 80.0 | 41.96 | 2.33 | 0.71 | 4.43 | | | |