

COMPANY: Golden Triangle NL
 PROJECT: Main Creek
 HOLE NUMBER: MC 58

Page No: 2

Description		Core Recovery			RQD			Assays							
From	To	From	To	%	From	To	%	From	To	MgO	CaO	SiO ₂	Fe ₂ O ₃		
55.1	67.0														
continued.....		number of broken zones are caused by intersecting joint sets at 45° and 60° CA;													
67.0	69.9	67.0	69.9	100	65.3	69.8	75								
		SCHIST: dark gray calcareous schist with abundant white carbonate spotting and streaks parallel to schistosity; 1-5 mm white carbonate veining common; SCA 50°; core moderately competent with most fractures parallel to schistosity or along veins;													
69.9	98.0	69.9	83.9	100	69.8	74.0	60	69.9	71.0	42.08	3.65	1.29	2.66		
		83.9	85.5	85	74.0	78.7	70	71.0	72.0	42.41	2.73	2.75	2.16		
		85.5	98.0	100	78.7	83.1	65	72.0	73.0	41.25	2.61	4.59	1.95		
					83.1	88.2	65	73.0	74.0	42.18	2.29	4.67	1.86		
					88.2	92.0	10	74.0	75.0	43.16	2.74	0.93	2.13		
					92.0	96.5	70	75.0	76.0	42.57	2.56	3.43	1.83		
								76.0	77.0	42.50	2.95	2.23	2.02		
								77.0	78.0	42.96	2.57	2.10	2.00		
								78.0	79.0	43.89	2.19	1.38	1.91		
								79.0	80.0	43.79	2.08	0.57	1.93		
								80.0	81.0	44.14	2.22	0.28	1.98		
								81.0	82.0	42.92	2.48	2.24	1.90		
								82.0	83.0	43.04	2.83	1.99	1.76		
								83.0	84.0	42.60	3.48	0.91	2.03		
								84.0	85.0	43.79	2.49	0.53	2.09		
								85.0	86.0	42.00	2.14	5.54	1.90		
								86.0	87.0	41.45	2.36	5.85	2.08		
								87.0	88.0	43.95	2.19	1.04	2.08		
								88.0	89.0	43.32	2.07	1.89	2.01		
								89.0	90.0	43.92	2.22	1.06	2.01		
								90.0	91.0	43.67	2.81	0.51	2.09		
								91.0	92.0	41.41	2.74	4.61	2.38		
98.0	104.0	98.0	104.0	100	96.5	100.3	55								
					100.3	104.7	90								
		INTERBEDDED SCHIST-DOLOMITE-MAGNESITE: 98.0-100.0 m: dark gray-brown highly fissile soft talcose schist; irregular masses of quartz													