

COMPANY: Golden Triangle NL
 PROJECT: Main Creek
 HOLE NUMBER: MC 58

Description		Core Recovery			RQD			Assays							
From	To	From	To	%	From	To	%	From	To	MgO	CaO	SiO ₂	Fe ₂ O ₃		
98.0 continued.....	104.0	in basal 200 mm; 1-2% pyrite; SCA 20; core very broken; 100.0-100.3 m: quartz-carbonate vein containing large fragments of brown schist; very broken; possible fault zone (?); 100.3-103.1 m: white-gray magnesite extensively replaced by dark gray dolomite; 1-2%pyrite associated with dolomite; ground conditions good; 103.1-103.5 m: highly fissile light brown schist cut by hairline carbonate veins; SCA 40°; very broken; 103.5-104.0 m: white magnesite extensively fractured and replaced by gray dolomite; grades into.....													
104.0	149.8	104.0	149.8	100	104.7	109.3	95	104.0	105.0	41.12	4.71	1.39	2.35		
					109.3	113.9	85	105.0	106.0	41.06	4.50	0.87	2.41		
					113.9	117.9	35	106.0	107.0	40.96	4.37	2.65	2.53		
					117.9	122.4	90	107.0	108.0	41.54	4.98	0.68	2.21		
					122.4	127.0	65	108.0	109.0	42.60	4.05	0.35	2.11		
					127.0	131.3	75	109.0	110.0	43.23	3.14	0.97	1.88		
					131.3	135.8	90	110.0	111.0	43.95	2.46	0.54	1.96		
					135.8	140.3	95	111.0	112.0	41.47	5.71	0.37	1.85		
					140.3	144.9	90	112.0	113.0	44.39	2.19	0.15	1.88		
					144.9	149.1	90	113.0	114.0	44.70	2.16	<0.05	1.81		
								114.0	115.0	42.63	3.53	1.46	1.80		
								115.0	116.0	42.14	4.63	0.64	2.05		
								116.0	117.0	42.29	4.47	0.36	1.90		
								117.0	118.0	42.62	4.31	0.56	1.84		
								118.0	119.0	43.41	2.91	0.88	1.69		
								119.0	120.0	43.39	3.56	<0.05	1.81		
								120.0	121.0	42.47	4.08	0.65	1.94		
								121.0	122.0	42.95	3.08	0.38	1.94		
								122.0	123.0	42.81	3.99	<0.05	1.83		
								123.0	124.0	43.78	3.02	0.17	1.85		
								124.0	125.0	42.79	3.54	1.06	2.00		
								125.0	126.0	44.29	2.34	0.15	1.73		
								126.0	127.0	44.09	1.91	1.29	1.76		
								127.0	128.0	44.77	1.77	0.15	1.82		
								128.0	129.0	43.94	1.77	1.53	1.72		