



Our reference : BU016172
 Your reference : Batch 150499
 Project code : Magnesite
 Report date : 06/05/99
 Report status : Final
 Page : 4 of 5

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thirkell St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

ANALYTICAL DATA

Sample	MgO	CaO	SiO ₂	Fe ₂ O ₃		
MC54 253 254	42.02	3.09	3.03	2.40		
MC54 254 255	36.32	8.80	5.79	2.33		
MC54 255 256	30.34	17.76	2.26	1.83		
MC54 256 257	36.46	10.47	0.44	2.89		
MC54 257 258	36.08	11.59	0.56	2.16		
MC54 258 259	39.91	6.89	0.39	2.35		
MC54 259 260	39.58	7.04	0.53	2.97		
MC54 260 261	38.18	8.96	0.36	2.61		
MC54 261 262	39.44	7.35	<0.05	3.02		
MC54 262 263	39.51	7.07	<0.05	3.15		
MC54 263 264	35.47	12.21	0.54	2.45		
MC54 264 265	41.92	4.25	0.11	3.20		
MC54 265 266	43.18	2.70	0.23	2.93		
MC54 266 267	36.47	10.32	2.73	2.10		
MC54 267 268.8	37.05	6.96	8.41	2.08		
MC54 281.4 283	34.82	7.90	8.45	3.01		
MC54 283 284.2	34.34	10.10	5.26	3.26		
MC54 285 286	29.27	15.23	9.41	1.42		
MC54 286 287	40.17	2.95	7.94	1.76		
MC54 287 288	40.63	2.85	6.74	1.87		
MC54 288 289	40.10	1.79	9.54	2.28		
MC54 289 290	38.82	2.31	11.94	1.69		
MC54 290 291	37.63	2.77	13.00	1.67		
MC54 291 292	39.31	3.00	9.37	1.75		285-313.
MC54 292 293	40.94	3.93	3.77	2.00		
MC54 293 294	38.15	2.08	14.53	1.69		28m.
MC54 294 295	33.00	10.58	14.75	1.27		
MC54 295 296	35.82	3.41	17.69	1.26		
MC54 296 297	30.53	1.86	30.37	1.22		
MC54 297 298	32.64	1.51	26.50	1.41		
MC54 298 299	35.65	1.40	20.18	1.54		
MC54 299 300	40.70	1.61	8.96	1.88		
MC54 300 301	41.06	1.69	8.42	1.67		
MC54 301 302	35.63	2.01	19.27	1.63		
MC54 302 303	35.36	2.00	19.84	1.72		
MC54 303 304	36.13	1.83	17.86	1.64		
MC54 304 305	34.94	1.78	20.04	1.62		
MC54 305 306	38.65	2.15	11.45	1.91		
MC54 306 307	40.76	3.61	5.55	1.87		
MC54 307 308	40.40	3.66	5.46	1.95		
MC54 308 309	42.32	3.70	0.90	2.05		
MC54 309 310	42.34	1.81	4.81	2.19		
MC54 310 311	39.82	1.61	10.78	1.59		
MC54 311 312	39.67	1.38	10.75	1.70		
MC54 312 313	37.41	1.62	16.03	1.63		
MC54 313 314	37.58	4.09	11.97	1.49		
MC54 314 315	33.86	5.92	16.03	1.37		
MC54 315 316	30.10	15.61	7.97	0.81		
MC54 316 317	39.18	6.67	5.05	0.86		
MC54 317 318	33.96	9.36	10.45	0.78		
Method	X408	X408	X408	X408		
Units	%	%	%	%		
Detection Limit	0.01	0.01	0.05	0.01		

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received