

**GEOPHOTO RESOURCES CONSULTANTS**

Millaquin House  
Herschel Street, Brisbane 4000  
Telephone 2 7320



930298  
**CHEMICAL LABORATORY**  
4th Floor Red Comb House  
Roma Street, Brisbane 4000  
Telephone 21 3875

**GEOCHEMICAL LABORATORY REPORT**

FIELD SHEET No.: 007902 PROJECT No. EL.7/68 - DUNDAS MONTEZUMA GRID

LAB. SHEET No.: 932/3 SAMPLE TYPE: SOIL PROFILE DATE: 6th March, 1972.

SAMPLE No.	LAB. No.	Cu ppm	Ni ppm	Co ppm	Pb ppm	Zn ppm	Ag ppm		
+7.5N/9.5W	72-B-2084	5	BLD	BLD	620	20	4		
+7.5N/9.25W	72-B-2085	BLD	BLD	BLD	210	5	1		
+7.5N/9.0W	72-B-2086	BLD	BLD	BLD	255	5	3		
+7.5N/8.75W	72-B-2087	10	BLD	BLD	300	10	3		
+7.5N/8.50W	72-B-2088	BLD	BLD	BLD	290	BLD	1		
+7.5N/8.25W	72-B-2089	BLD	BLD	BLD	175	5	BLD		
+7.5N/8.0W	72-B-2090	5	BLD	BLD	215	20	BLD		
+7.5N/7.75W	72-B-2091	2	BLD	BLD	200	15	BLD		
+7.5N/7.50W	72-B-2092	BLD	BLD	BLD	195	BLD	BLD		
+7.5N/7.25W	72-B-2093	BLD	BLD	BLD	260	2	BLD		
+7.5N/7.0W	72-B-2094	2	5	BLD	70	10	1		
+7.5N/6.75W	72-B-2095	2	BLD	BLD	45	5	BLD		
+7.5N/6.50W	72-B-2096	BLD	BLD	BLD	25	BLD	BLD		
+7.5N/6.25W	72-B-2097	BLD	BLD	BLD	35	5	BLD		
+7.5N/6.0W	72-B-2098	BLD	BLD	BLD	35	BLD	BLD		
+7.5N/5.75W	72-B-2099	BLD	BLD	BLD	25	5	BLD		
+7.5N/5.50W	72-B-2100	BLD	BLD	BLD	25	BLD	BLD		
+7.5N/5.75W	72-B-2101	BLD	BLD	BLD	35	15	BLD		
+7.5N/5.0W	72-B-2102	BLD	BLD	BLD	25	BLD	BLD		
+7.5N/4.75W	72-B-2103	10	5	BLD	275	5	1		
+7.5N/4.50W	72-B-2104	BLD	BLD	BLD	100	BLD	BLD		
+7.5N/4.25W	72-B-2105	5	BLD	BLD	1550	5	BLD		
+7.5N/4.00W	72-B-2106	110	15	BLD	1300	500	1		
+7.5N/3.75W	72-B-2107	950	80	10	950	2850	2		
+7.5N/3.50W	72-B-2108	40	5	BLD	665	30	2		
+7.5N/3.75W	72-B-2109	520	70	5	2400	130	6		
+7.5N/3.0W	72-B-2110	280	30	20	1600	130	5		
+7.5N/2.75W	72-B-2111	390	20	10	1100	510	2		
+7.5N/2.50W	72-B-2112	270	40	10	850	1000	2		
+7.5N/2.25W	72-B-2113	250	95	90	1400	1300	6		

**METHODS:**



This laboratory is registered by the National Association of Testing Authorities, Australia. The tests reported herein have been performed in accordance with its terms of registration.

Cu, Ni, Co, Pb, Zn, Ag by G.R.C. No. 1

B.L.D. = Below Limit of Detection

Chief Chemist

*Ray W. [Signature]*