

**Appendix 6a**  
**NCT001 – Digital Assay Data**  
(See CD at the back of this report)

(See Digital File EL202003\_200405\_10\_Appendix 6a.txt)

**Appendix 6b**  
**NCT001 – SGS Burnie – Assay Reports**

(See Digital File EL202003\_200405\_11\_Appendix 6b.pdf)



Our reference : BU019764  
Your reference : **E13161**  
Project code : Despatch Sheet No. 1584  
Date received : 24/03/04  
Date reported : 05/04/04

**SGS Burnie**  
ABN 44 000 964 278  
14 Thirkell St, Burnie  
Tasmania 7320  
Telephone: (03) 6431 6837  
Facsimile: (03) 6431 8890

Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Number of pages of results : 6  
Number of Samples : 118  
First Sample : T100001  
Last Sample : T100114

Invoice to:  
Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Electronic Data Transmission :  
Modem Y 05/04/04  
Facsimile / /  
Disk Report / /

*NCT001*

*0 - 114 m*

Results to:

Results to:

Remarks :

Authorised by .....  
On behalf of:

Ricky Gelston  
Laboratory Manager

The results in the following analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client.

Our reference : BU019764  
 Your reference : E13161  
 Project code : Despatch Sheet No. 1584  
 Report date : 05/04/04  
 Report Number : 00000355  
 Report status : Final  
 Page : 1 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100001	<0.01	--	35	185	179	<1
T100002	<0.01	--	29	116	177	<1
T100003	<0.01	--	30	113	217	<1
T100004	<0.01	--	25	114	187	<1
T100005	<0.01	--	28	144	226	<1
T100006	<0.01	--	29	135	211	<1
T100007	<0.01	--	28	104	251	<1
T100008	<0.01	--	23	75	244	<1
T100009	<0.01	--	24	100	278	<1
T100010	<0.01	<0.01	28	119	264	<1
T100011	<0.01	--	34	139	344	<1
T100012	<0.01	--	31	159	365	<1
T100013	<0.01	--	29	185	311	<1
T100014	<0.01	--	31	194	376	<1
T100015	<0.01	<0.01	24	212	254	<1
T100016	<0.01	--	23	184	279	<1
T100017	<0.01	--	30	169	267	<1
T100018	<0.01	--	31	154	340	<1
T100019	<0.01	--	20	96	342	<1
T100020	<0.01	--	20	116	250	<1
T100021	<0.01	--	19	159	170	<1
T100022	<0.01	--	22	151	184	<1
T100023	<0.01	--	16	145	167	<1
T100024	<0.01	--	25	164	298	<1
T100025	<0.01	--	21	218	222	<1
T100026	<0.01	--	27	188	238	<1
T100027	<0.01	--	26	111	212	<1
T100028	<0.01	--	25	79	275	<1
T100029	<0.01	--	29	115	194	<1
T100030	<0.01	--	23	137	225	<1
T100031	<0.01	--	17	110	224	<1
T100032	<0.01	--	24	156	263	<1
T100033	<0.01	--	16	137	193	<1
T100034	<0.01	<0.01	24	97	239	<1
T100035	<0.01	<0.01	24	69	189	<1
E354196	0.10	--	5	7	11	<1
T100036	<0.01	--	21	59	197	<1
T100037	<0.01	--	28	61	245	<1
T100038	<0.01	--	14	69	275	<1
T100039	<0.01	--	16	77	211	<1
T100040	<0.01	--	20	41	297	<1
T100041	<0.01	--	32	69	237	<1
T100042	<0.01	--	40	118	201	<1
T100043	<0.01	--	44	170	134	<1
T100044	<0.01	--	16	184	143	<1
T100045	<0.01	<0.01	50	106	106	<1
T100046	<0.01	--	57	63	138	<1
T100047	<0.01	--	63	81	127	<1
T100048	<0.01	--	56	85	146	<1
T100049	<0.01	--	106	149	190	<1
Method	F650	F650	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	2	3	2	1

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

Our reference : BU019764  
 Your reference : E13161  
 Project code : Despatch Sheet No. 1584  
 Report date : 05/04/04  
 Report Number : 00000355  
 Report status : Final  
 Page : 2 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100050	<0.01	--	13	127	257	<1
T100051	<0.01	--	24	77	204	<1
T100052	<0.01	--	65	129	128	<1
T100053	<0.01	--	8	81	166	<1
T100054	<0.01	--	43	44	263	<1
T100055	<0.01	--	12	29	192	<1
T100056	<0.01	--	34	29	293	<1
T100057	<0.01	--	10	44	324	<1
T100058	<0.01	--	18	64	388	<1
T100059	<0.01	<0.01	13	48	322	<1
T100060	<0.01	<0.01	61	414	475	<1
E354197	0.28	--	3620	11	62	<1
T100061	<0.01	--	20	51	315	<1
T100062	<0.01	--	12	25	229	<1
T100063	<0.01	--	8	36	212	<1
T100064	<0.01	--	11	59	261	<1
T100065	<0.01	--	16	122	355	<1
T100066	<0.01	--	15	146	269	<1
T100067	<0.01	--	11	39	185	<1
T100068	<0.01	--	15	39	212	<1
T100069	<0.01	--	12	30	726	<1
T100070	<0.01	--	17	34	384	<1
T100071	<0.01	--	20	39	273	<1
T100072	<0.01	--	15	58	247	<1
T100073	<0.01	--	15	74	231	<1
T100074	<0.01	--	12	51	441	<1
T100075	<0.01	--	13	53	502	<1
T100076	<0.01	--	21	60	534	<1
T100077	<0.01	--	19	44	666	<1
T100078	<0.01	--	6	17	625	<1
T100079	<0.01	--	23	43	457	<1
T100080	<0.01	--	13	94	457	<1
T100081	<0.01	--	16	122	461	<1
T100082	<0.01	--	15	78	444	<1
T100083	<0.01	<0.01	15	42	498	<1
T100084	<0.01	--	18	90	534	<1
T100085	<0.01	--	26	168	640	<1
T100086	<0.01	--	23	111	676	<1
T100087	<0.01	--	12	50	666	<1
T100088	<0.01	--	12	22	848	<1
T100089	<0.01	--	13	37	827	<1
T100090	<0.01	--	11	28	812	<1
T100091	<0.01	--	16	56	697	<1
T100092	<0.01	--	10	38	670	<1
T100093	<0.01	--	17	23	703	<1
T100094	<0.01	--	13	27	779	<1
T100095	<0.01	--	13	35	695	<1
E354198	<0.01	<0.01	4	4	5	<1
T100096	<0.01	--	9	24	660	<1
T100097	<0.01	--	11	17	395	<1
Method	F650	F650	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	2	3	2	1

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

Our reference : BU019764  
 Your reference : E13161  
 Project code : Despatch Sheet No. 1584  
 Report date : 05/04/04  
 Report Number : 00000355  
 Report status : Final  
 Page : 3 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100098	<0.01	--	12	24	683	<1
T100099	<0.01	--	13	69	800	<1
T100100	<0.01	--	11	105	687	<1
T100101	<0.01	--	16	103	686	<1
T100102	<0.01	--	15	167	469	<1
T100103	<0.01	--	21	144	663	<1
T100104	<0.01	--	16	240	657	<1
T100105	<0.01	--	15	141	627	<1
T100106	<0.01	--	15	101	675	<1
T100107	<0.01	<0.01	18	203	614	<1
T100108	<0.01	--	11	48	503	<1
T100109	<0.01	--	10	29	750	<1
T100110	<0.01	--	10	27	743	<1
E354199	0.27	0.27	3630	7	61	<1
T100111	<0.01	--	17	74	803	<1
T100112	<0.01	--	18	58	701	<1
T100113	<0.01	--	31	57	691	<1
T100114	<0.01	--	21	45	661	<1
Method	F650	F650	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	2	3	2	1

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019764  
 Your reference : E13161  
 Project code : Despatch Sheet No. 1584  
 Report date : 05/04/04  
 Report Number : 00000355  
 Report status : Final  
 Page : 4 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 683  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	As	S			
T100001	<1	<0.005			
T100002	<1	0.010			
T100003	<1	0.007			
T100004	<1	0.090			
T100005	<1	0.034			
T100006	<1	0.005			
T100007	<1	0.012			
T100008	<1	<0.005			
T100009	1	0.014			
T100010	<1	0.033			
T100011	<1	0.007			
T100012	<1	<0.005			
T100013	<1	0.013			
T100014	<1	<0.005			
T100015	<1	0.012			
T100016	<1	0.016			
T100017	<1	0.005			
T100018	<1	0.009			
T100019	<1	0.036			
T100020	<1	0.033			
T100021	<1	0.008			
T100022	<1	<0.005			
T100023	<1	0.021			
T100024	1	0.008			
T100025	<1	0.017			
T100026	<1	0.019			
T100027	<1	0.006			
T100028	<1	0.034			
T100029	<1	0.019			
T100030	<1	<0.005			
T100031	<1	0.013			
T100032	<1	<0.005			
T100033	<1	0.011			
T100034	1	0.006			
T100035	<1	0.007			
E354196	5	0.007			
T100036	<1	0.019			
T100037	<1	0.005			
T100038	<1	0.018			
T100039	<1	0.006			
T100040	<1	0.012			
T100041	<1	0.005			
T100042	<1	0.032			
T100043	<1	0.005			
T100044	<1	0.016			
T100045	<1	0.023			
T100046	<1	0.019			
T100047	<1	<0.005			
T100048	<1	0.014			
T100049	<1	<0.005			
Method	H102	V821			
Units	ppm	%			
Detection Limit	1	0.005			

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019764  
 Your reference : E13161  
 Project code : Despatch Sheet No. 1584  
 Report date : 05/04/04  
 Report Number : 00000355  
 Report status : Final  
 Page : 5 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	As	S			
T100050	<1	0.022			
T100051	<1	0.010			
T100052	1	0.027			
T100053	<1	0.017			
T100054	<1	<0.005			
T100055	<1	<0.005			
T100056	<1	0.008			
T100057	<1	<0.005			
T100058	<1	0.014			
T100059	<1	0.029			
T100060	<1	0.006			
E354197	7	0.724			
T100061	<1	0.414			
T100062	<1	0.232			
T100063	<1	0.247			
T100064	<1	0.193			
T100065	<1	0.249			
T100066	<1	0.056			
T100067	<1	0.728			
T100068	<1	0.799			
T100069	<1	0.023			
T100070	<1	0.083			
T100071	<1	<0.005			
T100072	<1	<0.005			
T100073	<1	0.018			
T100074	<1	<0.005			
T100075	<1	0.020			
T100076	<1	0.017			
T100077	1	0.022			
T100078	<1	0.022			
T100079	<1	0.087			
T100080	<1	<0.005			
T100081	<1	0.104			
T100082	<1	0.006			
T100083	<1	0.050			
T100084	<1	0.010			
T100085	<1	0.012			
T100086	<1	0.011			
T100087	<1	0.154			
T100088	1	0.029			
T100089	<1	0.055			
T100090	<1	<0.005			
T100091	<1	<0.005			
T100092	<1	0.038			
T100093	1	0.045			
T100094	<1	0.036			
T100095	<1	0.018			
E354198	<1	0.054			
T100096	<1	0.030			
T100097	<1	0.024			
Method	H102	V821			
Units	ppm	%			
Detection Limit	1	0.005			

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019764  
 Your reference : E13161  
 Project code : Despatch Sheet No. 1584  
 Report date : 05/04/04  
 Report Number : 00000355  
 Report status : Final  
 Page : 6 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	As	S				
T100098	<1	0.084				
T100099	<1	<0.005				
T100100	<1	0.010				
T100101	<1	0.031				
T100102	<1	0.021				
T100103	1	0.023				
T100104	1	0.016				
T100105	1	<0.005				
T100106	1	<0.005				
T100107	1	<0.005				
T100108	<1	0.210				
T100109	<1	0.005				
T100110	<1	0.022				
E354199	6	0.751				
T100111	1	<0.005				
T100112	<1	0.030				
T100113	<1	<0.005				
T100114	<1	0.033				
Method	H102	V821				
Units	ppm	%				
Detection Limit	1	0.005				

Notes: N.A. = not analysed, - = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019767  
Your reference : E13161  
Project code : Despatch 1585  
Date received : 29/03/04  
Date reported : 07/04/04

**SGS Burnie**  
ABN 44 000 964 278  
14 Thirkell St, Burnie  
Tasmania 7320  
Telephone: (03) 6431 6837  
Facsimile: (03) 6431 8890

Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Number of pages of results : 4  
Number of Samples : 59  
First Sample : T100115  
Last Sample : T100170

Invoice to:  
Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Electronic Data Transmission :  
Modem Y 07/04/04  
Facsimile / /  
Disk Report / /

Results to:

NCT001  
114 - 170m

Results to:

Remarks :

Authorised by .....  
On behalf of:

Ricky Gelston  
Laboratory Manager

The results in the following analytical report pertain to the samples provided to this laboratory  
for preparation and/or analysis as requested by the client.



Our reference : BU019767  
 Your reference : E13161  
 Project code : Despatch 1585  
 Report date : 07/04/04  
 Report Number : 00000359  
 Report status : Final  
 Page : 1 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100115	<0.01	--	11	61	889	<1
T100116	<0.01	--	11	88	826	<1
T100117	<0.01	<0.01	25	42	694	<1
T100118	<0.01	--	28	56	695	<1
T100119	<0.01	--	16	40	758	<1
T100120	<0.01	--	19	39	681	<1
T100121	<0.01	--	41	39	792	<1
T100122	<0.01	--	15	33	568	<1
T100123	<0.01	--	24	35	423	<1
T100124	<0.01	<0.01	23	39	718	<1
T100125	<0.01	--	20	31	690	<1
T100126	<0.01	--	22	16	724	<1
T100127	<0.01	--	16	35	755	<1
T100128	<0.01	--	23	31	720	<1
T100129	<0.01	--	11	45	757	<1
T100130	<0.01	--	21	69	715	<1
E354200	0.49	0.49	>51.25	10	41	<1
T100131	<0.01	--	26	64	600	<1
T100132	<0.01	--	21	104	621	<1
T100133	<0.01	--	19	113	506	<1
T100134	<0.01	--	19	92	560	<1
T100135	<0.01	--	16	78	579	<1
T100136	<0.01	--	20	82	556	<1
T100137	<0.01	--	15	66	558	<1
T100138	<0.01	--	18	31	596	<1
T100139	<0.01	--	13	18	731	<1
T100140	<0.01	--	16	36	605	<1
T100141	<0.01	--	20	38	563	<1
T100142	<0.01	<0.01	20	49	695	<1
T100143	<0.01	--	19	26	724	<1
T100144	<0.01	--	24	53	713	<1
T100145	<0.01	--	13	30	716	<1
T100146	<0.01	--	12	34	664	<1
T100147	<0.01	--	13	84	623	<1
T100148	<0.01	<0.01	15	88	652	<1
T100149	<0.01	--	15	90	668	<1
T100150	<0.01	--	18	45	656	<1
T100151	<0.01	--	11	50	599	<1
T100152	<0.01	--	23	78	570	<1
T100153	<0.01	--	23	66	359	<1
T100154	<0.01	--	17	64	589	<1
T100155	<0.01	--	18	104	224	<1
E354201	0.75	0.75	1105	19	68	<1
T100156	<0.01	--	13	46	564	<1
T100157	<0.01	--	12	134	672	<1
T100158	<0.01	--	9	29	784	<1
T100159	<0.01	--	13	41	697	<1
T100160	<0.01	--	17	37	1010	<1
T100161	<0.01	--	8	39	702	<1
T100162	<0.01	--	41	44	767	<1
Method	F650	F650	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	2	3	2	1
Upper Method			A103			

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received





Our reference : BU019767  
 Your reference : E13161  
 Project code : Despatch 1585  
 Report date : 07/04/04  
 Report Number : 00000359  
 Report status : Final  
 Page : 3 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	S	As			
T100115	<0.005	1			
T100116	<0.005	1			
T100117	0.016	1			
T100118	0.005	<1			
T100119	0.025	2			
T100120	0.037	1			
T100121	0.110	1			
T100122	0.056	1			
T100123	<0.005	1			
T100124	0.028	2			
T100125	0.031	<1			
T100126	<0.005	<1			
T100127	0.020	<1			
T100128	0.026	1			
T100129	0.065	1			
T100130	0.030	1			
E354200	0.773	17			
T100131	<0.005	<1			
T100132	0.042	<1			
T100133	<0.005	<1			
T100134	0.038	1			
T100135	0.016	1			
T100136	0.025	1			
T100137	0.070	1			
T100138	<0.005	1			
T100139	0.063	1			
T100140	<0.005	1			
T100141	0.027	<1			
T100142	0.046	<1			
T100143	<0.005	1			
T100144	0.019	1			
T100145	<0.005	<1			
T100146	0.032	<1			
T100147	0.022	1			
T100148	0.046	<1			
T100149	<0.005	1			
T100150	<0.005	<1			
T100151	<0.005	<1			
T100152	0.012	1			
T100153	<0.005	1			
T100154	<0.005	<1			
T100155	<0.005	<1			
E354201	0.295	5			
T100156	0.024	<1			
T100157	0.043	<1			
T100158	0.019	1			
T100159	0.061	<1			
T100160	0.052	1			
T100161	0.039	1			
T100162	0.025	1			
Method	V821	H102			
Units	%	ppm			
Detection Limit	0.005	1			

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received





Our reference : BU019779  
Your reference : **E13161**  
Project code : 1586  
Date received : 05/04/04  
Date reported : 19/04/04

**SGS Burnie**  
ABN 44 000 964 278  
14 Thirkell St, Burnie  
Tasmania 7320  
Telephone: (03) 6431 6837  
Facsimile: (03) 6431 8890

Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Number of pages of results : 6  
Number of Samples : 126  
First Sample : T100171  
Last Sample : E354208

Invoice to:  
Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Electronic Data Transmission :  
Modem Y 16/04/04  
Facsimile / /  
Disk Report / /

Results to:

*NLT001*  
*170 - 290 m*

Results to:

Remarks :

Authorised by .....  
On behalf of:

Ricky Gelston  
Laboratory Manager

The results in the following analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client.

Our reference : BU019779  
 Your reference : E13161  
 Project code : 1586  
 Report date : 19/04/04  
 Report Number : 00000375  
 Report status : Final  
 Page : 1 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100171	<0.01	--	56	92	421	<1
T100172	<0.01	--	136	108	407	<1
T100173	<0.01	--	24	88	387	<1
T100174	<0.01	--	29	72	467	<1
T100175	<0.01	--	25	92	485	<1
T100176	<0.01	--	32	118	440	<1
T100177	<0.01	--	35	73	500	<1
T100178	<0.01	--	29	83	473	<1
T100179	<0.01	--	22	108	365	<1
T100180	<0.01	<0.01	24	94	383	<1
T100181	<0.01	--	26	74	420	<1
T100182	<0.01	--	16	91	632	<1
T100183	<0.01	--	20	35	782	<1
T100184	<0.01	--	14	108	805	<1
T100185	<0.01	<0.01	15	33	748	<1
T100186	<0.01	--	17	34	603	<1
T100187	<0.01	--	24	77	371	<1
T100188	<0.01	--	19	76	469	<1
T100189	<0.01	--	16	92	644	<1
T100190	<0.01	--	17	125	285	<1
T100191	<0.01	--	18	164	226	<1
T100192	<0.01	--	22	151	284	<1
T100193	<0.01	--	24	163	352	<1
T100194	<0.01	--	23	188	352	<1
T100195	<0.01	--	32	214	380	<1
E354203	0.45	--	>5000	9	49	<1
T100196	<0.01	--	52	75	914	<1
T100197	<0.01	--	11	25	782	<1
T100198	<0.01	--	14	26	849	<1
T100199	<0.01	--	14	24	832	<1
T100200	<0.01	--	40	27	723	<1
T100201	<0.01	--	54	16	759	<1
T100202	<0.01	--	46	9	903	<1
T100203	<0.01	<0.01	39	8	998	<1
T100204	<0.01	<0.01	38	15	946	<1
T100205	<0.01	--	31	16	801	<1
T100206	<0.01	--	27	20	857	<1
T100207	<0.01	--	20	22	832	<1
T100208	<0.01	--	19	24	785	<1
T100209	<0.01	--	14	17	807	<1
T100210	<0.01	--	13	18	675	<1
T100211	<0.01	--	10	24	772	<1
T100212	<0.01	--	10	24	760	<1
T100213	<0.01	--	8	13	812	<1
T100214	<0.01	--	10	14	1100	<1
T100215	<0.01	--	10	19	875	<1
T100216	<0.01	--	16	25	807	<1
T100217	<0.01	--	38	56	852	<1
T100218	<0.01	--	19	28	1135	<1
T100219	<0.01	--	27	38	1125	<1
Method Units Detection Limit	F650 ppm 0.01	F650 ppm 0.01	A102 ppm 2	A102 ppm 3	A102 ppm 2	A102 ppm 1

Notes: - = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

Our reference : BU019779  
 Your reference : E13161  
 Project code : 1586  
 Report date : 19/04/04  
 Report Number : 00000375  
 Report status : Final  
 Page : 2 of 6

SGS Burnie  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100220	<0.01	--	62	48	600	<1
E354204	0.45	0.46	4630	13	48	<1
T100221	<0.01	--	29	97	338	<1
T100222	<0.01	--	44	160	655	<1
T100223	<0.01	--	31	95	984	<1
T100224	<0.01	--	24	131	486	<1
T100225	<0.01	--	21	142	460	<1
T100226	<0.01	--	27	205	432	<1
T100227	<0.01	--	36	169	497	<1
T100228	<0.01	<0.01	51	204	546	<1
T100229	<0.01	--	31	171	308	<1
T100230	<0.01	--	24	225	430	<1
T100231	<0.01	--	23	239	482	<1
T100232	<0.01	--	44	150	588	<1
T100233	<0.01	--	30	227	599	<1
T100234	<0.01	--	46	163	451	<1
T100235	<0.01	--	50	173	629	<1
T100236	<0.01	--	24	211	493	<1
T100237	<0.01	--	19	131	524	<1
T100238	<0.01	--	30	94	764	<1
T100239	<0.01	--	68	72	707	<1
T100240	<0.01	--	66	100	650	<1
T100241	<0.01	<0.01	55	99	765	<1
T100242	<0.01	--	23	448	543	<1
T100243	<0.01	--	39	236	372	<1
T100244	<0.01	--	44	84	398	<1
T100245	<0.01	--	27	198	698	<1
E354205	0.55	0.57	2060	7	51	<1
T100246	<0.01	--	23	74	702	<1
T100247	<0.01	--	20	65	478	<1
T100248	<0.01	--	20	53	483	<1
T100249	<0.01	--	26	70	621	<1
T100250	<0.01	--	22	34	772	<1
T100251	<0.01	--	16	46	755	<1
T100252	<0.01	<0.01	15	54	840	<1
T100253	<0.01	--	13	44	840	<1
T100254	<0.01	--	12	67	728	<1
T100255	<0.01	--	13	103	842	<1
T100256	<0.01	--	18	61	950	<1
T100257	<0.01	--	26	218	651	<1
T100258	<0.01	--	16	126	846	<1
T100259	<0.01	--	44	249	832	<1
T100260	<0.01	--	29	92	888	<1
T100261	<0.01	--	27	70	977	<1
T100262	<0.01	--	26	100	937	<1
T100263	<0.01	--	69	61	977	<1
T100264	<0.01	--	49	85	837	<1
T100265	<0.01	--	104	50	1070	<1
T100266	<0.01	<0.01	92	1130	1325	<1
T100267	<0.01	--	45	134	947	<1
Method	F650	F650	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	2	3	2	1

Notes: -- = not analysed, - = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019779  
 Your reference : E13161  
 Project code : 1586  
 Report date : 19/04/04  
 Report Number : 00000375  
 Report status : Final  
 Page : 4 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	As	S	Cu			
T100171	<1	0.016	--			
T100172	<1	0.078	--			
T100173	<1	0.011	--			
T100174	<1	0.046	--			
T100175	<1	<0.005	--			
T100176	<1	0.086	--			
T100177	<1	0.017	--			
T100178	4	<0.005	--			
T100179	2	0.069	--			
T100180	<1	0.019	--			
T100181	<1	0.026	--			
T100182	<1	0.005	--			
T100183	<1	0.010	--			
T100184	<1	0.027	--			
T100185	<1	<0.005	--			
T100186	<1	0.025	--			
T100187	<1	0.025	--			
T100188	<1	<0.005	--			
T100189	<1	0.009	--			
T100190	<1	0.052	--			
T100191	<1	0.010	--			
T100192	<1	0.006	--			
T100193	<1	0.131	--			
T100194	<1	0.006	--			
T100195	<1	<0.005	--			
E354203	24	0.819	0.54			
T100196	<1	0.015	--			
T100197	<1	0.025	--			
T100198	<1	0.062	--			
T100199	1	0.010	--			
T100200	1	0.037	--			
T100201	1	0.026	--			
T100202	1	0.153	--			
T100203	1	<0.005	--			
T100204	1	0.087	--			
T100205	1	0.009	--			
T100206	<1	0.035	--			
T100207	<1	0.065	--			
T100208	1	0.016	--			
T100209	1	0.039	--			
T100210	1	0.010	--			
T100211	2	0.015	--			
T100212	1	0.023	--			
T100213	1	0.013	--			
T100214	1	0.027	--			
T100215	<1	0.013	--			
T100216	<1	0.052	--			
T100217	<1	0.014	--			
T100218	2	0.041	--			
T100219	3	0.025	--			
Method	H102	V821	A103			
Units	ppm	%	%			
Detection Limit	1	0.005	0.01			

Notes: - = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

Our reference : BU019779  
 Your reference : E13161  
 Project code : 1586  
 Report date : 19/04/04  
 Report Number : 00000375  
 Report status : Final  
 Page : 5 of 6

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	As	S	Cu			
T100220	2	0.031	--			
E354204	22	0.758	--			
T100221	1	<0.005	--			
T100222	1	0.007	--			
T100223	1	0.100	--			
T100224	<1	<0.005	--			
T100225	<1	0.033	--			
T100226	<1	0.117	--			
T100227	<1	0.066	--			
T100228	<1	0.025	--			
T100229	<1	0.049	--			
T100230	<1	<0.005	--			
T100231	1	<0.005	--			
T100232	<1	<0.005	--			
T100233	<1	0.092	--			
T100234	<1	0.062	--			
T100235	<1	0.176	--			
T100236	<1	0.055	--			
T100237	<1	<0.005	--			
T100238	<1	<0.005	--			
T100239	<1	0.171	--			
T100240	<1	<0.005	--			
T100241	<1	<0.005	--			
T100242	<1	0.038	--			
T100243	<1	0.009	--			
T100244	<1	0.027	--			
T100245	1	0.173	--			
E354205	34	1.760	--			
T100246	<1	<0.005	--			
T100247	<1	<0.005	--			
T100248	<1	<0.005	--			
T100249	<1	0.023	--			
T100250	<1	0.025	--			
T100251	<1	0.045	--			
T100252	<1	0.099	--			
T100253	<1	0.053	--			
T100254	<1	0.028	--			
T100255	<1	0.016	--			
T100256	<1	0.015	--			
T100257	<1	<0.005	--			
T100258	<1	0.080	--			
T100259	1	<0.005	--			
T100260	1	0.174	--			
T100261	1	<0.005	--			
T100262	1	0.007	--			
T100263	1	<0.005	--			
T100264	<1	0.140	--			
T100265	1	0.057	--			
T100266	<1	0.124	--			
T100267	<1	0.011	--			
Method	H102	V821	A103			
Units	ppm	%	%			
Detection Limit	1	0.005	0.01			

Notes: - = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received





Our reference : BU019810  
Your reference : **E13161**  
Project code : Despatch Sheet 1589  
Date received : 19/04/04  
Date reported : 11/05/04

**SGS Burnie**  
ABN 44 000 964 278  
14 Thirkell St, Burnie  
Tasmania 7320  
Telephone: (03) 6431 6837  
Facsimile: (03) 6431 8890

Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Number of pages of results : 4  
Number of Samples : 95  
First Sample : T100391  
Last Sample : T100480

Invoice to:  
Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Electronic Data Transmission :  
Modem Y 11/05/04  
Facsimile / /  
Disk Report / /

Results to:

*NCT001*

*390-480m*

Results to:

Remarks :

Authorised by .....  
On behalf of:

Ricky Gelston  
Laboratory Manager

The results in the following analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client.

Our reference : BU019810  
 Your reference : E13161  
 Project code : Despatch Sheet 1589  
 Report date : 11/05/04  
 Report Number : 00000424  
 Report status : Final  
 Page : 1 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100391	<0.01	--	12	21	2110	<1
T100392	<0.01	--	14	20	1470	<1
T100393	<0.01	--	11	22	1175	<1
T100394	<0.01	--	6	38	855	<1
T100395	<0.01	--	7	38	647	<1
T100396	<0.01	--	15	31	1150	<1
T100397	<0.01	--	9	54	1050	<1
T100398	<0.01	--	6	54	905	<1
T100399	<0.01	--	4	30	829	<1
T100400	<0.01	<0.01	5	32	662	<1
T100401	<0.01	--	27	66	674	<1
T100402	<0.01	--	5	20	604	<1
T100403	<0.01	--	5	38	742	<1
T100404	<0.01	--	5	28	516	<1
T100405	<0.01	--	7	43	494	<1
T100406	<0.01	--	6	34	667	<1
T100407	<0.01	--	7	34	695	<1
T100408	<0.01	--	8	53	560	<1
T100409	<0.01	--	10	71	759	<1
T100410	<0.01	--	9	73	827	<1
T100411	<0.01	--	11	68	802	<1
T100412	<0.01	--	28	817	1015	<1
E354214	0.25	--	3300	5	56	<1
T100413	<0.01	--	11	35	816	<1
T100414	<0.01	--	10	19	1115	<1
T100415	<0.01	--	8	8	1300	<1
T100416	<0.01	--	17	346	1450	<1
T100417	<0.01	--	9	18	1005	<1
T100418	<0.01	--	8	8	802	<1
T100419	<0.01	--	16	85	797	<1
T100420	<0.01	<0.01	11	8	744	<1
T100421	<0.01	--	11	6	846	<1
T100422	<0.01	--	9	7	1005	<1
T100423	<0.01	--	9	9	1135	<1
T100424	<0.01	<0.01	8	6	693	<1
T100425	<0.01	--	12	8	541	<1
T100426	<0.01	--	11	3	708	<1
T100427	<0.01	--	11	4	321	<1
T100428	<0.01	--	17	13	292	<1
T100429	<0.01	--	22	190	248	<1
T100430	<0.01	--	15	38	222	<1
T100431	<0.01	--	29	83	292	<1
T100432	<0.01	--	26	68	413	<1
T100433	<0.01	--	16	27	134	<1
T100434	<0.01	--	170	177	299	<1
T100435	<0.01	--	17	31	114	<1
T100436	<0.01	--	24	187	365	<1
T100437	<0.01	--	76	206	1415	<1
T100438	<0.01	--	12	54	127	<1
E354215	0.27	--	3560	5	60	<1
Method	F650	F650	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	2	3	2	1

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

Our reference : BU019810  
 Your reference : E13161  
 Project code : Despatch Sheet 1589  
 Report date : 11/05/04  
 Report Number : 00000424  
 Report status : Final  
 Page : 2 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	Au	Au(R)	Cu	Pb	Zn	Ag
T100439	<0.01	--	27	46	219	<1
T100440	<0.01	--	28	77	333	<1
T100441	<0.01	--	30	17	213	<1
T100442	<0.01	--	30	41	273	<1
T100443	<0.01	--	14	109	620	<1
T100444	<0.01	--	89	107	341	<1
T100445	<0.01	--	19	41	490	<1
T100446	<0.01	<0.01	26	35	277	<1
T100447	<0.01	--	7	65	485	<1
T100448	<0.01	<0.01	8	50	500	<1
T100449	<0.01	--	18	148	321	<1
T100450	<0.01	--	8	52	147	<1
T100451	<0.01	--	9	6	168	<1
T100452	<0.01	--	8	15	342	<1
E354216	0.26	--	3610	3	59	<1
T100453	<0.01	--	16	65	418	<1
T100454	<0.01	--	12	88	328	<1
T100455	<0.01	--	24	32	395	<1
T100456	<0.01	--	11	71	406	<1
T100457	<0.01	--	10	50	355	<1
T100458	<0.01	--	10	69	422	<1
T100459	<0.01	--	6	43	302	<1
T100460	<0.01	--	8	85	360	<1
T100461	<0.01	--	7	44	189	<1
T100462	<0.01	--	8	118	233	<1
T100463	<0.01	--	6	296	249	<1
T100464	<0.01	--	6	202	258	<1
T100465	<0.01	--	6	116	264	<1
T100466	<0.01	<0.01	22	330	855	<1
T100467	<0.01	--	11	209	563	<1
T100468	<0.01	--	12	62	585	<1
E354217	0.28	0.26	3280	4	56	<1
T100469	<0.01	--	11	29	224	<1
T100470	<0.01	--	13	123	558	<1
T100471	<0.01	--	13	101	174	<1
T100472	<0.01	--	10	160	420	1
T100473	<0.01	--	7	138	415	1
T100474	<0.01	--	9	62	217	<1
T100475	<0.01	--	9	58	144	<1
T100476	<0.01	--	11	38	157	<1
E354218	0.18	0.14	4	4	6	<1
T100477	<0.01	--	15	147	401	1
T100478	<0.01	--	11	65	424	<1
T100479	<0.01	--	7	31	337	<1
T100480	<0.01	--	7	13	214	<1
Method	F650	F650	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm	ppm
Detection Limit	0.01	0.01	2	3	2	1

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019810  
 Your reference : E13161  
 Project code : Despatch Sheet 1589  
 Report date : 11/05/04  
 Report Number : 00000424  
 Report status : Final  
 Page : 3 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	S	As			
T100391	<0.005	<1			
T100392	0.019	1			
T100393	<0.005	<1			
T100394	0.025	<1			
T100395	0.023	<1			
T100396	0.009	1			
T100397	<0.005	<1			
T100398	0.026	<1			
T100399	0.039	<1			
T100400	0.027	<1			
T100401	0.124	1			
T100402	<0.005	<1			
T100403	0.103	<1			
T100404	<0.005	<1			
T100405	0.044	<1			
T100406	<0.005	<1			
T100407	0.088	<1			
T100408	<0.005	1			
T100409	0.022	<1			
T100410	0.016	1			
T100411	<0.005	<1			
T100412	0.005	1			
E354214	0.686	8			
T100413	0.060	<1			
T100414	0.112	<1			
T100415	<0.005	1			
T100416	0.065	1			
T100417	0.007	1			
T100418	0.203	<1			
T100419	<0.005	<1			
T100420	0.009	<1			
T100421	0.036	<1			
T100422	<0.005	<1			
T100423	0.244	<1			
T100424	<0.005	<1			
T100425	0.015	<1			
T100426	0.022	<1			
T100427	0.017	<1			
T100428	0.038	<1			
T100429	0.007	<1			
T100430	0.034	<1			
T100431	0.005	<1			
T100432	0.030	<1			
T100433	0.056	<1			
T100434	0.390	<1			
T100435	<0.005	1			
T100436	0.028	<1			
T100437	0.039	<1			
T100438	0.271	<1			
E354215	0.700	8			
Method	V821	H102			
Units	%	ppm			
Detection Limit	0.005	1			

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

Our reference : BU019810  
 Your reference : E13161  
 Project code : Despatch Sheet 1589  
 Report date : 11/05/04  
 Report Number : 00000424  
 Report status : Final  
 Page : 4 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	S	As			
T100439	<0.005	<1			
T100440	0.027	1			
T100441	<0.005	<1			
T100442	0.225	1			
T100443	0.009	<1			
T100444	0.179	<1			
T100445	0.049	1			
T100446	<0.005	<1			
T100447	<0.005	<1			
T100448	0.078	1			
T100449	<0.005	1			
T100450	0.044	<1			
T100451	0.013	<1			
T100452	0.051	<1			
E354216	0.648	9			
T100453	<0.005	1			
T100454	0.041	1			
T100455	<0.005	1			
T100456	0.083	2			
T100457	<0.005	2			
T100458	0.030	2			
T100459	0.061	1			
T100460	0.074	3			
T100461	0.029	3			
T100462	0.006	3			
T100463	0.102	3			
T100464	<0.005	2			
T100465	0.019	2			
T100466	0.045	10			
T100467	0.098	15			
T100468	0.022	10			
E354217	0.671	8			
T100469	<0.005	1			
T100470	0.086	6			
T100471	0.242	8			
T100472	0.250	12			
T100473	0.110	5			
T100474	0.007	2			
T100475	<0.005	2			
T100476	<0.005	1			
E354218	<0.005	4			
T100477	0.096	2			
T100478	<0.005	2			
T100479	<0.005	1			
T100480	0.071	2			
Method	V821	H102			
Units	%	ppm			
Detection Limit	0.005	1			

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019828  
Your reference : **E13161**  
Project code : Despatch Sheet 1590  
Date received : 29/04/04  
Date reported : 11/05/04

**SGS Burnie**  
ABN 44 000 964 278  
14 Thirkell St, Burnie  
Tasmania 7320  
Telephone: (03) 6431 6837  
Facsimile: (03) 6431 8890

Ian Tedder

Newcrest Mining Ltd  
Exploration Office  
1460 Cadia Road  
CADIA via ORANGE  
NSW 2800

Number of pages of results : 4  
Number of Samples : 69  
First Sample : T100481  
Last Sample : E354222

Electronic Data Transmission :  
Modem Y / /  
Facsimile / /  
Disk Report / /

NCT001

480 - 545 m GOH.

Authorised by .....  
On behalf of:

Ricky Gelston  
Laboratory Manager

The results in the following analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client.

Our reference : BU019828  
 Your reference : E13161  
 Project code : Despatch Sheet 1590  
 Report date : 11/05/04  
 Report Number : 00000426  
 Report status : Preliminary  
 Page : 1 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	Au	Au(R)	S	As		
T100481	<0.01	--	--	2		
T100482	<0.01	--	--	1		
T100483	<0.01	--	--	1		
T100484	<0.01	--	--	2		
T100485	<0.01	--	--	2		
T100486	<0.01	--	--	1		
T100487	<0.01	--	--	1		
T100488	<0.01	--	--	1		
T100489	<0.01	--	--	<1		
T100490	<0.01	<0.01	--	<1		
T100491	<0.01	--	--	<1		
T100492	<0.01	--	--	1		
T100493	<0.01	<0.01	--	2		
T100494	<0.01	--	--	1		
T100495	<0.01	--	--	<1		
T100496	<0.01	--	--	<1		
T100497	<0.01	--	--	1		
T100498	<0.01	--	--	2		
T100499	<0.01	--	--	2		
E354219	0.51	0.52	--	--		
T100500	<0.01	--	--	2		
T100501	<0.01	--	--	2		
T100502	<0.01	--	--	1		
T100503	<0.01	--	--	1		
T100504	<0.01	--	--	1		
T100505	<0.01	--	--	<1		
T100506	<0.01	--	--	1		
T100507	<0.01	<0.01	--	1		
T100508	<0.01	--	--	1		
T100509	<0.01	--	--	3		
T100510	<0.01	--	--	6		
T100511	<0.01	--	--	17		
T100512	<0.01	--	--	35		
T100513	<0.01	--	--	--		
T100514	<0.01	<0.01	--	--		
T100515	<0.01	--	--	49		
E354220	0.14	--	--	6		
T100516	<0.01	--	--	--		
T100517	<0.01	--	--	3		
T100518	<0.01	--	--	3		
T100519	<0.01	--	--	2		
T100520	<0.01	--	--	1		
T100521	<0.01	--	--	1		
T100522	<0.01	--	--	2		
T100523	<0.01	--	--	3		
T100524	<0.01	--	--	3		
T100525	<0.01	--	--	1		
T100526	<0.01	--	--	6		
T100527	<0.01	--	--	2		
T100528	<0.01	<0.01	--	<1		
Method	F650	F650	V821	H102		
Units	ppm	ppm	%	ppm		
Detection Limit	0.01	0.01	0.005	1		

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019828  
 Your reference : E13161  
 Project code : Despatch Sheet 1590  
 Report date : 11/05/04  
 Report Number : 00000426  
 Report status : Preliminary  
 Page : 3 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

## ANALYTICAL DATA

Sample	Cu	Pb	Zn	Ag	As
T100481	11	10	252	<1	<50
T100482	10	5	210	<1	<50
T100483	12	9	193	<1	<50
T100484	9	10	270	<1	<50
T100485	13	17	479	<1	<50
T100486	13	11	712	<1	<50
T100487	7	11	1020	1	<50
T100488	6	6	1045	1	<50
T100489	6	6	981	4	<50
T100490	8	10	768	<1	<50
T100491	11	5	163	<1	<50
T100492	19	27	159	<1	<50
T100493	15	31	178	<1	<50
T100494	8	6	119	<1	<50
T100495	10	5	35	<1	<50
T100496	9	4	10	<1	<50
T100497	13	5	16	<1	<50
T100498	8	5	62	<1	<50
T100499	9	<3	98	<1	<50
E354219	2460	3	49	<1	50
T100500	13	<3	36	<1	<50
T100501	10	<3	40	<1	<50
T100502	10	3	62	<1	<50
T100503	7	<3	67	<1	<50
T100504	7	<3	48	<1	<50
T100505	8	3	44	<1	<50
T100506	8	<3	59	<1	<50
T100507	11	4	63	<1	<50
T100508	10	52	150	<1	<50
T100509	189	250	972	50	<50
T100510	25	13	82	<1	<50
T100511	13	71	63	<1	<50
T100512	31	48	62	<1	<50
T100513	29	284	367	1	80
T100514	23	222	637	<1	265
T100515	37	144	278	<1	<50
E354220	7	5	5	<1	<50
T100516	45	187	376	1	60
T100517	55	5	66	<1	<50
T100518	129	10	59	<1	<50
T100519	60	117	113	<1	<50
T100520	22	237	191	<1	<50
T100521	17	104	83	<1	<50
T100522	18	11	91	<1	<50
T100523	5	4	78	<1	<50
T100524	10	11	95	<1	<50
T100525	11	635	92	2	<50
T100526	11	134	96	<1	<50
T100527	6	11	53	<1	<50
T100528	7	6	60	<1	<50
Method Units Detection Limit	A102 ppm 2	A102 ppm 3	A102 ppm 2	A102 ppm 1	A102 ppm 50

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Our reference : BU019828  
 Your reference : E13161  
 Project code : Despatch Sheet 1590  
 Report date : 11/05/04  
 Report Number : 00000426  
 Report status : Preliminary  
 Page : 4 of 4

**SGS Burnie**  
 ABN 44 000 964 278  
 14 Thirkell St, Burnie  
 Tasmania 7320  
 Telephone: (03) 6431 6837  
 Facsimile: (03) 6431 8890

### ANALYTICAL DATA

Sample	Cu	Pb	Zn	Ag	As
T100529	6	8	83	<1	<50
T100530	7	14	63	<1	<50
E354221	4200	4	36	<1	<50
T100531	10	7	50	<1	<50
T100532	8	6	47	<1	<50
T100533	7	8	33	<1	<50
T100534	8	9	89	<1	<50
T100535	8	7	70	<1	<50
T100536	7	7	59	<1	<50
T100537	12	22	101	<1	<50
T100538	13	144	94	<1	<50
T100539	8	65	121	<1	<50
T100540	13	40	120	<1	<50
T100541	7	23	96	<1	<50
T100542	13	14	43	<1	<50
T100543	7	7	36	<1	<50
T100544	12	4	75	<1	<50
T100545	14	12	115	<1	<50
E354222	3880	7	55	1	<50
Method	A102	A102	A102	A102	A102
Units	ppm	ppm	ppm	ppm	ppm
Detection Limit	2	3	2	1	50

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received