

Figure 1	Pre-Permian thrusting of the Proterozoic (?) section, Longford Sub-basin	
Figure 2	Parmeener Supergroup Type section – Golden Valley	
Figure 3	Parmeener Super Group Type section and seismic line – Golden Valley	
Figure 4	Tertiary depocentres that have been inverted and wrenched along their west boundary faults, Longford Sub-basin	
Figure 5	Flattened seismic section on Base Sequence 1 showing reconstruction Tertiary depocentres during Late Eocene, Longford Sub-basin	
Figure 6	Complex flower structure along eastern Hummocky Hills Fault System, Note inversion and folding of the Tertiary section to the surface, Longford Sub-basin	
Figure 7	Flattened seismic section on Base Sequence 1 showing reconstruction Eastern Tertiary depocentres during Late Eocene, Longford Sub-basin	
Figure 8	Complex flower structure along Tiers Fault system. Note inversion and folding of the Tertiary section to the surface, Northern Longford Sub-basin	
Figure 9	Flattened seismic section on base sequence 1 showing reconstruction Tertiary depocentres during Late Eocene, Northern Longford Sub-basin	
Figure 10	Inferred structural interpretation, Longford Sub-basin	
Figure 11	Longford Sub-basin Seismic Grid overlain on Geological map	
Figure 12	Seismic well ties – Hunterston 1. Note thickening of the basal Permian across TZ, which has been wrenched later	
Figure 13	Seismic well ties – Hunterston 1. Note the pseudo-domal structure at Hunterston does not roll to the north. The Triassic is exposed to the SW of TZ	
Figure 14	Seismic well ties Tunbridge RG145 & Annadale 1. Note thickening of the Basal Permian across TZ, which has been wrenched later	
Figure 15	Seismic well ties Tunbridge RG14, Annadale 1 & Woodbury 11. Note thickening of the Basal Permian across TZ, which has been wrenched later	

Figure 16	Location thrust zones on geological maps	
Figure 17	Seismic well ties Annadale 1 & Woodbury 11. Note thickening of the Basal Permian across TZ, which has been wrenched later.	
Figure 18	Leads in the Longford Sub-basin	
Figure 19	Hummocky Hills Lead, Note Late fault movement and re-activation downgrade this lead, Longford Sub-basin	
Figure 19a	Complex structuring Tiers Fault Zone, Original Pre Permian thrust was later reactivated and acted as a normal fault for Permian & Tertiary deposition, then subsequently wrenched	
Figure 20	Leads & Prospects overlain on Geological map	
Figure 21	Regional seismic line through Longford Sub-basin	
Figure 22	Reactivated pre-Permian predominantly back thrusts through the Proterozoic (?) section. The main thrust located on the Tiers Fault System, Longford Sub-Basin	
Figure 23	Seismic line Hummocky Hills Horst – Near Tamar Lineament (Thrust) showing thickening of the Permian to the east. Note the Permian is thin and missing the basal units to the east of the Tamar Thrust	
Figure 24	Regional seismic line showing deep thrusting	
Figure 25	Regional seismic line showing deep thrusting	
Figure 26	Simple thrust structure, Bellevue Lead. Thrust trends are indicated on the geological maps	
Figure 27	Regional seismic line – Golden valley section. Relationship thrust zone 2 & Tertiary Basalt distribution	
Figure 28	Simple thrust structure, Bellevue Lead. Note lack of amplitudes near Base Permian probably indicates no basal section deposited	
Figure 29	Simple thrust structure, Bellevue Lead. Note the strong amplitude flat events on the crest of the structure.	
Figure 30	Regional seismic line – Golden Valley section. Geological maps showing inferred positions of thrust zones	

Figure 31	Regional seismic line – Golden Valley Section showing thickening of Permian (basal) across TZ 1. TZ1 has associated wrenching and is associated with Tertiary Basalts	