



**QUEENSBERRY (HENTY RIVER) EL 11/2001**

**FINAL REPORT  
FOR THE PERIOD ENDING 3<sup>rd</sup> JULY 2006**

**Author:** A. W. McNeill and M. Skirka

**Date:** 29th July 2006

**Submitted To:** MTS Superintendent – Zinifex Rosebery Mine

**Copies To:** Mineral Resources Tasmania  
Zinifex Rosebery Mine

**Submitted By:**

**Accepted By:**

**Rosebery Report No:** R84

## CONTENTS

### *1101\_200607\_02\_MainReport*

|  |   |
|--|---|
| 1. SUMMARY .....                                   | 1 |
| 2. INTRODUCTION .....                              | 1 |
| 2.1 Attribution .....                              | 1 |
| 3. LAND TENURE .....                               | 2 |
| 4. GEOLOGY .....                                   | 2 |
| 5. PREVIOUS EXPLORATION .....                      | 3 |
| 6. WORK COMPLETED 2005-2006 REPORTING PERIOD ..... | 5 |
| 7. CONCLUSIONS & RECOMMENDATIONS .....             | 5 |
| 8. EXPENDITURE .....                               | 6 |
| 9. KEYWORDS & LOCALITY .....                       | 7 |
| 10. REFERENCES .....                               | 7 |

## LIST OF TABLES

|         |  |
|---------|--|
| Table 1 | Previous exploration over the area of EL 11/2001 Queensberry |
| Table 2 | Previous exploration on EL 11/2001 Queensberry               |

## LIST OF FIGURES

| <b>Figure No.</b>              | <b>Title</b>                            | <b>Scale</b> |
|--------------------------------|---|--------------|
| <i>1101_200607_03_fig1.pdf</i> | Tenement Location Diagram               | 1:500,000    |
| <i>1101_200607_04_fig2.pdf</i> | Regional Geology and prospect locations | 1:25,000     |

## **1. SUMMARY**

This report details exploration work undertaken on EL 11/2001 Queensberry (Henty River) during the period 3<sup>rd</sup> July 2005 to 3<sup>rd</sup> July 2006, the fifth and final year of the tenement. No exploration was conducted by Zinifex during the year as work focussed on higher priority targets.

Exploration conducted by Zinifex/Pasminco prior to the current year has comprised gridding, geological mapping, partial leach soil sampling and sampling of mineralized rock chip samples for Pb Isotope analysis.

This work has failed to locate any significant mineralisation and has not produced any standout targets for drill testing.

## **2. INTRODUCTION**

This report details exploration work undertaken on Queensberry (Henty River) EL 11/2001 during the period 3 July 2005 to 3 July 2006, the fifth and final year of this tenement.

Zinifex's main target on EL 11/2001 was Cambrian Rosebery or Hellyer type, Zn-Pb-Cu-Au-rich VHMS mineralisation hosted by the Mount Read Volcanics (MRV). A secondary target was Pb-Zn Devonian vein style mineralisation of the type found at the Queensberry Mine. The tenement covers a fault-bounded outlier of Cambrian volcanoclastics and sediments that have been correlated with the Tyndall Group (see Section 4 below).

Zinifex planned to systematically explore the EL using a combination of geological mapping and partial leach soil geochemistry, followed-up by ground time-domain EM over areas of interest.

The only access to the tenement is via the Henty Road (B27), linking Zeehan and Strahan, then east and south via the ~9 km long Queensberry Track, which finishes at the Queensberry Mine in the centre of the tenement. Otherwise, the tenement is heavily forested, rugged and difficult to access with no useable exploration grids.

### **2.1 Attribution**

The following personnel were responsible for the work carried out by Zinifex Rosebery Mine on the EL 11/2001 Queensberry licence area during the reporting period:

Senior Geologist:                      Andrew McNeill – Zinifex Rosebery Mine

### 3. LAND TENURE

EL 11/2001 Queensberry (10 sq km) was granted to Pasminco on 3 August 2001 for a period of 5 years. The location of the tenement is shown on Figure 1. EL 11/2001 covers ground that fell vacant on the relinquishment of EL 34/88 (Rio Tinto Exploration) in December 1998. On 5<sup>th</sup> April 2004, a refloat of some assets, including the Rosebery Mine and exploration licences, of the failed Pasminco was completed and the assets are now owned by of Zinifex Australia Limited.

EL 7/2001 falls entirely within the Mt Dundas Regional Reserve all of which is available for exploration under the Mineral Resources Development Act 1995.

### 4. GEOLOGY

The regional geology of the tenement area is described by the Strahan 1:50,000 Geological Survey sheet and explanatory notes (Baillie et al., 1977 and 1985). Recent regional correlations are shown on Brown et al. (1995) and Corbett (2002) and are discussed in Selley and Meffre (1997).

The geology of EL 11/2001 Queensberry is dominated by a major regional fault system, the Firewood Siding Fault (FSF). The FSF extends some 35 km from Queenstown to near Trial Harbour on the west coast, has a general E-W to NNW trend and is offset by several NW to NNE faults, including the South Henty Fault. Stratigraphic and structural relationships indicate the FSF has had a prolonged history, with evidence of movements:

- Later than Jurassic, juxtaposing Permian sediments and Jurassic dolerite against Ordovician to Devonian sediments to the west of EL 11/2001 (Blissett and Guilline, 1962).
- In the Devonian, as indicated by the development of F<sub>3</sub> structures adjacent to the FSF. Devonian movement on the FSF appears to be sinistral (Baillie and Williams, 1975; Selley and Meffre, 1997)
- In the Late Cambrian, based on thickness variations in Denison Group correlates to the north of the fault (Baillie, et al., 1985) and the effect of the fault on interpreted Cambrian folds (Selley and Meffre, 1997). Selley and Meffre (ibid) conclude that there is no structural or stratigraphic evidence that the FSF was active in the Middle Cambrian i.e., time of VHMS formation. However, the localisation near Pearl Creek to the east of EL 11/2001, of “Middle Cambrian mafic volcanic units along the present trace of the FSF may provide evidence of an ancient syn-magmatic fracture system” (Selley and Meffre, 1997).

The geology of EL 11/2001 can be subdivided into 3 lithological domains:

1. Correlates of the Devonian Bell Shale, interbedded quartz sandstone and mudstones south of the FSF.
2. A ~2.7 sq km fault bounded block of Mount Read Volcanic (Tyndall Group) correlates in the Firewood Siding Fault system. Additional areas of Tyndall Group correlates have been interpreted along the FSF immediately east and west of EL 11/2001 by Corbett (2002).
3. A marine sedimentary sequence north of the FSF, with fossils of Upper Cambrian age that is correlated with the Denison Group.

Of these three, domain 2 is considered VHMS prospective. Lithologies from domain 2 have been described in some detail by Baillie et al (1985) and include siltstone, slate, lithicwacke (with a minor volcanogenic component) and volcanoclastics. The volcanoclastics are feldspar-quartz-phyric crystal-rich sandstones, shard-rich ashy siltstones and lesser coarse sandstones, with a volcanolithic component. Poor outcrop and complex structure have prevented the location or tracing of any marker horizons (Baillie et al., 1985).

Known economic mineralisation on the tenement area is restricted to the Queensberry Mine, discovered in 1891 and worked prior to 1924, producing approximately 767t of Pb-Ag ore. More recently drilling (8 shallow holes) and surface sampling (Lennox, 1970) allowed the calculation of an 'inferred resource' of 28,300t @ 0.32% Cu, 11.53% Pb, 8.76% Zn and 52 g/t Ag (Green in Baillie et al., 1985). Only two Au assays of the ore are available and are in the range 0.2-0.3 g/t Au (Mathison, 1988). The geology of the Queensberry mine has been described in detail by Reid (1927), Forsythe (1968a), Lennox (1970) and Green (in Baillie et al., 1985). The deposit comprises 4 lodes (a fifth was known during initial mining but, has not been relocated in recent times) most of which have a northerly strike and west dip. Mineralogically the lodes comprise pyrite, arsenopyrite, sphalerite, chalcopyrite, galena, tetrahedrite and bournonite in a quartz-siderite gangue. Green (in Baillie et al., 1985) considered the mineralogy, coarse grain size, textures and paragenetic sequence of minerals was very similar to that of the Zeehan mineral field and concluded that the Queensberry Mine was a Devonian fissure fill deposit.

## **5. PREVIOUS EXPLORATION**

The area of EL 11/2001 Queensberry has a long and complex tenement history with modern exploration commencing in the 1960s (see Table 1). Previous exploration by Pasmenco/Zinifex on EL 11/2001 is summarised in Table 2.

**Table 1 Previous exploration on the area of EL 11/2001 Queensberry**

| <b>Reporting Period/Tenement</b>                  | <b>Work Completed</b>  |
|---|--|
| 1968 ML 11/12M66<br>SPL 25<br>(Forsythe, 1968a,b) | Queensberry Mine: 7 km of line cutting, mapping, rock-chip, soil and stream sediment sampling was completed. An intense Pb-Zn anomaly west of lodes creek was the main target worthy of follow-up. Regional: establishment of access tracks, reconnaissance mapping, rock-chip and stream sediment sampling. Further work recommended.                   |
| 1970 ML 11/12M66<br>SPL 62<br>(Lennox, 1970)      | Detailed investigations of the Queensberry Mine area: Approximately 3300m of trenching and side-cutting over areas of interest, detailed mapping and soil geochemistry and 8 DDH (640.1m total). Initial metallurgical test work was also completed.   |
| 1981-1982 ML 11/12M66<br>(Bendall, 1982)          | Mapping and relocating old workings and drill holes; estimation of a resource.   |
| 1983-1984 EL 4/78<br>(Jones, 1984)                | Regional stream sediment sampling located a significant anomaly on Malcolm Creek. Airborne magnetic anomalies were followed-up.  |
| 1985-1986 EL 10/85<br>(Bendall, 1986)             | Regional scale mapping and track cutting for access; no further outcrops of Cambrian volcanics located.  |
| 1987 EL 10/85<br>(Leaman, 1987)                   | Reviewed available regional geophysical datasets (magnetics and gravity) and concluded that the mineralisation has a subtle geophysical signature much larger than the known mineralisation. Concluded that prospective corridor within 1500m of FSF. Indicated magnetic anomalies A and B (Amoco's anomalies I and F/G) warranted some ground checking. |
| 1987-1988 EL 4/78<br>(Mathison, 1988)             | Review previous data and field visit to collect samples for Au analysis – best result 0.058 g/t from a dump sample near the main shaft. No further work recommended.   |
| 1989-1990 EL 34/88<br>(Anon, 1990)                | An orientation gradient array IP survey was completed over a 300x200m area at Queensberry; results not reported in any detail.   |
| 1990-1998 EL 34/88                                | No Field work. Kratochvil (1991) recommended stream sediment and other geochemical sampling at Queensberry to locate "leakage" on major faults, but, this was not done as exploration rapidly focussed on the Gordon Limestone.  |

**Table 2 Previous exploration on EL 11/2001 Queensberry**

| <b>Reporting Period</b>      | <b>Work Completed</b>   |
|------------------------------|---|
| 2001-2002<br>(McNeill, 2002) | Work on the licence focussed on compiling previous exploration data and reconnaissance field visits were made to locate old workings and to collect rock chip samples for Pb-Isotope analysis. Results of this sampling indicate that the Pb in the known mineralisation at Queensberry Mine has the target Cambrian (Rosebery) signature.  |
| 2002-2003<br>(McNeill, 2003) | Work included gridding (7.7 line km), surveying the grid with GPS, geological mapping, partial leach soil sampling (325 samples) and rock chip sampling (2 samples analysed). This work focused on the area around Melody Creek where volcanics, including probable Lynchford Tuff correlates, are associated with spikily anomalous soil geochemistry. Further work was recommended. |
| 2003-2004<br>(McNeill, 2004) | Work focussed on gridding (4.45 line km), surveying the grid with GPS, geological mapping, partial leach soil sampling (186 samples, including standards and duplicates, collected and submitted for analysis) and rock chip sampling (20 samples analysed). Further work was recommended   |
| 2004-2005<br>(McNeill, 2005) | Work focussed on gridding (3.35 line km), surveying the grid with GPS and partial leach soil sampling (142 samples, including standards and duplicates, collected and submitted for analysis).  |

## **6. WORK COMPLETED 2005-2006 REPORTING PERIOD**

No exploration was conducted during the reporting period.

## **7. CONCLUSIONS & RECOMMENDATIONS**

No work was completed during the final year of tenure.

Exploration completed prior to the current year has failed to locate any significant mineralisation and has not produced any standout targets for drill testing. However,

- The prospective area has not been covered by modern electrical geophysics (EM or IP).
- A recommended helicopter supported 250-300m 'stratigraphic' drill hole has not been completed.

## 8. EXPENDITURE

Expenditure on EL 11/2001 during the 12 month period ending 3<sup>rd</sup> July 2006 was **\$2,514.75**. A detailed breakdown of this expenditure is presented below.

|                                   |                   |
|-----------------------------------|-------------------|
| Personnel                         | \$1,308.44        |
| Travel & Accommodation            | \$0               |
| Consultants & Contractors         | \$0               |
| Geological Consultants            | \$0               |
| Geochemical Consultants & Assays  | \$0               |
| Geophysical Surveys & Contractors | \$0               |
| Drilling                          | \$0               |
| Stores & Supplies                 | \$0               |
| Vehicles Plant & Equipment        | \$176.20          |
| Land                              | \$351.00          |
| Computing                         | \$450.50          |
| Office                            | \$0               |
| Administration Fee                | \$228.61          |
| <b>Total Tenement Expenditure</b> | <b>\$2,514.75</b> |

## 9. KEYWORDS & LOCALITY

### Keywords

Queensberry Mine, Tyndall Group, Lynchford Tuff, Firewood Siding Fault.

### Locality

1:250,000        QUEENSTOWN SK55-5  
1:100,000       CAPE SORELL 7913  
1:25,000        PROFESSOR 3634

## 10. REFERENCES

- Anon, 1990. Exploration Licence 34/88 - Zeehan Second Annual Report for Period 1<sup>st</sup> November 1989 to 31<sup>st</sup> October 1990. Unpub. Major Mining Limited Report (TCR90-3198).
- Baillie, P.W., and Corbett, K.D., et al., 1977. Strahan, Geological Atlas 1:50,000 series, Sheet 7913N, Geological Survey of Tasmania, Department of Mines, Hobart.
- Baillie, P.W., Corbett, K.D., and Green G.R., 1985. Geological Survey Explanatory Report – Strahan, Geological Atlas 1:50,000 series, Sheet 7913N, Geological Survey of Tasmania, Department of Mines, Hobart.
- Baillie, P.W., and Williams, P.R., 1975. Sedimentary and structural features of the Bell Shale correlate (Early Devonian), Strahan Quadrangle, western Tasmania. Pap. Proc. Roy. Soc. Tasm. 109:1-15.
- Bendall, M.R., 1982. Report on Queensberry Mine, Zeehan 1981/82. Unpub. Bendalls Mining Company Pty Ltd. Report (TCR82-1795).
- Bendall, M.R., 1986. Henty River EL 10/85 Annual Report December 1986. Unpub. Oceania TAS Pty. Ltd. report (TCR86-2615).
- Blissett, A.H., and Guilline, A.B., 1962. Geological Atlas 1 mile Series. Zone 7, sheet 50. Zeehan. Department of Mines Tasmania.
- Brown, A.V., Calver, C.R., Corbett, K.D., Forsyth, S.M., Goscombe, B.A., Green, G.R., McClenaghan, M.P., Pemberton, J., and Seymour, D.B. (comp.), 1995. Geological Atlas 1:250,000 digital series. Geology of Southwest Tasmania, Tasmanian Geological Survey.
- Corbett, K.D., 2002. Updating the Geology of the Mount Read Volcanic Belt. Tasmanian Geological Survey Record 2002/19, Mineral Resources Tasmania, Hobart.

- Forsythe, D.L., 1968a. Progress report on optioned leases no. 111M/66 and 12M/66 (old Queensberry Mine). Henty River prospect (SPL No. 25), Tasmania. Unpub. New Consolidated Goldfields (A/asia) Pty. Ltd. (TCR68-517).
- Forsythe, D.L., 1968b. Progress Report on the Henty River Prospect (S.P.L. No. 25) Tasmania. Unpub. New Consolidated Goldfields (A/asia) Pty. Ltd. (TCR68-519).
- Jones P.A., 1984. Part Relinquishment Report, Zeehan EL 4/78, Tasmania. Unpub. Amoco Report 398 (TCR84-2174).
- Kratochvil, M., 1990. Exploration Licence 34/88 Henty, Tasmania Statutory Progress Report for the Period Ending 9<sup>th</sup> November 1991. Unpub. CRA Exploration Proprietary Limited Report 17635 (TCR90-3312).
- Leaman, D.E., 1987. Regional Geophysical Assessment Henty River EL 10/85. Unpub. Report for Bendall M.R. (TCR87-2745).
- Lennox, M.J., 1970. Summary report the Queensberry Marquis Area (Queensberry Mine). Unpub. Minops Pty Ltd. Report (TCR70-631).
- Mathison, I.J., 1988. Exploration Licence 4/78 Zeehan, relinquishment report, including report on exploration activity, 30<sup>th</sup> April 1987 – 31<sup>st</sup> May 1988. Unpub. EZ Company Report T232 (TCR88-2828).
- McNeill, A.W., 2002. Queensberry (Henty River) EL 11/2001, Annual Report for the period ending 3<sup>rd</sup> July 2002. Unpub. Pasminco Rosebery Mine Report R70.
- McNeill, A.W., 2003. Queensberry (Henty River) EL 11/2001, Annual Report for the period ending 3<sup>rd</sup> July 2003. Unpub. Pasminco Rosebery Mine Report R75.
- McNeill, A.W., 2004. Queensberry (Henty River) EL 11/2001, Annual Report for the period ending 3<sup>rd</sup> July 2004. Unpub. Zinifex Rosebery Mine Report R77.
- McNeill, A.W., 2005. Queensberry (Henty River) EL 11/2001, Annual Report for the period ending 3<sup>rd</sup> July 2005. Unpub. Zinifex Rosebery Mine Report R82.
- Reid, A.M., 1927. Preliminary report on Queensberry Mine, western district. Unpub. Rept. Dept. Mines Tasm. 1927A: 1-4.
- Selley, D., and Meffre, S., 1997. Structure and sedimentology of Middle and Upper Cambrian strata adjacent to the Firewood Siding Fault. Final Report CODES/AMIRA project P291A Structure and mineralisation of western Tasmania, pp 77-102.