

ZZ Exploration Proprietary Limited

**Miscellaneous Drill Logs lodged with
Mineral Resources Tasmania**

Mining Lease 123M/1947

Drill Hole:

SY021

p280-

SY021 (Brief Interim description of SY021)

- This drill hole is yet to be logged in detail, however, shows and intersections at 46.9-47.7m at 26.40%Zn, 16.6%Pb and 561ppm Ag.
- Preliminary investigations show mainly carbonaceous and graphitic siltstones from 0m to approx 43m. The carbonate (dolomite) lithology occurs from 43m to end of drill hole (113.28m).
- Preliminary observations indicate no major quantities of talc in drill core for SY021. Detailed investigations will verify this.
- Spot samples have been analysed, however, will be re-sampled over 1m lengths to determine grade. Sporadic veins of sphalerite and galena have been observed from 46m to 113m. This will be described in the detailed drill log.

Geochemical Data

A N A L A B S



Our reference : BU018064
 Your reference : 160351a
 Project code : Core / Soils
 Date received : 20/07/00
 Date reported : 10/08/00

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thirkell St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

Paul Heath
 Geologist

 Oceania Tasmania Pty Ltd
 Level 3
 65 Murray St
 Hobart
 TAS 7000
 Australia

10 AUG 2000

Number of pages of results : 4
 Number of Samples : 45
 First Sample : AA01
 Last Sample : SY021 51.4-53.2

Invoice to:
 Paul Heath
 Geologist

 Oceania Tasmania Pty Ltd
 Level 3
 65 Murray St
 Hobart
 TAS 7000
 Australia

Electronic Data Transmission :
 Modem //
 Facsimile //
 Disk Report //

Preliminary Reports :
 26/07/00 Report
 27/07/00 Report

Results to:

Results to:

Remarks

Authorised by
 On behalf of:

Rob Chapman
 Laboratory Manager

The results in the following analytical report pertain to the samples provided to this laboratory for preparation and/or analysis as requested by the client.

A subsidiary of Scientific Services Limited

ANALABS



Our reference : BU018064
 Your reference : 160351a
 Project code : Core / Soils
 Report date : 10/08/00
 Report status : Final
 Page : 1 of 4

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Turkel St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

ANALYTICAL DATA

| Sample | Cu | Pb | Zn | Ag | Fe | Au |
|--------|----|----|----|----|----|----|
|--------|----|----|----|----|----|----|

| | | | | | | |
|-----------------|------|-------|-------|------|-------|-------|
| SY021 46.9-47.7 | 0.11 | 16.60 | 26.40 | 561 | 8.17 | 0.03 |
| | 0.02 | 0.28 | 0.93 | 7 | 5.20 | <0.01 |
| | 0.02 | 0.35 | 1.05 | 3 | 19.50 | 0.03 |
| Method | A330 | A330 | A330 | A330 | A330 | F650 |
| Units | % | % | % | ppm | % | ppm |
| Detection Limit | 0.01 | 0.01 | 0.01 | 1 | 0.01 | 0.01 |

SY021

Notes: N.A. = not analysed, - = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

ANALABS



Our reference : BU018064
 Your reference : 160351a
 Project code : Core / Soils
 Report date : 10/08/00
 Report status : Final
 Page : 2 of 4

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thirkell St. Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 3890

ANALYTICAL DATA

| Sample | Au(R) | S | S | Hg | B | Mg |
|--------|-------|---|---|----|---|----|
|--------|-------|---|---|----|---|----|

| | | | | | | | |
|-----------------|-----------------|-------|--------|-------|-------|------|------|
| X | SY021 46.9-49.7 | 0.04 | 28.167 | N.A. | 0.175 | 50 | 0.39 |
| | SY021 48.6-49.0 | - | 6.539 | N.A. | 0.013 | 92 | 6.45 |
| | SY021 51.4-53.7 | - | 18.273 | N.A. | 0.050 | 64 | 7.19 |
| Method | F650 | V821 | V829 | F114 | I151 | I151 | |
| Units | ppm | % | % | ppm | ppm | % | |
| Detection Limit | 0.01 | 0.005 | 0.05 | 0.005 | 20 | 0.01 | |
| Upper Method | | V821 | | | | | |

SY021

Notes: N.A. = not analysed, - = element not determined, f.s. = insufficient sample, L.N.R. = listed not received

ANALABS



Our reference : BU018064
 Your reference : 160351a
 Project code : Core / Soils
 Report date : 10/08/00
 Report status : Final
 Page : 3 of 4

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thirkell St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

ANALYTICAL DATA

| Sample | Ni | Si | Sn | As | As | Sb |
|--------|----|----|----|----|----|----|
|--------|----|----|----|----|----|----|

| | | | | | | |
|-----------------|-----|------|------|-------|------|------|
| SY021 46.2-47.7 | <50 | 2.2 | 377 | 310 | N.A. | 588 |
| | <50 | 27.5 | 13.3 | 222 | N.A. | 33.2 |
| | 50 | 18.4 | 22.8 | >1000 | 1410 | 37.4 |
| Method | ISE | ISE | MFO4 | MFO4 | HO4 | MFO4 |
| Units | ppm | % | ppm | ppm | ppm | ppm |
| Detection Limit | 50 | 0.2 | 1.5 | 1 | 10 | 0.1 |

} SY021

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

A N A L A B S



Our reference : BU018064
 Your reference : 160351a
 Project code : Core / Soils
 Report date : 10/08/00
 Report status : Final
 Page : 4 of 4

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thinkell St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

ANALYTICAL DATA

| | | | | | | | |
|--------|----|--|--|--|--|--|--|
| Sample | Br | | | | | | |
|--------|----|--|--|--|--|--|--|

| | | | | | | |
|--|-----|--|--|--|--|--|
| SY021 46.9-47.7 SY021 48.6-49.0 SY021 51.4-53.2 | 1.4 | | | | | |
| | 0.8 | | | | | |
| | 0.8 | | | | | |
| Method | MLO | | | | | |
| Detection Limit | ppm | | | | | |
| | 0.1 | | | | | |

SY021

Notes: N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



Your reference : BU018102
 Your reference : 158105
 Project code : ZeehanZinc
 Report date : 15/09/00
 Report status : Final
 Page : 1 of 6

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thirkell St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

ANALYTICAL DATA

| Sample | Density | Au | Au(R) | Mg | Si | Net Acid |
|---------------------|---------|-------|-------|-------|-------|----------|
| SY021 18.5-18.57 | N.A. | 0.02 | -- | 2.20 | 30.9 | N.A. |
| SY021 32.90-33.10 | N.A. | <0.01 | -- | 0.65 | 28.4 | N.A. |
| SY021 57.20-57.35 | N.A. | <0.01 | -- | 11.26 | 2.0 | N.A. |
| SY021 57.40-57.48 | N.A. | 0.04 | -- | 7.43 | 3.4 | N.A. |
| SY021 58.30-58.53 | 2.88 | 0.03 | -- | 11.32 | 2.1 | N.A. |
| SY021 61.50-61.60 | N.A. | 0.01 | -- | 12.26 | 4.2 | N.A. |
| SY021 62.00-62.15 | N.A. | 0.04 | -- | 12.75 | 6.3 | N.A. |
| SY021 64.00-64.17 | N.A. | 0.01 | -- | 12.65 | 15.7 | N.A. |
| SY021 64.90-65.10 | 2.88 | 0.01 | -- | 10.32 | 6.4 | N.A. |
| SY021 68.20-68.44 | N.A. | <0.01 | <0.01 | 10.73 | 1.8 | N.A. |
| SY021 71.00-71.07 | N.A. | 0.08 | -- | 5.32 | 6.5 | N.A. |
| SY021 73.30-73.50 | N.A. | 0.06 | -- | 12.10 | 0.7 | N.A. |
| SY021 78.50-78.75 | 3.00 | <0.01 | -- | 12.50 | 0.5 | N.A. |
| SY021 86.60-86.75 | N.A. | 0.01 | -- | 12.17 | 0.4 | N.A. |
| SY021 87.40-87.50 | N.A. | 0.02 | -- | 11.93 | <0.25 | N.A. |
| SY021 88.60-88.78 | N.A. | 0.01 | -- | 12.12 | <0.25 | N.A. |
| SY021 92.90-93.08 | N.A. | 0.03 | -- | 12.12 | <0.25 | N.A. |
| SY021 93.30-93.37 | N.A. | <0.01 | -- | 12.30 | 0.3 | N.A. |
| SY021 93.40-93.61 | N.A. | 0.02 | -- | 11.97 | 0.5 | N.A. |
| SY021 97.00-97.20 | N.A. | <0.01 | -- | 11.95 | 3.1 | N.A. |
| SY021 104.50-104.75 | N.A. | 0.03 | -- | 11.75 | 0.8 | N.A. |
| SY021 110.90-111.12 | N.A. | 0.01 | -- | 11.07 | 2.9 | N.A. |
| SY021 113.10-113.28 | N.A. | 0.01 | -- | 11.76 | 2.4 | N.A. |

| Method | V959 | F650 | F650 | H151 | H151 | V906 |
|-----------------|------|------|------|------|------|------|
| Units | g/ml | ppm | ppm | % | % | |
| Detection Limit | 0.01 | 0.01 | 0.01 | 0.01 | 0.25 | 0.01 |

N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



ur reference : BU018102
 our reference : 158105
 roject code : ZeehanZinc
 port date : 15/09/00
 port status : Final
 ge : 3 of 6

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thirkell St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

ANALYTICAL DATA

| Sample | Cu | Pb | Zn | Ag | Fe | S |
|---------------------|-------|-------|-------|-----|-------|------|
| SY021 18.5-18.57 | 0.89 | 1.10 | 0.22 | 119 | 6.49 | N.A. |
| SY021 32.90-33.10 | <0.01 | 0.03 | <0.01 | 1 | 5.94 | N.A. |
| SY021 57.20-57.35 | <0.01 | 0.03 | <0.01 | 1 | 1.93 | N.A. |
| SY021 57.40-57.48 | 0.02 | 10.50 | 11.60 | 117 | 5.78 | N.A. |
| SY021 58.30-58.53 | <0.01 | 0.30 | 0.18 | 5 | 2.93 | N.A. |
| SY021 61.50-61.60 | <0.01 | 0.03 | 0.04 | 1 | 2.11 | N.A. |
| SY021 62.00-62.15 | <0.01 | 0.02 | 0.02 | <1 | 4.23 | N.A. |
| SY021 64.00-64.17 | <0.01 | 0.02 | <0.01 | <1 | 4.65 | N.A. |
| SY021 64.90-65.10 | <0.01 | 0.02 | 0.02 | <1 | 6.74 | N.A. |
| SY021 68.20-68.44 | <0.01 | 0.02 | 0.01 | <1 | 5.57 | N.A. |
| SY021 71.00-71.07 | <0.01 | 0.10 | 0.04 | 1 | 16.10 | N.A. |
| SY021 73.30-73.50 | <0.01 | 0.02 | 0.01 | <1 | 5.28 | N.A. |
| SY021 78.50-78.75 | <0.01 | 0.02 | 0.01 | <1 | 7.16 | N.A. |
| SY021 86.60-86.73 | <0.01 | 0.03 | <0.01 | <1 | 1.89 | N.A. |
| SY021 87.40-87.50 | <0.01 | 0.02 | 0.01 | <1 | 3.46 | N.A. |
| SY021 88.60-88.78 | <0.01 | 0.19 | 0.60 | 2 | 3.53 | N.A. |
| SY021 92.90-93.08 | <0.01 | 0.02 | <0.01 | <1 | 3.56 | N.A. |
| SY021 93.30-93.37 | <0.01 | 0.04 | <0.01 | <1 | 3.76 | N.A. |
| SY021 93.40-93.61 | <0.01 | 0.03 | <0.01 | <1 | 2.97 | N.A. |
| SY021 97.00-97.20 | <0.01 | 0.01 | 0.05 | <1 | 1.81 | N.A. |
| SY021 104.50-104.73 | <0.01 | 0.15 | 0.15 | 2 | 3.13 | N.A. |
| SY021 110.90-111.12 | <0.01 | 0.01 | 0.04 | <1 | 1.76 | N.A. |
| SY021 113.10-113.28 | <0.01 | 0.01 | 0.05 | <1 | 1.76 | N.A. |

| Method | A330 | A330 | A330 | A330 | A330 | V821 |
|------------------|------|------|------|------|------|-------|
| Units | % | % | % | ppm | % | % |
| Detection Limit: | 0.01 | 0.01 | 0.01 | 1 | 0.01 | 0.005 |

N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received



our reference : BU018102
 our reference : 158105
 oject code : ZeehanZinc
 port date : 15/09/00
 port status : Final
 age : 5 of 6

Analabs Pty. Ltd.
 ACN 004 591 664
 14 Thirkell St, Burnie
 Tasmania 7320
 Telephone : (03) 6431 6837
 Facsimile : (03) 6431 8890

ANALYTICAL DATA

| Sample | C | | | | |
|---------------------|------|--|--|--|--|
| SY021 18.5-18.57 | N.A. | | | | |
| SY021 32.90-33.10 | N.A. | | | | |
| SY021 57.20-57.35 | N.A. | | | | |
| SY021 57.40-57.48 | N.A. | | | | |
| SY021 58.30-58.53 | N.A. | | | | |
| SY021 61.50-61.60 | N.A. | | | | |
| SY021 62.00-62.15 | N.A. | | | | |
| SY021 64.00-64.17 | N.A. | | | | |
| SY021 64.90-65.10 | N.A. | | | | |
| SY021 68.20-68.44 | N.A. | | | | |
| SY021 71.00-71.07 | N.A. | | | | |
| SY021 73.30-73.50 | N.A. | | | | |
| SY021 78.50-78.73 | N.A. | | | | |
| SY021 86.60-86.73 | N.A. | | | | |
| SY021 87.40-87.50 | N.A. | | | | |
| SY021 88.60-88.78 | N.A. | | | | |
| SY021 92.90-93.08 | N.A. | | | | |
| SY021 93.30-93.37 | N.A. | | | | |
| SY021 93.40-93.61 | N.A. | | | | |
| SY021 97.00-97.20 | N.A. | | | | |
| SY021 104.50-104.73 | N.A. | | | | |
| SY021 110.90-111.12 | N.A. | | | | |
| SY021 113.10-113.28 | N.A. | | | | |

| | | | | | |
|-----------------|-------|--|--|--|--|
| Method | V825 | | | | |
| Units | % | | | | |
| Detection Limit | 0.005 | | | | |

N.A. = not analysed, -- = element not determined, I.S. = insufficient sample, L.N.R. = listed not received

| BU018102 | 62 | 130 | | | | | | | |
|------------|---------|-------|-------|-------|-------|-------|------|------|------|
| 158105 | Density | Au | Au(R) | Cu | Pb | Zn | Ag | Fe | |
| UNITS | g/ml | ppm | ppm | % | % | % | ppm | % | |
| DETECTIC | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 1 | 0.01 |
| METHOD | V959 | F650 | F650 | A330 | A330 | A330 | A330 | A330 | A330 |
| COHOD" | V959 | F650 | F650 | A330 | A330 | A330 | A330 | A330 | A330 |
| COHOD" | V959 | F650 | F650 | A330 | A330 | A330 | A330 | A330 | A330 |
| SY021 18.4 | -3000 | 0.02 | -9000 | 0.89 | 1.1 | 0.22 | 119 | 6.49 | |
| SY021 32.4 | -3000 | -0.01 | -9000 | -0.01 | 0.03 | -0.01 | 1 | 5.94 | |
| SY021 57.2 | -3000 | -0.01 | -9000 | -0.01 | 0.03 | -0.01 | 1 | 1.93 | |
| SY021 57.4 | -3000 | 0.04 | -9000 | 0.02 | 10.5 | 11.6 | 117 | 5.78 | |
| SY021 58.2 | 2.88 | 0.03 | -9000 | -0.01 | 0.3 | 0.18 | 5 | 2.93 | |
| SY021 61.4 | -3000 | 0.01 | -9000 | -0.01 | 0.03 | 0.04 | 1 | 2.11 | |
| SY021 62.0 | -3000 | 0.04 | -9000 | -0.01 | 0.02 | 0.02 | -1 | 4.23 | |
| SY021 64.0 | -3000 | 0.01 | -9000 | -0.01 | 0.02 | -0.01 | -1 | 4.65 | |
| SY021 64.4 | 2.88 | 0.01 | -9000 | -0.01 | 0.02 | 0.02 | -1 | 6.74 | |
| SY021 68.2 | -3000 | -0.01 | -0.01 | -0.01 | 0.02 | -0.01 | -1 | 5.57 | |
| SY021 71.0 | -3000 | 0.08 | -9000 | -0.01 | 0.1 | 0.04 | 1 | 16.1 | |
| SY021 73.2 | -3000 | 0.06 | -9000 | -0.01 | 0.02 | 0.01 | -1 | 5.28 | |
| SY021 78.4 | 3 | -0.01 | -9000 | -0.01 | 0.02 | 0.01 | -1 | 7.16 | |
| SY021 86.6 | -3000 | 0.01 | -9000 | -0.01 | 0.03 | -0.01 | -1 | 1.89 | |
| SY021 87.4 | -3000 | 0.02 | -9000 | -0.01 | 0.02 | 0.01 | -1 | 3.46 | |
| SY021 88.6 | -3000 | 0.01 | -9000 | -0.01 | 0.19 | 0.6 | 2 | 3.53 | |
| SY021 92.0 | -3000 | 0.03 | -9000 | -0.01 | 0.02 | -0.01 | -1 | 3.56 | |
| SY021 93.2 | -3000 | -0.01 | -9000 | -0.01 | 0.04 | -0.01 | -1 | 3.76 | |
| SY021 93.4 | -3000 | 0.02 | -9000 | -0.01 | 0.03 | -0.01 | -1 | 2.97 | |
| SY021 97.0 | -3000 | -0.01 | -9000 | -0.01 | 0.01 | 0.05 | -1 | 1.81 | |
| SY021 104 | -3000 | 0.03 | -9000 | -0.01 | 0.15 | 0.15 | 2 | 3.13 | |
| SY021 110 | -3000 | 0.01 | -9000 | -0.01 | 0.01 | 0.04 | -1 | 1.76 | |
| SY021 113 | -3000 | 0.01 | -9000 | -0.01 | 0.01 | 0.05 | -1 | 1.76 | |
| SY022 9.30 | 2.78 | -0.01 | -9000 | -0.01 | -0.01 | 0.06 | -1 | 0.96 | |
| SY022 11.2 | -3000 | -0.01 | -9000 | -0.01 | 0.01 | -0.01 | -1 | 1.02 | |
| SY022 26.4 | -3000 | 0.02 | -9000 | 0.01 | 0.02 | 0.05 | 2 | 3.63 | |
| SY022 30.4 | -3000 | -0.01 | -9000 | 0.01 | 0.01 | -0.01 | 1 | 3.05 | |
| SY022 48.8 | -3000 | 0.02 | -9000 | 0.01 | 0.01 | -0.01 | 1 | 3.58 | |
| SY022 51.0 | -3000 | -0.01 | -9000 | -0.01 | 0.01 | -0.01 | -1 | 3.63 | |
| SY022 57.0 | -3000 | 0.02 | -9000 | 0.01 | -0.01 | -0.01 | -1 | 9.18 | |
| SY022 60.8 | -3000 | 0.04 | -9000 | 0.02 | 0.25 | 2.46 | 6 | 13.5 | |
| SY022 62.2 | -3000 | -0.01 | -9000 | 0.01 | 0.19 | 2.31 | 5 | 6.02 | |
| SY022 63.2 | 2.96 | -0.01 | -9000 | 0.02 | 0.35 | 2.44 | 6 | 5.81 | |
| SY022 65.0 | -3000 | 0.01 | -9000 | 0.02 | 7.92 | 0.24 | 61 | 14.6 | |
| SY022 65.4 | -3000 | 0.01 | 0.05 | 0.04 | 2.59 | 13.7 | 38 | 20 | |
| SY022 68.2 | -3000 | 0.01 | -9000 | 0.03 | 7.51 | 2.4 | 65 | 15.5 | |
| SY022 69.0 | -3000 | 0.02 | 0.01 | 0.04 | 0.28 | 2.43 | 12 | 24 | |
| SY022 69.4 | -3000 | 0.03 | -9000 | 0.04 | 3.29 | 11.5 | 58 | 18.2 | |
| SY022 69.8 | -3000 | 0.01 | -9000 | 0.06 | 1.9 | 3.37 | 35 | 21.5 | |
| SY022 70.6 | -3000 | 0.01 | -9000 | 0.03 | 1.75 | 1.48 | 24 | 23 | |
| SY022 71.2 | -3000 | 0.01 | -9000 | 0.05 | 0.39 | 1.38 | 18 | 26 | |
| SY022 71.6 | 3.08 | 0.01 | -9000 | 0.02 | 0.91 | 0.8 | 18 | 19.1 | |
| SY022 72.2 | -3000 | 0.01 | 0.03 | 0.08 | 2.09 | 4.32 | 43 | 20.5 | |
| SY022 72.2 | -3000 | -0.01 | -9000 | 0.01 | 0.71 | 3.64 | 20 | 21.5 | |
| SY022 72.4 | -3000 | 0.01 | -9000 | -0.01 | 0.28 | 1.58 | 18 | 19.6 | |
| SY022 73.2 | -3000 | -0.01 | -9000 | -0.01 | 0.07 | 0.39 | 17 | 19.3 | |

| Mg % | Si % | Net Acid | S % | C % | |
|---------|---------|----------|--------|--------|-------|
| | 0.01 | 0.25 | 0.01 | 0.005 | 0.005 |
| I151 | I151 | V906 | V821 | V825 | |
| I151 | I151 | V906 | V821 | V825 | |
| I151 | I151 | V906 | V821 | V825 | |

| | | | | |
|-------|-------|-------|-------|-------|
| 2.2 | 30.9 | -3000 | -3000 | -3000 |
| 0.65 | 28.4 | -3000 | -3000 | -3000 |
| 11.26 | 2 | -3000 | -3000 | -3000 |
| 7.43 | 3.4 | -3000 | -3000 | -3000 |
| 11.32 | 2.1 | -3000 | -3000 | -3000 |
| 12.26 | 4.2 | -3000 | -3000 | -3000 |
| 12.75 | 6.3 | -3000 | -3000 | -3000 |
| 12.65 | 15.7 | -3000 | -3000 | -3000 |
| 10.32 | 6.4 | -3000 | -3000 | -3000 |
| 10.73 | 1.8 | -3000 | -3000 | -3000 |
| 5.32 | 6.5 | -3000 | -3000 | -3000 |
| 12.1 | 0.7 | -3000 | -3000 | -3000 |
| 12.5 | 0.5 | -3000 | -3000 | -3000 |
| 12.17 | 0.4 | -3000 | -3000 | -3000 |
| 11.93 | -0.25 | -3000 | -3000 | -3000 |
| 12.12 | -0.25 | -3000 | -3000 | -3000 |
| 12.12 | -0.25 | -3000 | -3000 | -3000 |
| 12.3 | 0.3 | -3000 | -3000 | -3000 |
| 11.97 | 0.5 | -3000 | -3000 | -3000 |
| 11.95 | 3.1 | -3000 | -3000 | -3000 |
| 11.75 | 0.8 | -3000 | -3000 | -3000 |
| 11.07 | 2.9 | -3000 | -3000 | -3000 |
| 11.76 | 2.4 | -3000 | -3000 | -3000 |
| 13.17 | 25.4 | -3000 | -3000 | -3000 |
| 1.14 | 45.4 | -3000 | -3000 | -3000 |
| 1.14 | 27.4 | -3000 | -3000 | -3000 |
| 1.23 | 31.1 | -3000 | -3000 | -3000 |
| 0.95 | 30.8 | -3000 | -3000 | -3000 |
| 1.66 | 30.4 | -3000 | -3000 | -3000 |
| 12.36 | 1 | -3000 | -3000 | -3000 |
| 6.3 | 2.2 | -3000 | -3000 | -3000 |
| 10.15 | 0.7 | -3000 | -3000 | -3000 |
| 8.88 | 0.7 | -3000 | -3000 | -3000 |
| 4.83 | 1.5 | -3000 | -3000 | -3000 |
| 2.32 | 0.6 | -3000 | -3000 | -3000 |
| 5.89 | 6 | -3000 | -3000 | -3000 |
| 4.42 | 7.7 | -3000 | -3000 | -3000 |
| 3.14 | 1.3 | -3000 | -3000 | -3000 |
| 4.02 | 1.8 | -3000 | -3000 | -3000 |
| 3.99 | 2.8 | -3000 | -3000 | -3000 |
| 2.81 | 2.7 | -3000 | -3000 | -3000 |
| 6 | 3.7 | -3000 | -3000 | -3000 |
| 3.49 | 4.1 | -3000 | -3000 | -3000 |
| 5.81 | 5.2 | -3000 | -3000 | -3000 |
| 4.88 | 4.3 | -3000 | -3000 | -3000 |
| 4.11 | 3.1 | -3000 | -3000 | -3000 |

| | | | | |
|-------|-------|-------|-------|-------|
| 4.77 | 2.4 | -3000 | -3000 | -3000 |
| 5.01 | 2.4 | -3000 | -3000 | -3000 |
| 4.85 | 3.7 | -3000 | -3000 | -3000 |
| 3.34 | 1.5 | -3000 | -3000 | -3000 |
| 4.62 | 4.4 | -3000 | -3000 | -3000 |
| 3.49 | 3.2 | -3000 | -3000 | -3000 |
| 4.56 | 5.9 | -3000 | -3000 | -3000 |
| 6.27 | 11.9 | -3000 | -3000 | -3000 |
| 4.63 | 8.6 | -3000 | -3000 | -3000 |
| 4.92 | 9.2 | -3000 | -3000 | -3000 |
| 5.32 | 10.5 | -3000 | -3000 | -3000 |
| 4.47 | 9.1 | -3000 | -3000 | -3000 |
| -3000 | -3000 | -9000 | 2.621 | 1.404 |
| -3000 | -3000 | -9000 | 2.404 | 1.198 |
| -3000 | -3000 | -9000 | 2.405 | 1.287 |
| -3000 | -3000 | -9000 | 3.2 | 1.185 |

Maps & Graphs



