



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

CERTIFICATE AD08051986

Project: Gladstone Gold

P.O. No.: 1

This report is for 837 Percussion samples submitted to our lab in Adelaide, SA, Australia on 28-APR-2008.

The following have access to data associated with this certificate:

GALEN PETTIGREW

JOHN RICHARDSON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample - Split/Retain

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: **MACQUARIE HARBOUR MINING LTD**
ATTN: JOHN RICHARDSON
20 RECREATION STREET
KINGSTON BEACH TAS 7050

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

John Alexandrou, North Queensland Manager



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE0880		1.19		<0.01
NE0881		1.55		<0.01
NE0882		1.11		0.01
NE0883		1.40		0.01
NE0884		1.19	97.0	0.01
NE0885		1.49		0.02
NE0886		1.54		0.02
NE0887		0.95		0.21
NE0888		1.09		0.06
NE0889		1.44		0.33
NE0890		1.06		0.05
NE0891		1.37		<0.01
NE0892		1.12		0.02
NE0893		0.79		<0.01
NE0894		0.90		<0.01
NE0895		0.79		0.11
NE0896		0.31		<0.01
NE0897		0.33		<0.01
NE0898		0.23		<0.01
NE0899		0.97		<0.01
NE0900		1.18		<0.01
NE0901		1.01		<0.01
NE0902		0.94		<0.01
NE0903		1.08		<0.01
NE0904		1.16		<0.01
NE0905		1.12		<0.01
NE0906		0.89		<0.01
NE0907		0.93		0.01
NE0908		1.04		<0.01
NE0909		0.86		<0.01
NE0910		1.02		<0.01
NE0911		0.90		<0.01
NE0912		0.89		<0.01
NE0913		0.84		<0.01
NE0914		1.10		<0.01
NE0915		0.79		<0.01
NE0916		0.72		<0.01
NE0917		0.74		<0.01
NE0918		0.79		<0.01
NE0919		0.76		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 3 - A

Total # Pages: 22 (A)

Finalized Date: 19-MAY-2008

Account: MACHAR

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
NE0920		0.80		<0.01
NE0921		1.10		0.06
NE0922		1.25		0.04
NE0923		0.98		0.06
NE0924		1.08	99.0	0.06
NE0925		0.93		0.02
NE0926		0.78		0.02
NE0927		0.51		<0.01
NE0928		1.39		0.01
NE0929		1.66		<0.01
NE0930		1.95		0.01
NE0931		1.54		0.03
NE0932		1.48		0.02
NE0933		1.41		<0.01
NE0934		1.75		<0.01
NE0935		1.72		<0.01
NE0936		1.81		0.01
NE0937		1.31		0.02
NE0938		1.02		<0.01
NE0939		1.11		<0.01
NE0940		1.17		0.01
NE0941		1.19		0.08
NE0942		1.23		0.02
NE0943		1.69		0.02
NE0944		1.38		0.01
NE0945		1.99		0.02
NE0946		1.49		0.04
NE0947		0.38		0.01
NE0948		1.31		0.01
NE0949		1.50		<0.01
NE0950		1.13		0.01
NE0951		1.09		0.04
NE0952		1.68		0.03
NE0953		1.14		0.03
NE0954		1.01		0.08
NE0955		1.49		0.07
NE0956		1.98		0.04
NE0957		1.26		0.07
NE0958		1.37		0.02
NE0959		0.41		0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE0960		1.33		0.03
NE0961		0.57		0.02
NE0962		0.22		<0.01
NE0963		0.64		0.63
NE0964		1.03	99.0	0.01
NE0965		0.94		0.05
NE0966		0.96		0.02
NE0967		1.15		0.05
NE0968		1.53		0.08
NE0969		1.38		0.17
NE0970		1.17		0.29
NE0971		1.26		0.21
NE0972		1.67		0.02
NE0973		1.12		0.02
NE0974		1.22		0.02
NE0975		1.15		0.02
NE0976		1.37		0.01
NE0977		1.43		<0.01
NE0978		1.47		0.03
NE0979		1.61		0.02
NE0980		1.16		<0.01
NE0981		1.43		<0.01
NE0982		1.24		<0.01
NE0983		1.32		0.01
NE0984		1.30		0.01
NE0985		1.32		<0.01
NE0986		1.29		0.01
NE0987		1.21		<0.01
NE0988		1.21		0.01
NE0989		1.23		0.25
NE0990		1.35		0.01
NE0991		1.31		0.01
NE0992		1.05		<0.01
NE0993		0.68		0.02
NE0994		1.15		0.01
NE0995		1.14		<0.01
NE0996		0.99		0.01
NE0997		1.31		<0.01
NE0998		1.45		<0.01
NE0999		1.46		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 5 - A

Total # Pages: 22 (A)

Finalized Date: 19-MAY-2008

Account: MACHAR

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
NE1000		1.26		<0.01
NE1001		1.49		0.02
NE1002		1.30		<0.01
NE1003		1.24		0.01
NE1004		1.22	99.0	0.02
NE1005		1.34		0.01
NE1006		1.40		0.01
NE1007		1.14		0.01
NE1008		1.34		0.01
NE1009		1.29		0.04
NE1010		0.52		<0.01
NE1011		0.51		0.02
NE1012		1.11		<0.01
NE1013		0.74		0.10
NE1014		1.07		0.03
NE1015		1.30		0.01
NE1016		1.08		0.01
NE1017		1.34		0.02
NE1018		1.15		<0.01
NE1019		1.56		0.01
NE1020		1.20		0.01
NE1021		1.11		<0.01
NE1022		1.08		<0.01
NE1023		1.28		<0.01
NE1024		1.32		<0.01
NE1025		1.10		<0.01
NE1026		1.21		<0.01
NE1027		1.22		<0.01
NE1028		1.08		<0.01
NE1029		1.32		0.03
NE1030		1.06		0.01
NE1031		1.07		0.02
NE1032		0.72		0.02
NE1033		0.45		<0.01
NE1034		0.69		<0.01
NE1035		0.89		0.01
NE1036		0.78		<0.01
NE1037		0.92		<0.01
NE1038		0.72		<0.01
NE1039		1.01		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1040		0.73		<0.01
NE1041		1.02		<0.01
NE1042		0.67		<0.01
NE1043		0.99		<0.01
NE1044		0.96	99.0	<0.01
NE1045		1.14		<0.01
NE1046		0.91		<0.01
NE1047		1.14		<0.01
NE1048		0.95		<0.01
NE1049		1.14		<0.01
NE1050		0.43		0.01
NE1051		0.86		0.08
NE1052		1.13		0.02
NE1053		0.82		0.02
NE1054		1.11		<0.01
NE1055		1.06		0.02
NE1056		0.72		0.23
NE1057		0.85		0.10
NE1058		1.24		0.02
NE1059		1.01		0.04
NE1060		1.11		<0.01
NE1061		1.29		0.02
NE1062		1.10		<0.01
NE1063		1.58		<0.01
NE1064		1.12		<0.01
NE1065		0.77		<0.01
NE1066		1.33		0.02
NE1067		1.92		<0.01
NE1068		1.50		0.14
NE1069		1.01		0.01
NE1070		1.04		0.02
NE1071		1.03		0.07
NE1072		1.08		0.05
NE1073		1.22		<0.01
NE1074		1.07		0.03
NE1075		0.86		<0.01
NE1076		0.98		0.01
NE1077		0.86		<0.01
NE1078		1.06		<0.01
NE1079		1.14		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1080		1.13		0.01
NE1081		0.92		<0.01
NE1082		0.94		<0.01
NE1083		1.10		0.05
NE1084		1.30	97.0	<0.01
NE1085		1.13		0.16
NE1086		1.05		<0.01
NE1087		1.29		0.02
NE1088		0.94		0.01
NE1089		0.86		<0.01
NE1090		1.29		0.01
NE1091		1.22		<0.01
NE1092		1.14		<0.01
NE1093		0.99		<0.01
NE1094		1.38		<0.01
NE1095		1.06		<0.01
NE1096		1.34		<0.01
NE1097		1.10		0.07
NE1098		1.15		0.02
NE1099		1.00		0.01
NE1100		1.18		0.03
NE1101		0.95		<0.01
NE1102		0.45		0.02
NE1103		1.34		0.01
NE1104		1.55		0.01
NE1105		1.05		0.01
NE1106		1.42		0.02
NE1107		0.89		0.04
NE1108		1.65		0.14
NE1109		1.21		0.20
NE1110		1.65		0.01
NE1111		1.26		<0.01
NE1112		1.28		0.01
NE1113		1.11		<0.01
NE1114		1.07		0.01
NE1115		0.97		<0.01
NE1116		1.11		0.01
NE1117		1.30		<0.01
NE1118		1.00		<0.01
NE1119		0.94		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1120		1.04		<0.01
NE1121		1.25		<0.01
NE1122		1.00		<0.01
NE1123		0.98		<0.01
NE1124		0.81	99.0	<0.01
NE1125		0.69		<0.01
NE1126		0.74		0.01
NE1127		0.88		<0.01
NE1128		0.86		<0.01
NE1129		0.82		<0.01
NE1130		0.63		0.07
NE1131		1.19		0.01
NE1132		0.84		0.01
NE1133		0.81		0.15
NE1134		1.14		0.03
NE1135		1.22		0.02
NE1136		0.69		0.01
NE1137		1.19		0.01
NE1138		0.99		<0.01
NE1139		0.85		<0.01
NE1140		1.70		<0.01
NE1141		1.12		<0.01
NE1142		1.00		0.08
NE1143		1.03		0.12
NE1144		1.29		0.12
NE1145		1.04		0.03
NE1146		1.75		0.03
NE1147		1.35		0.08
NE1148		Not Recvd		
NE1149		Not Recvd		
NE1150		Not Recvd		
NE1151		Not Recvd		
NE1152		Not Recvd		
NE1153		Not Recvd		
NE1154		Not Recvd		
NE1155		Not Recvd		
NE1156		Not Recvd		
NE1157		Not Recvd		
NE1158		Not Recvd		
NE1159		Not Recvd		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 9 - A

Total # Pages: 22 (A)

Finalized Date: 19-MAY-2008

Account: MACHAR

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-AA25 Au ppm 0.01
NE1160		Not Recvd		
NE1161		Not Recvd		
NE1162		Not Recvd		
NE1163		Not Recvd		
NE1164		Not Recvd		
NE1165		Not Recvd		
NE1166		Not Recvd		
NE1167		Not Recvd		
NE1168		Not Recvd		
NE1169		Not Recvd		
NE1170		Not Recvd		
NE1171		Not Recvd		
NE1172		Not Recvd		
NE1173		Not Recvd		
NE1174		Not Recvd		
NE1175		Not Recvd		
NE1176		Not Recvd		
NE1177		Not Recvd		
NE1178		Not Recvd		
NE1179		Not Recvd		
NE1180		Not Recvd		
NE1181		Not Recvd		
NE1182		Not Recvd		
NE1183		Not Recvd		
NE1184		Not Recvd		
NE1185		Not Recvd		
NE1186		Not Recvd		
NE1187		Not Recvd		
NE1188		Not Recvd		
NE1189		Not Recvd		
NE1190		Not Recvd		
NE1191		Not Recvd		
NE1192		Not Recvd		
NE1193		Not Recvd		
NE1194		Not Recvd		
NE1195		Not Recvd		
NE1196		Not Recvd		
NE1197		Not Recvd		
NE1198		Not Recvd		
NE1199		Not Recvd		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-AA25 Au ppm 0.01
NE1200		Not Recvd		
NE1201		Not Recvd		
NE1202		Not Recvd		
NE1203		Not Recvd		
NE1204		Not Recvd		
NE1205		Not Recvd		
NE1206		Not Recvd		
NE1207		Not Recvd		
NE1208		Not Recvd		
NE1209		Not Recvd		
NE1210		Not Recvd		
NE1211		Not Recvd		
NE1212		Not Recvd		
NE1213		Not Recvd		
NE1214		Not Recvd		
NE1215		Not Recvd		
NE1216		Not Recvd		
NE1217		Not Recvd		
NE1218		Not Recvd		
NE1219		Not Recvd		
NE1220		Not Recvd		
NE1221		Not Recvd		
NE1222		Not Recvd		
NE1223		Not Recvd		
NE1224		Not Recvd		
NE1225		Not Recvd		
NE1226		Not Recvd		
NE1227		Not Recvd		
NE1228		0.66		<0.01
NE1229		0.51	99.0	<0.01
NE1230		0.45		<0.01
NE1231		0.54		<0.01
NE1232		0.48		<0.01
NE1233		0.79		<0.01
NE1234		0.64		<0.01
NE1235		0.48		0.01
NE1236		0.86		0.01
NE1237		0.76		<0.01
NE1238		0.91		<0.01
NE1239		0.84		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1240		0.69		<0.01
NE1241		0.97		<0.01
NE1242		0.91		<0.01
NE1243		0.63		<0.01
NE1244		0.88		0.87
NE1245		0.65		<0.01
NE1246		0.93		<0.01
NE1247		0.77		0.01
NE1248		1.05		<0.01
NE1249		0.42		<0.01
NE1250		0.57		<0.01
NE1251		0.75		<0.01
NE1252		0.94		<0.01
NE1253		0.69		<0.01
NE1254		0.68		<0.01
NE1255		0.77		<0.01
NE1256		0.80		<0.01
NE1257		0.65		<0.01
NE1258		0.79		<0.01
NE1259		0.76		<0.01
NE1260		0.83		<0.01
NE1261		0.71		<0.01
NE1262		0.61		<0.01
NE1263		0.80		<0.01
NE1264		0.78		<0.01
NE1265		0.60		0.01
NE1266		0.81		<0.01
NE1267		0.84		0.01
NE1268		0.80		<0.01
NE1269		1.04		<0.01
NE1270		0.81		0.03
NE1271		0.78		0.03
NE1272		0.68		0.02
NE1273		0.95		0.10
NE1274		0.29	94.0	0.54
NE1275		0.41		0.23
NE1276		0.46		0.09
NE1277		0.63		0.04
NE1278		0.81		0.03
NE1279		0.88		0.05



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1280		1.00		0.01
NE1281		1.03		<0.01
NE1282		0.92		0.05
NE1283		0.92		<0.01
NE1284		1.00		<0.01
NE1285		1.08		<0.01
NE1286		0.80		<0.01
NE1287		0.84		<0.01
NE1288		0.83		<0.01
NE1289		0.86		<0.01
NE1290		0.95		<0.01
NE1291		0.84		<0.01
NE1292		1.03		<0.01
NE1293		1.07		0.03
NE1294		1.00		<0.01
NE1295		0.80		<0.01
NE1296		0.81		<0.01
NE1297		0.95		<0.01
NE1298		0.85		0.03
NE1299		1.20		0.01
NE1300		0.83		0.03
NE1301		1.02		<0.01
NE1302		0.81		<0.01
NE1303		0.93		<0.01
NE1304		0.97		<0.01
NE1305		1.24		<0.01
NE1306		1.22		<0.01
NE1307		1.11		<0.01
NE1308		0.59		0.01
NE1309		0.71		<0.01
NE1310		0.63		<0.01
NE1311		0.65		<0.01
NE1312		0.68		<0.01
NE1313		0.75		0.01
NE1314		0.87	99.0	0.02
NE1315		1.03		<0.01
NE1316		1.01		<0.01
NE1317		0.92		<0.01
NE1318		0.97		0.03
NE1319		1.17		0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 13 - A

Total # Pages: 22 (A)

Finalized Date: 19-MAY-2008

Account: MACHAR

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
NE1320		0.74		<0.01
NE1321		1.00		0.01
NE1322		0.68		0.01
NE1323		Not Recvd		
NE1324		Not Recvd		
NE1325		Not Recvd		
NE1326		Not Recvd		
NE1327		Not Recvd		
NE1328		Not Recvd		
NE1329		Not Recvd		
NE1330		Not Recvd		
NE1331		Not Recvd		
NE1332		Not Recvd		
NE1333		Not Recvd		
NE1334		Not Recvd		
NE1335		Not Recvd		
NE1336		Not Recvd		
NE1337		Not Recvd		
NE1338		Not Recvd		
NE1339		Not Recvd		
NE1340		Not Recvd		
NE1341		Not Recvd		
NE1342		Not Recvd		
NE1343		Not Recvd		
NE1344		Not Recvd		
NE1345		Not Recvd		
NE1346		Not Recvd		
NE1347		Not Recvd		
NE1348		Not Recvd		
NE1349		Not Recvd		
NE1350		Not Recvd		
NE1351		Not Recvd		
NE1352		Not Recvd		
NE1353		Not Recvd		
NE1354		Not Recvd		
NE1355		Not Recvd		
NE1356		Not Recvd		
NE1357		Not Recvd		
NE1358		Not Recvd		
NE1359		Not Recvd		



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-AA25 Au ppm 0.01
NE1360		Not Recvd		
NE1361		Not Recvd		
NE1362		Not Recvd		
NE1363		Not Recvd		
NE1364		Not Recvd		
NE1365		Not Recvd		
NE1366		Not Recvd		
NE1367		Not Recvd		
NE1368		Not Recvd		
NE1369		Not Recvd		
NE1370		Not Recvd		
NE1371		Not Recvd		
NE1372		Not Recvd		
NE1373		Not Recvd		
NE1374		Not Recvd		
NE1375		Not Recvd		
NE1376		Not Recvd		
NE1377		Not Recvd		
NE1378		Not Recvd		
NE1379		Not Recvd		
NE1380		Not Recvd		
NE1381		Not Recvd		
NE1382		Not Recvd		
NE1383		Not Recvd		
NE1384		Not Recvd		
NE1385		Not Recvd		
NE1386		Not Recvd		
NE1387		Not Recvd		
NE1388		Not Recvd		
NE1389		Not Recvd		
NE1390		Not Recvd		
NE1391		Not Recvd		
NE1392		Not Recvd		
NE1393		Not Recvd		
NE1394		Not Recvd		
NE1395		0.39	99.0	0.02
NE1396		0.92		0.17
NE1397		0.68		0.53
NE1398		1.04		1.19
NE1399		1.14		0.03



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1400		0.87		0.08
NE1401		0.74		0.01
NE1402		1.12		0.02
NE1403		0.91		0.05
NE1404		0.86		0.03
NE1405		0.93		0.07
NE1406		0.56		0.01
NE1407		0.68		0.18
NE1408		0.65		0.01
NE1409		0.83		0.01
NE1410		0.98		0.01
NE1411		0.99		0.01
NE1412		0.99		0.01
NE1413		0.53		<0.01
NE1414		0.61		<0.01
NE1415		0.63		<0.01
NE1416		0.65		0.01
NE1417		0.91		0.04
NE1418		0.79		<0.01
NE1419		0.84		<0.01
NE1420		0.78		<0.01
NE1421		0.76		<0.01
NE1422		0.76		0.01
NE1423		0.81		0.06
NE1424		0.75		<0.01
NE1425		0.55		<0.01
NE1426		0.58		0.01
NE1427		0.66		<0.01
NE1428		0.68		<0.01
NE1429		0.70		<0.01
NE1430		0.70		<0.01
NE1431		1.00		<0.01
NE1432		0.48		<0.01
NE1433		0.69		<0.01
NE1434		0.52	99.0	<0.01
NE1435		0.54		<0.01
NE1436		0.42		<0.01
NE1437		0.46		<0.01
NE1438		0.47		<0.01
NE1439		0.57		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1440		0.61		<0.01
NE1441		0.95		<0.01
NE1442		0.83		0.01
NE1443		0.97		<0.01
NE1444		1.02		0.01
NE1445		0.86		<0.01
NE1446		0.92		<0.01
NE1447		0.69		<0.01
NE1448		0.77		<0.01
NE1449		0.98		<0.01
NE1450		0.62		<0.01
NE1451		0.96		<0.01
NE1452		0.89		<0.01
NE1453		0.60		<0.01
NE1454		0.58		<0.01
NE1455		0.68		<0.01
NE1456		0.72		<0.01
NE1457		0.81		<0.01
NE1458		0.72		<0.01
NE1459		0.90		<0.01
NE1460		0.88		<0.01
NE1461		1.08		<0.01
NE1462		1.04		<0.01
NE1463		1.02		<0.01
NE1464		1.01		<0.01
NE1465		0.84		<0.01
NE1466		0.93		<0.01
NE1467		0.87		<0.01
NE1468		1.24		<0.01
NE1469		0.51		<0.01
NE1470		0.79		<0.01
NE1471		0.43		<0.01
NE1472		0.52		<0.01
NE1473		0.82		<0.01
NE1474		0.71	99.0	<0.01
NE1475		0.65		<0.01
NE1476		0.58		<0.01
NE1477		0.54		<0.01
NE1478		0.48		<0.01
NE1479		0.57		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1480		0.68		<0.01
NE1481		0.78		<0.01
NE1482		0.63		<0.01
NE1483		0.70		0.01
NE1484		0.68		<0.01
NE1485		Not Recvd		
NE1486		0.93		<0.01
NE1487		0.95		<0.01
NE1488		0.61		<0.01
NE1489		0.74		<0.01
NE1490		0.72		<0.01
NE1491		1.20		<0.01
NE1492		0.60		<0.01
NE1493		0.76		<0.01
NE1494		0.77		0.01
NE1495		0.80		<0.01
NE1496		1.00		0.04
NE1497		0.74		<0.01
NE1498		0.59		<0.01
NE1499		0.66		<0.01
NE1500		0.79		<0.01
NE1501		0.67		<0.01
NE1502		0.94		<0.01
NE1503		0.71		<0.01
NE1504		1.09		<0.01
NE1505		1.01		<0.01
NE1506		1.02		<0.01
NE1507		1.12		<0.01
NE1508		0.92		<0.01
NE1509		0.83		0.02
NE1510		0.67		<0.01
NE1511		0.79		<0.01
NE1512		0.64		<0.01
NE1513		0.52		<0.01
NE1514		0.52	99.0	<0.01
NE1515		0.82		<0.01
NE1516		0.78		<0.01
NE1517		0.82		<0.01
NE1518		1.05		<0.01
NE1519		0.91		0.02



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1520		0.79		0.01
NE1521		0.62		<0.01
NE1522		0.54		0.01
NE1523		0.71		0.01
NE1524		0.92		<0.01
NE1525		0.73		<0.01
NE1526		0.65		0.02
NE1527		0.66		<0.01
NE1528		0.82		<0.01
NE1529		0.83		<0.01
NE1530		0.71		<0.01
NE1531		0.66		<0.01
NE1532		0.81		<0.01
NE1533		0.67		<0.01
NE1534		0.91		<0.01
NE1535		0.77		0.03
NE1536		0.73		0.07
NE1537		0.90		0.03
NE1538		0.61		0.03
NE1539		0.71		0.02
NE1540		0.65		0.08
NE1541		1.18		0.01
NE1542		0.85		0.17
NE1543		0.72		0.18
NE1544		0.81		0.03
NE1545		1.06		0.20
NE1546		0.96		0.02
NE1547		1.12		0.05
NE1548		0.82		0.04
NE1549		0.64		0.38
NE1550		0.81		0.01
NE1551		1.15		<0.01
NE1552		0.92		0.01
NE1553		1.03		<0.01
NE1554		1.04	99.0	<0.01
NE1555		0.25		0.03
NE1556		0.82		0.09
NE1557		0.95		<0.01
NE1558		0.62		0.01
NE1559		0.60		0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 19 - A

Total # Pages: 22 (A)

Finalized Date: 19-MAY-2008

Account: MACHAR

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
NE1560		1.03		0.01
NE1561		0.72		0.19
NE1562		1.14		0.05
NE1563		0.75		0.02
NE1564		0.80		0.23
NE1565		0.58		11.30
NE1566		0.63		3.73
NE1567		0.73		0.36
NE1568		0.78		0.49
NE1569		0.76		0.16
NE1570		0.71		0.05
NE1571		0.48		0.06
NE1572		0.73		0.02
NE1573		0.72		0.01
NE1574		1.01		0.05
NE1575		0.69		0.11
NE1576		1.08		0.05
NE1577		0.97		0.02
NE1578		0.88		0.04
NE1579		1.40		0.01
NE1580		0.98		0.02
NE1581		0.96		<0.01
NE1582		0.88		0.01
NE1583		1.12		<0.01
NE1584		0.96		<0.01
NE1585		0.90		0.01
NE1586		1.01		0.01
NE1587		0.98		0.01
NE1588		1.07		<0.01
NE1589		0.86		<0.01
NE1590		1.06		0.03
NE1591		1.10		0.59
NE1592		0.85		0.06
NE1593		0.78		0.02
NE1594		0.88	99.0	0.18
NE1595		0.90		0.43
NE1596		0.99		0.05
NE1597		0.88		0.31
NE1598		0.92		0.07
NE1599		1.06		<0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Page: 20 - A

Total # Pages: 22 (A)

Finalized Date: 19-MAY-2008

Account: MACHAR

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
NE1600		0.98		<0.01
NE1601		0.86		<0.01
NE1602		0.89		0.01
NE1603		1.12		0.02
NE1604		0.91		0.10
NE1605		0.80		<0.01
NE1606		1.23		0.01
NE1607		1.05		0.33
NE1608		0.94		<0.01
NE1609		1.07		0.01
NE1610		1.24		<0.01
NE1611		1.08		<0.01
NE1612		1.20		<0.01
NE1613		1.16		<0.01
NE1614		1.30		<0.01
NE1615		1.28		<0.01
NE1616		1.21		<0.01
NE1617		1.19		0.01
NE1618		1.25		0.01
NE1619		1.12		<0.01
NE1620		0.91		0.01
NE1621		1.13		0.02
NE1622		1.04		0.04
NE1623		1.35		0.02
NE1624		1.12		0.10
NE1625		1.28		0.02
NE1626		1.19		0.02
NE1627		1.43		0.08
NE1628		1.67		<0.01
NE1629		1.41		<0.01
NE1630		1.45		0.18
NE1631		1.56		0.01
NE1632		1.13		0.05
NE1633		1.30		<0.01
NE1634		1.56	97.0	0.08
NE1635		1.05		0.14
NE1636		1.26		0.03
NE1637		1.01		0.08
NE1638		1.44		0.01
NE1639		1.08		0.03



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1640		0.97		0.04
NE1641		1.09		0.01
NE1642		1.16		0.01
NE1643		1.09		<0.01
NE1644		0.57		0.02
NE1645		1.12		0.09
NE1646		1.25		0.29
NE1647		1.78		0.04
NE1648		1.05		0.85
NE1649		1.46		0.07
NE1650		0.97		0.11
NE1651		0.90		0.05
NE1652		0.96		2.18
NE1653		0.99		0.09
NE1654		0.98		0.04
NE1655		1.10		0.13
NE1656		1.16		0.46
NE1657		1.56		1.36
NE1658		1.00		0.71
NE1659		0.77		1.35
NE1660		1.53		0.08
NE1661		1.05		0.11
NE1662		1.16		0.24
NE1663		0.96		0.08
NE1664		1.12		0.01
NE1665		1.18		0.02
NE1666		0.88		0.01
NE1667		1.03		0.15
NE1668		0.85		0.29
NE1669		0.88		0.01
NE1670		0.72		0.06
NE1671		0.52		0.07
NE1672		0.44		0.06
NE1673		1.57		0.08
NE1674		0.70	99.0	0.05
NE1675		0.89		0.03
NE1676		0.88		0.01
NE1677		0.79		0.07
NE1678		1.13		0.01
NE1679		0.63		0.01



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

Australian Laboratory Services Pty Ltd

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218 www.alschemex.com

Project: Gladstone Gold

CERTIFICATE OF ANALYSIS AD08051986

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-AA25 Au ppm
		0.02	0.01	0.01
NE1680		1.04		<0.01
NE1681		1.11		<0.01
NE1682		1.17		<0.01
NE1683		0.71		0.10
NE1684		1.31		0.03
NE1685		0.84		<0.01
NE1686		1.11		<0.01
NE1687		1.12		<0.01
NE1688		0.93		0.01
NE1689		0.84		<0.01
NE1690		0.96		0.01
NE1691		1.07		<0.01
NE1692		0.97		<0.01
NE1693		0.92		<0.01
NE1694		0.45		<0.01
NE1695		0.79		<0.01
NE1696		0.83		<0.01
NE1697		0.78		<0.01
NE1698		0.68		<0.01
NE1699		0.99		0.01
NE1700		0.26		0.01
NE1701		0.91		0.01
NE1702		1.02		0.01
NE1703		1.22		0.01
NE1704		1.10		<0.01
NE1705		1.34		<0.01
NE1706		1.24		<0.01
NE1707		1.21		<0.01
NE1708		1.11		0.01
NE1709		0.90	99.0	0.06
NE1710		1.06		0.02
NE1711		1.14		0.32
NE1712		0.84		0.07
NE1713		1.01		0.14
NE1714		1.03		0.02
NE1715		1.27		0.15
NE1716		0.83		0.09