

**MINERAL HOLDINGS AUSTRALIA PTY LTD**

**RETENTION LICENCE 2/2006  
CANN CREEK, NW TASMANIA**

**ANNUAL REPORT ON EXPLORATION  
TO MAY 2011**

**Compiled by**

**T W Dickson  
5 Crouch Court,  
Doncaster Vic 3108  
March 2010**

**For**

**Mineral Holdings Australia Pty Ltd  
11 Kent Court,  
Toorak Vic 3124**

## TABLE OF CONTENTS

### ABSTRACT

	Page No
<b>1.0 INTRODUCTION.....</b>	<b>4</b>
<b>2.0 GEOLOGY.....</b>	<b>4</b>
<b>3.0 PREVIOUS EXPLORATION AND EVALUATION....</b>	<b>5</b>
<b>4.0 CURRENT EXPLORATION AND MARKETING.....</b>	<b>6</b>
<b>5.0 FUTURE PROGRAM.....</b>	<b>8</b>
<b>6.0 REFERENCES.....</b>	<b>8</b>
<b>7.0 KEYWORDS.....</b>	<b>9</b>
<b>PLAN 1. Location diagram .....</b>	<b>10</b>
<b>PLAN 2. Geology and Exploration.....</b>	<b>11</b>
<b>PLAN 3. Cann Ck. Geology in reln. To DD 85CC2.....</b>	<b>12</b>
<b>PLAN4. Cann Ck. Interpretive geology .....</b>	<b>13</b>

## **RL 2/2006 CANN CREEK, NW TASMANIA, ANNUAL REPORT 2008**

### **ABSTRACT**

This report gives a review of the marketing and evaluation work carried out by Mineral Holdings Australia Pty. Ltd. over the past 12 months on RL 2/2006.

The licence covers 2 sq km adjacent to Cann Creek between Meunna township and the Arthur River in NW Tasmania

The licence lies within the Proterozoic Arthur Metamorphic Complex and covers part of a parallel carbonate horizon to the Arthur River – Keith River magnesite horizon. The targets of exploration include high grade magnesite, dolomite, talc and silica resources.

Previous exploration by Mineral Holdings Australia Pty. Ltd. and its joint venture partners on the preceding title EL 10/2003 has outlined a small but very high grade magnesite resource, a potential talc resource, and a small but poorly defined resource of silica flour. Some infill drilling would be required to raise all these resources to anything like the Indicated Level of the JORC Code.

During the past 12 months a number of attempts have been made to interest a number of Companies in the potential of the Magnesite, Talc and Silica flour resources of the area.

## **RL 2/2006 CANN CREEK, NW TASMANIA, ANNUAL REPORT 2011**

### **1.0 INTRODUCTION**

RL 2/2006 was applied for by Mineral Holdings Australia Pty Ltd on 10<sup>th</sup> March 2006 and was granted on 23<sup>rd</sup> May 2007 over an area of 2 square kilometers for a period of 5 years to 23<sup>rd</sup> May 2012. This is the Annual Report for the 12 months to May 2011.

RL 2/2006 is a flow on title from EL 10/2003 and EL 43/1970 both of which were held by Mineral Holdings Australia Pty.Ltd. The title is for industrial minerals and construction materials (Category 3 and 5(a) Minerals) which reflects the Company's focus on carbonates, particularly magnesite and dolomite, silicas and talc for a wide range of applications in the chemical, refractory, mineral processing and environmental industries.

The Cann Creek Retention Licence is located along the Pruana Road about 5 Km south of the township of Meunna. It is about 40 km south-west of Wynyard and 35km south-east of a deep water harbour at Port Latta. Access is via the Bass Highway, Myalla road, Meunna road and finally Pruana road.

Over the past several years, MHA has had discussions with a number of industrial companies, within Australia and overseas, as potential customers or developers of the deposit. There has been some interest in the potential for producing fused magnesia from the site and renewed interest in the area as a source of fine silica sand for the glass and specialized silica products. There has also been some interest in the talc potential of the licence area.

### **2.0 GEOLOGY**

The geology of the district consists of Late Proterozoic sedimentary and igneous rocks, deformed and metamorphosed in the Cambrian to blueschist and amphibolite grades and then retrogressed to greenschist facies.

The tenement covers the boundary or zone between two carbonate –bearing zones of the Arthur River Metamorphic Complex (historically called The Arthur Lineament) from the high grade magnesite outcrops in Cann Creek south west to the Champion Road silica flour deposits of MHA.

This NE-SW aligned zone is parallel to and probably stratigraphically above the Arthur River – Lyons River trend which lies 6 Km to the south and which contains the large magnesite deposits discovered and promoted by MHA and currently held under RLS 17 and 18/1987 by Tasmania Magnesite NL.

The local geology of the licence area from Geological Survey mapping consists of a lower sedimentary formation (Pac) of chlorite schist and minor phyllite, dolomite and magnesite. Amphibolites are found in the sequence probably as dykes rather than sills or

extrusives. Stratigraphically higher and to the west occurs another sedimentary formation (Pap) of phyllite and minor schist, quartzite and dolomite and rare siliclastic conglomerate. (plan 2).

Tertiary basalt cover comes in to the north and remnant caps of basalt, silica flour and quartz gravel, sand and clay are found in places.

### **3.0 PREVIOUS EXPLORATION AND EVALUATION**

There has been a long history of exploration by MHA and a series of joint venture partners for magnesite, talc and silica sand products at Cann Creek. Details of that work were provided by David Duncan in the 2005 Annual Report on EL 10/2003 and in the report for the application for the Retention Licence (Duncan 2006)

CRA Exploration explored the area for high grade magnesite between 1984 and 1985. The area was mapped at 1:2,000 scale and indicated a limited series of small but high grade outcroppings. Two diamond drill holes DD 84CC1 and DD85CC2 were then developed with two thin bands of lower grade magnesite in CC2 below the outcrops in Cann Creek and a thick dolomite section 400 metres to the south.

To further investigate the outcrops in Cann Creek MHA developed an access track and quarry cut 10 m north of the creek bed exposing some 18m of massive magnesite flanked by dolomitic talc schist to a distance of 15m to the west and 30m to the east.

A parallel costean, 100m long and running NW-SE some 40m north encountered only 0.2m of badly weathered carbonate in schist. About 150m north of the creek and 20m uphill, the entire sequence is overlain by Tertiary basalt.

On the basis of this limited data Dickson (in TCR 87-2716) suggested a possible, and very optimistic, resource of 285,000 tonnes magnesite at the site. The high grade material was restricted to the surface and would be considerably less than that total resource figure.

In 1988 Hilmac Pty Ltd developed 20 percussion holes (aggregate 468m) in an effort to define the shape and tonnage of the magnesite body. The program was largely unsuccessful with holes intersecting cavities and several ending while still in magnesite. However Hilmac noted-

- 10% of the carbonate sequence is high grade magnesite but no tonnage given,
- Down dip extent and shape of the magnesite still to be defined,
- Their target of 100,000 tonnes of high grade magnesite is not obvious from the drilling.

A deposit of silica flour overlies the dolomite and Precambrian schist bedrock to the south of the magnesite area. It is most probably developed from the underlying carbonates by solution collapse and subsequent silicification and replacement although some rounded quartz pebbles would also suggest some deposition in stream channels.

Previous drilling and pitting by excavator (Threader, 1989 and 1991) has established an estimated resource of 75,000 cu m in one area. The mean thickness is 3.3 m but sections can reach up to 11m in thickness. Analyses show the Cann Creek silica flour contains slightly higher levels of contaminants than that at Champion Road.

There are still potential resources to the north and south west

#### **4.0 CURRENT EXPLORATION AND MARKETING**

Marketing letters have been sent out to a number of companies inviting them to inspect, or declare expressions of interest in Cann Creek with a view to developing extractive and processing industries in NW Tasmania.

#### **5.0 FUTURE PROGRAM**

MHA will continue its efforts to market products from the Cann Creek licence. Although relatively small the Cann Creek magnesite is the highest grade material available in Tasmania and is very suitable for the production of fused magnesia products. The present resource is sufficient for many years production but efforts will be made to better define the resource.

Efforts will also be made to better define the potential for silica sand and talc production from the site.

#### **6.0 REFERENCES**

Amdel, 2004. Calcination of Tasmanian Pre-cambrian, Crypto-crystalline, Magnesite. Report No N968GE04 for Mineral Holdings Australia Pty Ltd.

Duncan, D. McP., 2005. Exploration Licence 10/2003 Cann Creek, NW Tasmania. Annual Report on Exploration to March 2005. Mineral Holdings Australia Pty. Ltd.

Duncan, D. McP., 2006. Application for a Retention Licence as a Flow on Title from EL 10/2003, Cann Creek N.W. Tasmania. Mineral Holdings Australia Pty. Ltd.

Dickson, T.W. 1985. EL 43/1970 Arthur River Area, Tasmania. Report on Exploration for 12 months to 15<sup>th</sup> October, 1985. CRA Exploration PTY Ltd. TCR 85- 2428.

Dickson, T.W., 2008. RL 2/2006 Cann Creek. Report on Exploration to June 2008 Mineral Holdings Australia Pty. Ltd.

Dickson, T.W., 2008. RL 2/2006 Cann Creek. Report on Exploration to May 2010 Mineral Holdings Australia Pty. Ltd.

Frost, M.T. and Tsambourakis, G . 1988. A Mineralogical Description of Magnesite from Cann Creek, Tasmania. CSIRO, Division of Mineral Chemistry.

Funnel, F.R. 1987. EL 43/1970 Arthur River Area, Tasmania. Report on Exploration for 12 months to 15<sup>th</sup> October, 1987. CRA Exploration PTY Ltd. TCR 87- 2716

Latti, D. 1987. Mineralogical examination of a talc sample from Cann Creek, Tasmania. Memorandum ,Rio Tinto Technical Services.

MacKenzie, P.C.J. 1984. EL 43/1970 Arthur River Area, Tasmania. Report on Exploration for 12 months to 15<sup>th</sup> October, 1984. CRA Exploration PTY Ltd. TCR 84-2214


MacKenzie, P.C.J. 1988. Percussion Drilling and Exploration Results, Arthur River El 43/1970, Cann Creek Magnesite and Foya Talc. Hilmac Pty Ltd. TCR 88-2862.

Threader, V. M, 1989. Annual Report 1988-1989. EL 43/1970 Cann Creek and EL24/1988. Champion Road Mineral Holdings Australia Pty. Ltd. TCR 89-3030.


Threader, V. M, 1991. Final Report 1990-1991. EL 57/1989 Cann Creek Mineral Holdings Australia Pty. Ltd. TCR 91-3249.

## **7.0 KEYWORDS**


Cann Creek, Arthur River Metamorphic Complex, Magnesite, Dolomite, Talc, Silica resources.




**PLAN 1 Location diagram EL 2/2006**



**PLAN 2 Geology and Exploration. EL 10/2003 is outlined, RL 2/2006 covers Carbonate zone in north centre of plan.**



**PLAN 3. Can Creek Magnesite outcrop geology in relation to DD 85CC2. Magnesite in blue Talc schist in pink. Assay number is given and assay results as Mgo, CaO, Al<sub>2</sub>O<sub>3</sub>+ Fe<sub>2</sub>O<sub>3</sub>, SiO<sub>2</sub>.**



**PLAN 4 Cann Creek interpreted geology Red/ blue +80% carbonate dominantly MgO, red stripes +70% carbonate mostly MgO, yellow Shaley carbonate, orange phyllite with less than 60% carbonate, high Fe, Al, and Silica, Green +50% silica with high Fe and alumina.**