

APPENDIX 1 - Diamond Drill Hole MCD37 - Assay Results

DHID	Sample	From	To	Interval	Cu	Cu	Pb	Pb	Zn	Zn	Ag	As	As
					ppm	%	ppm	%	ppm	%	ppm	ppm	%
MCD37	362570	35	36	1	111	0.01	107	0.01	156	0.02	<1	235	0.02
MCD37	362571	36	37	1	79	0.01	89	0.01	147	0.01	3	415	0.04
MCD37	362572	37	38	1	129	0.01	111	0.01	147	0.01	2	425	0.04
MCD37	362573	38	40	2	71	0.01	32	0.00	140	0.01	1	193	0.02
MCD37	362574	40	42.2	2.2	31	0.00	86	0.01	114	0.01	<1	82	0.01
MCD37	362575	42.3	43	0.7	26	0.00	87	0.01	118	0.01	<1	205	0.02
MCD37	362576	43	44	1	26	0.00	104	0.01	156	0.02	<1	13	0.00
MCD37	362577	44	45	1	28	0.00	62	0.01	149	0.01	<1	776	0.08
MCD37	362578	45	46.5	1.5	6	0.00	21	0.00	93	0.01	<1	48	0.00
MCD37	362579	46.5	47.1	0.6	6	0.00	29	0.00	105	0.01	<1	<10	0.00
MCD37	362580	47.1	47.9	0.8	7	0.00	75	0.01	162	0.02	<1	10	0.00
MCD37	362581	47.9	50.3	2.4	72	0.01	40	0.00	195	0.02	<1	20	0.00
MCD37	362582	50.3	51.65	1.35	19	0.00	156	0.02	138	0.01	<1	<10	0.00
MCD37	362583	51.65	51.85	0.2	25	0.00	3856	0.39	12213	1.22	2	202	0.02
MCD37	362584	51.85	54	2.15	34	0.00	1027	0.10	4114	0.41	2	1323	0.13
MCD37	362585	54	55	1	23	0.00	39	0.00	74	0.01	<1	218	0.02
MCD37	362586				<1	0.00	3	0.00	45	0.00	<1	<10	0.00
MCD37	362587				51	0.01	<1	0.00	48	0.00	<1	<10	0.00
MCD37	362588				4	0.00	8	0.00	16	0.00	<1	<10	0.00
MCD37	362589	55	56	1	20	0.00	37	0.00	63	0.01	<1	200	0.02
MCD37	362590	56	57	1	22	0.00	37	0.00	114	0.01	<1	348	0.03
MCD37	362591	57	58	1	21	0.00	30	0.00	61	0.01	<1	632	0.06
MCD37	362592	58	59	1	17	0.00	22	0.00	68	0.01	<1	31	0.00
MCD37	362593	59	60	1	20	0.00	26	0.00	94	0.01	<1	113	0.01
MCD37	362594	60	63	3	19	0.00	12	0.00	88	0.01	<1	128	0.01
MCD37	362595	63	64	1	18	0.00	8	0.00	68	0.01	<1	250	0.03
MCD37	362596	64	65	1	19	0.00	15	0.00	58	0.01	<1	14	0.00
MCD37	362597	65	66	1	17	0.00	20	0.00	76	0.01	<1	<10	0.00
MCD37	362598	66	67	1	15	0.00	13	0.00	54	0.01	<1	102	0.01
MCD37	362599	67	68	1	18	0.00	19	0.00	54	0.01	<1	151	0.02
MCD37	362600	68	69	1	17	0.00	18	0.00	77	0.01	<1	<10	0.00
MCD37	362601	82	83	1	75	0.01	127	0.01	153	0.02	<1	10	0.00
MCD37	362602	83	84	1	38	0.00	79	0.01	77	0.01	<1	159	0.02
MCD37	362603	84	85.6	1.6	31	0.00	59	0.01	66	0.01	<1	135	0.01
MCD37	362604	85.6	87	1.4	29	0.00	97	0.01	74	0.01	<1	<10	0.00
MCD37	362605	87	88	1	26	0.00	73	0.01	82	0.01	<1	<10	0.00

MCD37	362606	88	89	1	28	0.00	54	0.01	63	0.01	<1	<10	0.00
MCD37	362607	89	90	1	28	0.00	37	0.00	77	0.01	<1	<10	0.00
MCD37	362608	90	91	1	20	0.00	32	0.00	101	0.01	<1	10	0.00
MCD37	362609	91	92	1	33	0.00	49	0.00	157	0.02	<1	<10	0.00
MCD37	362610	92	93	1	37	0.00	42	0.00	106	0.01	<1	<10	0.00

Fe	Ba	Au	Comments
%	%	ppm	
6.14	0.09	<0.01	
5.01	0.15	<0.01	
5.98	0.08	<0.01	
2.25	0.23	<0.01	poor recovery
2.21	0.16	0.01	poor recovery
3.11	0.25	<0.01	don't sample sand fill....
2.51	0.23	<0.01	
4.03	0.12	<0.01	
1.73	0.07	<0.01	
1.46	0.22	<0.01	
1.61	0.01	<0.01	
2.16	0.18	<0.01	poor recovery
2.68	0.14	<0.01	
2.90	0.15	<0.01	poor recovery
4.37	0.17	<0.01	
2.78	0.11	<0.01	
0.57	<0.01	<0.01	Blank
2.14	<0.01	0.82	G301-1, 0.85g/t Au
0.41	<0.01	<0.01	Blank
4.12	0.16	<0.01	
4.89	0.15	<0.01	
4.48	0.18	<0.01	
3.74	0.09	<0.01	
5.62	0.14	<0.01	
3.58	0.12	<0.01	poor recovery
3.21	0.17	<0.01	
4.42	0.09	<0.01	
2.51	0.13	<0.01	
2.38	0.09	<0.01	
3.16	0.10	<0.01	
2.26	0.13	<0.01	
4.17	0.25	0.02	note break in sequence
3.09	0.33	0.02	
2.92	0.23	0.03	
4.47	0.14	0.04	
4.63	0.14	0.02	

4.81	0.09	0.02	
3.64	0.12	0.03	
3.32	0.14	0.01	
2.56	0.20	0.01	
2.88	0.24	0.02	