

APPENDIX 3
EL28/2009 Lake Margaret
Diamond Drill Hole LMD02 Assays

Sample	From	To	Interval	Cu ppm	Pb ppm	Zn ppm	Ag ppm	As ppm	Fe %	Ba %	S %	Au ppm
367681	86.40	87.70	1.30	50	22	386	<1	89	3.37	0.12	1.92	<0.01
367682	87.70	89.00	1.30	76	75	680	<1	133	3.48	0.11	3.30	<0.01
367683	89.00	91.00	2.00	34	422	414	1	207	5.03	0.12	5.62	0.03
367684	91.00	93.00	2.00	34	56	66	<1	79	3.64	0.12	3.65	<0.01
367685	93.00	95.00	2.00	15	46	117	<1	150	2.88	0.22	2.70	<0.01
367686	95.00	97.00	2.00	11	107	118	<1	65	3.23	0.12	3.04	<0.01
367687	97.00	99.00	2.00	20	58	141	<1	172	2.83	0.13	2.51	<0.01
367688	99.00	101.00	2.00	14	93	304	<1	<10	2.89	0.13	2.39	<0.01
367689	101.00	103.00	2.00	58	75	50	<1	<10	4.18	0.11	4.59	<0.01
367690	103.00	105.00	2.00	52	32	121	<1	98	3.50	0.09	3.44	<0.01
367691	105.00	106.50	1.50	49	20	89	<1	172	4.58	0.11	4.77	0.02
367692	STD G305-5			165	21	190	<1	854	5.14	<0.01	0.65	2.16
367693	106.50	107.50	1.00	21	22	159	<1	86	3.34	0.11	3.07	<0.01
367694	107.50	109.00	1.50	60	12	95	<1	77	3.63	0.09	2.42	<0.01
367695	109.00	111.00	2.00	66	10	97	<1	77	3.25	0.08	1.58	<0.01
367696	111.00	113.00	2.00	46	<1	153	<1	219	4.53	0.07	0.20	<0.01
367697	113.00	115.00	2.00	57	39	90	<1	90	3.67	0.08	2.78	<0.01
367698	115.00	116.50	1.50	39	35	84	<1	86	3.51	0.05	2.81	<0.01
367699	116.50	118.00	1.50	29	46	122	<1	<10	3.63	0.09	2.83	<0.01
367700	118.00	119.80	1.80	20	52	71	<1	91	3.29	0.09	2.91	<0.01
367701	119.80	122.00	2.20	20	28	71	<1	148	3.28	0.09	2.63	<0.01
367702	122.00	124.00	2.00	26	10	83	<1	76	3.17	0.07	2.51	0.03
367703	Blank- QTZ rock			4	9	15	<1	215	0.63	<0.01	<0.01	<0.01
367704	124.00	126.00	2.00	32	84	179	<1	90	3.23	0.10	2.56	<0.01
367705	126.00	127.60	1.60	49	40	136	<1	53	3.59	0.11	3.37	<0.01
367706	127.60	128.60	1.00	53	36	194	<1	101	4.06	0.10	3.00	<0.01
367707	128.60	129.10	0.50	158	4	511	<1	116	4.42	0.10	0.66	<0.01
367708	129.10	130.50	1.40	27	156	183	1	92	3.76	0.12	3.60	<0.01
367709	130.50	132.00	1.50	41	148	660	1	41	3.71	0.10	3.63	<0.01
367710	132.00	133.50	1.50	25	143	371	<1	51	3.80	0.08	3.73	<0.01
367711	133.50	135.00	1.50	100	9	440	<1	173	4.95	0.07	1.20	<0.01
367712	135.00	136.10	1.10	113	8	228	<1	258	5.86	0.10	0.97	<0.01
367713	136.10	137.00	0.90	107	106	108	1	199	7.02	0.07	5.96	<0.01
367714	137.00	138.00	1.00	155	37	77	<1	119	7.22	0.06	5.33	<0.01
367715	138.00	139.00	1.00	119	10	85	<1	219	6.41	0.04	3.11	<0.01

Sample	From	To	Interval	Cu	Pb	Zn	Ag	As	Fe	Ba	S	Au
367716	139.00	140.00	1.00	128	24	190	1	233	6.16	0.04	3.12	0.03
367717	140.00	141.00	1.00	98	31	188	<1	143	5.83	0.08	3.61	<0.01
367718	STANDARD GBM995-8			239	26200	118000	43	402	6.00	0.02	9.60	0.17
367719	141.00	142.20	1.20	73	37	238	1	232	7.66	0.06	5.35	0.03
367720	142.20	143.50	1.30	102	89	368	1	209	6.67	0.06	3.20	<0.01
367721	143.50	145.00	1.50	120	281	556	2	269	6.82	0.01	4.13	0.02
367722	145.00	146.50	1.50	158	37	170	<1	345	7.53	0.01	3.99	0.02
367723	146.50	148.00	1.50	139	<1	58	1	329	8.06	0.01	4.49	<0.01
367724	148.00	149.00	1.00	138	14	167	1	134	7.00	0.01	2.40	<0.01
367725	Blank- QTZ rock			2	10	18	<1	<10	0.71	<0.01	<0.01	<0.01
367726	149.00	150.00	1.00	150	80	178	2	111	7.64	0.15	6.70	<0.01
367727	150.00	150.80	0.80	101	51	154	<1	<10	6.55	0.04	4.97	<0.01
367728	150.80	152.50	1.70	24	28	111	<1	<10	4.16	0.08	1.99	<0.01
367729	152.50	154.35	1.85	26	189	110	<1	<10	3.53	0.22	0.66	<0.01
367730	154.35	156.00	1.65	22	1	125	<1	<10	4.87	0.09	<0.01	<0.01
367731	194.00	195.00	1.00	8	5	44	<1	<10	2.26	0.32	0.06	<0.01
367732	195.00	196.00	1.00	48	<1	92	<1	<10	4.62	0.11	0.04	<0.01
367733	STD G305-5			176	19	186	<1	633	4.88	0.02	0.67	2.41
367734	196.00	197.00	1.00	73	4	102	<1	191	4.46	0.02	0.03	<0.01
367735	197.00	198.00	1.00	79	<1	131	<1	116	5.31	0.24	0.02	<0.01
367736	198.00	199.00	1.00	81	15	191	<1	19	7.58	0.08	<0.01	<0.01
367737	342.50	344.00	1.50	<1	22	141	<1	<10	2.37	0.46	0.08	<0.01
367738	344.00	345.20	1.20	<1	9	233	<1	10	4.07	0.22	0.12	0.02
367739	345.20	346.00	0.80	<1	12	144	<1	10	3.73	0.41	0.11	<0.01
367740	346.00	346.90	0.90	<1	1	85	<1	59	2.49	0.36	<0.01	<0.01
367741	346.90	348.50	1.60	67	9	90	<1	66	1.23	0.21	0.03	<0.01
367742	348.50	349.80	1.30	366	1	75	<1	45	1.08	0.07	0.03	<0.01
367743	349.80	351.00	1.20	421	12	81	<1	<10	0.86	0.05	<0.01	<0.01
367744	STD G305-5			173	13	234	1	534	4.72	0.05	0.62	<0.01
367745	44.40	47.40	3.00	168	<1	68	<1	<10	3.43	0.20	0.51	<0.01
367746	47.40	50.40	3.00	62	8	95	<1	96	3.25	0.62	0.02	<0.01
367747	50.40	53.40	3.00	52	11	59	<1	88	3.33	0.13	0.25	<0.01
367748	53.40	56.40	3.00	86	3	75	<1	44	2.40	0.10	1.33	<0.01
367749	56.40	59.40	3.00	10	<1	107	<1	80	2.80	0.25	0.38	<0.01
367750	59.40	62.40	3.00	7	<1	131	<1	69	2.88	0.11	<0.01	<0.01
367751	62.40	65.40	3.00	14	<1	175	<1	88	2.98	0.11	0.35	<0.01
367752	65.40	68.40	3.00	25	7	117	<1	<10	2.48	0.51	1.68	<0.01
367753	68.40	71.40	3.00	35	26	101	<1	20	2.83	0.25	2.52	<0.01
367754	71.40	74.40	3.00	23	11	79	<1	49	2.13	0.30	2.13	<0.01

Sample	From	To	Interval	Cu	Pb	Zn	Ag	As	Fe	Ba	S	Au
367755	74.40	77.40	3.00	16	<1	217	<1	84	2.77	0.10	0.52	<0.01
367756	Blank- QTZ rock			<1	<1	32	<1	63	0.39	0.05	<0.01	<0.01
367757	80.40	82.70	2.30	8	11	109	<1	58	2.78	0.12	2.48	<0.01
367758	82.70	84.50	1.80	11	28	105	<1	10	2.85	0.24	2.94	<0.01
367759	84.50	86.40	1.90	15	1	447	<1	55	2.81	0.23	2.31	<0.01