


LH03/1029

N.E. TASMANIA
SCAMANDER
SILVER ECHO
GROUND MAGNETICS
LINE 10 800E +
11000E

5 cm



100
50
0
N (15°TN)
(0°MN)
Sn (ppm)




R.O.C.S.
GEOPHYSICS SYSTEM - MAGMOD

MODEL : PRISM

(7 PT FILTERED) CALCULATED RESPONSE : x
OBSERVED DATA : o

MAGNETIZN	100.6114
DIP	49.7169
BASE LEVEL	61754.0114
X-SLOPE	0.0000
Y-SLOPE	0.0000
X-POSITION	9500.9558
Y-POSITION	10000.0000
X H-WIDTH	166.4172
Y H-WIDTH	100.0000
DEPTH	144.4271
THICKNESS	90.6876
INCLINATN	-71.0000
DECLINATN	0.0000
FIELD	0.0000
ORIENTATN	0.0000
SCALE	
DISTANCE :	50.00 M/CM
FIELD :	25.00 nT/CM
DEPTH :	50.00 M/CM



SHELL COMPANY OF AUSTRALIA METALS DIVISION	
SCAMANDER, N. E. TAS SILVER ECHO	
GROUND MAGNETICS LINE 10 800E, 11000E	
MAGNETIC MODELLING	
FIG. NO: 9	REPT. NO:
ENCL. NO:	DRG. NO: LH02/1029
DATE: 8/85	AUTHOR: N.H.
DRAWN:	OFFICE: A.H.O.