



Tas/2/728

* All results in ppm unless otherwise shown

SAMPLE#	Cu	Pb	Zn	Ag	Sn	Sb
T 469	320	185%	3.8%	3429	3200	9600
470	30	1000	900	1.6	40	1040
471	38	300	230	0.6	100	240
472	30	440	160	0.8	160	400
473	14	900	98	0.2	20	200
474	200	080%	1800	24	0.90%	5000
475	18	1000	120	1.0	100	920
476	32	1050	112	1.2	80	640
477	34	130	40	1.6	80	80
478	32	62	42	0.2	20	40
479	440	110%	3.9%	23	1400	5400
480	42	048%	2400	5.2	2900	3200
481	570	145%	5.2%	4115	125%	5400
482	32	2000	1060	1.2	1700	1460
483	38	900	160	1.0	80	240
484	18	400	66	0.6	40	160
485	12	1200	70	10.8	180	1080
486	1150	2.50%	7.5%	113.6	1500	9800
487	220	0.70%	6000	21	1400	9200
488	28	850	390	1.0	260	560
489	20	1250	100	0.8	2	200
490	60	1500	240	1.8	180	640
491	2550	78%	24.1%	486.1	2000	6400
492	92	0.23%	8000	12.0	80	2040
493	14	950	220	0.6	100	920
494	58	800	8800	6.0	80	960
495	420	1.45%	5.20%	2.6	1080	9200
496	42	260	4500	4.4	780	320
497	54	108	230	0.6	20	120
498	12	98	490	0.8	380	80
499	10	42	150	0.4	60	40
500	26	950	2900	1.6	280	520
588	26	52	190	0.6	40	40
589	30	48	250	0.8	80	80
590	390	3.0%	3.70%	15	580	5600
591	38	1000	2500	2.0	460	1000
592	26	102	200	0.4	40	80
593	24	42	230	0.4	40	40
594	4	84	500	1.8	840	120
595	320	1.40%	4.80%	2.1	3900	5200
596	8	590	340	2.0	920	800
597	52	370	7000	3.2	2100	680
598	260	1.9%	1.9%	15	900	9200
3380	180	2.9%	0.0%	44.58	2.8%	9800
3390	1000	10.4%	2.20%	11.72	2.90%	5400
3391	1200	1.9%	1.6%	99.20	7.8%	2600



NOTE
 ■ Mineralized zone in roads sampled
 - - - Adit walls sampled



AUSTRALIAN ANGLO AMERICAN LIMITED	
TINSTONE CREEK AREA	
(AAB) ANOMALY	
CHIP SAMPLE RESULTS	
DRAWN	8/76
DATE	DBO
COMPILED	
SCALE	1:1000
TAS/2/728	