

HoleId	Project	From	To	Asppm	Cuppm	Pbppm	Znppm	Pass75um%	Thppm	Uppm	Agppm	Vppm	Auppm	Lab	Sample Typ
CCRC001	CASTLE CAREY	39.00	40.00	17.00	12.00	14.00	75.00	90	8.00	9.00	-0.2	13.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	40.00	41.00	15.00	12.00	13.00	87.00		5.00	16.00	-0.2	24.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	41.00	42.00	13.00	10.00	9.00	92.00		5.00	28.00	-0.2	22.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	42.00	43.00	15.00	10.00	10.00	95.00		7.00	45.00	-0.2	49.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	43.00	44.00	27.00	16.00	16.00	101.00		9.00	80.00	-0.2	19.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	44.00	45.00	36.00	13.00	16.00	89.00		8.00	98.00	-0.2	28.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	45.00	46.00	31.00	11.00	20.00	86.00		10.00	100.00	-0.2	30.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	46.00	47.00	3.00	2.00	32.00	59.00		20.00	12.00	-0.2	4.00	-0.005	ALS	PC
CCRC001	CASTLE CAREY	47.00	48.00	5.00	2.00	32.00	62.00		17.00	8.00	-0.2	3.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	77.00	78.00	13.00	5.00	16.00	41.00	90	9.00	6.00	-0.2	5.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	78.00	79.00	22.00	16.00	27.00	72.00		12.00	11.00	-0.2	23.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	79.00	80.00	27.00	6.00	12.00	43.00		9.00	12.00	-0.2	20.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	80.00	81.00	9.00	5.00	11.00	38.00		6.00	5.00	-0.2	13.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	81.00	82.00	4.00	2.00	6.00	20.00		0.00	4.00	-0.2	8.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	82.00	83.00	9.00	5.00	13.00	84.00		6.00	17.00	-0.2	16.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	83.00	84.00	29.00	12.00	22.00	83.00		8.00	28.00	-0.2	20.00	-0.005	ALS	PC
CCRC002	CASTLE CAREY	84.00	85.00	7.00	3.00	28.00	85.00		9.00	9.00	-0.2	7.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	80.00	81.00	8.00	3.00	9.00	27.00		4.00	10.00	-0.2	9.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	81.00	82.00	38.00	9.00	24.00	45.00		10.00	33.00	-0.2	8.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	82.00	83.00	25.00	5.00	12.00	29.00		9.00	26.00	-0.2	10.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	83.00	84.00	58.00	12.00	32.00	111.00		15.00	186.00	-0.2	10.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	84.00	85.00	4.00	8.00	12.00	11.00		7.00	21.00	-0.2	11.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	85.00	86.00	83.00	15.00	37.00	96.00		17.00	89.00	-0.2	13.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	86.00	87.00	9.00	6.00	20.00	139.00		11.00	37.00	0.2	17.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	87.00	88.00	9.00	7.00	240.00	225.00		11.00	34.00	0.7	10.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	88.00	89.00	5.00	3.00	236.00	55.00		18.00	35.00	0.3	4.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	89.00	90.00	4.00	2.00	23.00	60.00		40.00	17.00	-0.2	5.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	90.00	91.00	3.00	5.00	27.00	70.00		42.00	20.00	-0.2	4.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	91.00	92.00	3.00	2.00	25.00	46.00		36.00	11.00	-0.2	4.00	-0.005	ALS	PC
CCRC003	CASTLE CAREY	92.00	93.00	0.00	1.00	19.00	35.00		34.00	11.00	-0.2	3.00	-0.005	ALS	PC